PTO .	
<u>ب</u>	
Ę,	
507	
/25(
9	
ר :	

SELECT ROLLOVER-REPORT ASSIGN TO UT-S-SYS020.	SELECT DRFTITEM-FILE ASSIGN TO UT-S-DRFTITEM.	SELECT TRANHOLD-FILE ASSIGN TO UT-S-TRNHOLD.	FILE STATUS IS MIR-STAT.	RECORD KEY IN MMD-KEY	ACCESS MODE TO BANDA	SELECT MERCHANT-FILE ASSIGN TO DA-MERCHNT		FILE STATUS IS COMP-STATUS.	ACCESS MODE IS DYNAMIC		SELECT DATE-FILE ASSIGN TO DA-IDFILE		FILE-CONTROL.	TARIT-DITRIT SECTION	COMETCHONTON CECTTON		宋·张宗·张宋·宋·宋·宋·宋·宋·宋·宋·宋·宋·宋·宋·宋·宋·宋·宋·宋·			* 06/05/91 JPH CORRECT PAYMENT ROLLOVER ERRORS FOR WEEKLY	* ****** ** SOF ELECTRONIC MENTITIONNEE PROCESSING.	i	RT IF EFT CODE = 'B'.	* 04/19/91 PAW ADD CODE TO USE PAPER OR ELECTRONIC	**	* BY STATUS ** BY STATUS	# HEADING. ALSO, CHANGED THE DRAFT ERROR	=	* 04/11/91 KAB CHANGED THE 'ROLLOVER DATE' HEADING TO	;	* 03/08/91 JPH COMMIT WORKS AND RESTART PROCESSING	FROM 'N' TO 'N14'.	DURC		* TOTAL.	* OF ACH TRANSACTIONS INTO THE CREDIT LIMIT	THE CREEK FROM ACTIVITY ATTOM		* 12/21/90 JPH IF CONSUMER PAYMENT IS LESS THAN MERCHANT
000231	000229	000227	000225	000223	000222	000221	000220	015000 015000	000217	000216	000215	000214	2T2000	000211	000210	000209	000208	000207	000206	000205	000203	000202	000201	000200	661000	000197	000196	000195	000194	000193	000191	061000	000189	000188	000187	981000	000184	000183	000182
·				05/25/91														06/05/91	06/05/91	06/05/91	06/05/91	04/20/91	04/20/91	04/20/91	04/14/91	04/14/91	04/14/91	04/14/91	04/14/91	16/2/120	02/10/91	02/10/91	02/10/91	01/02/91	01/02/91	01/02/91	01/02/91	01/02/91	01/02/91

Exhibit A

RUN NO. 746
DATE=06/14/91
TIME=0833

_	
-	
=	
67	
_	
•	

FD CARDIN RECORDING MODE F BLOCK CONTAINS 0 RECORDS. 01 CARDIN-LINE	FD SUMMARY-REPORT RECORDING MODE F BLOCK CONTAINS 0 RECORDS. 01 SUMMARY-REPORT-LINE	FD ERROR-REPORT RECORDING MODE F BLOCK CONTAINS 0 RECORDS. 01 ERROR-REPORT-LINE	FD ROLLOVER-REPORT RECORDING MODE F BLOCK CONTAINS 0 RECORDS. 01 ROLLOVER-REPORT-LINE	FD DRFTITEM-FILE RECORDING MODE F. BLOCK CONTAINS 0 RECORDS. 01 DRFTITEM-RECORD	FD TRANHOLD-FILE RECORDING HODE F BLOCK CONTAINS 0 RECORDS. -INC FVDRFTRN	FD DATE-FILE. 01 DATE-RECORD. 05 COMP-CTL-KEY 05 COMP-CTL-REC FD MERCHANT-FILEINC FMERCHNT	SELECT PAY-TABLE-OUTPUT ASSIGN TO UT-S-PAYTBLOT. DATA DIVISION. FILE SECTION.	SELECT ERROR-REPORT ASS SELECT SUMMARY-REPORT ASS SELECT CARDIN ASSIGN TO SELECT PAY-TABLE-INPUT AS
PIC X(80).	PIC X(142).	PIC X(142).	PIC X(142).	PIC X(142).		PIC X(10). PIC X(480).	SIGN TO UT-S-PAYTBLOT.	RT ASSIGN TO UT-S-SYS021. PORT ASSIGN TO UT-S-SYS022. ASSIGN TO UT-S-CARDIN. INPUT ASSIGN TO UT-S-PAYTBLIN.
000276 000279 000280 01/02/91 000281 000282 000283 03/13/91	000273 000274 000275 01/02/91 000276 000277 03/13/91	000268 000269 000270 01/02/91 000271 000272 03/13/91	000263 000264 000265 01/02/91 000266 000267 03/13/91	000259 000259 01/02/91 000261 000262 03/13/91	000253 000254 000255 01/02/91 000256 2 000257 04/20/91	000246 01/02/91 000247 000248 000249 000250 000251 01/02/91 % 000252 11/14/90		000233 000234 000235 000236 000237 000239 000239 000240

Ä

000286 000287 000289 000299 000292 000294 000297 000297 000298 000300 000300 000300 000300 000300 000300 000311 000312 000315 000316 000317 2 000318 000324 -** 000329 000320 000320 000320 000320 000320 000320 000320 000320 000320 000320	PBT002 END-E PBT007 END-E PBT007 END-E PBT006 END-E PBT007 END-E PBT000 END-E PBT00 END-E
000286 000287 000289 000292 000293 000294 000295 000295 000296 000296 000300 000300 000300 000300 000300 000310 000311 000316 000317 2 000318 000324 -* 000326 000327 000326 000327 000328 000328 000329	RECORDING HODE F BLOCK CONTAINS O RECORDS. 01 PAY-TBL-OUTPUT-REC WORKING-STORAGE SECTION. 77 FILLER PIC X(3) FREC SQL INCLUDE PBT002 END-EXEC. EXEC SQL INCLUDE PBT002 END-EXEC. EXEC SQL INCLUDE PBT007 END-EXEC. EXEC SQL INCLUDE PBT000 END-EXEC. EXEC SQL INCLUDE PBT010 END-EXEC. EXEC SQL INCLUDE SQLCA END-EXEC. 77 SQL-DRAFT-DATE PIC S9(6) (77 SQL-PREV-SSN EXEC SQL INCLUDE SQLCA END-EXEC. EXEC SQL INCLUDE SQLCA END-EXEC. EXEC SQL INCLUDE SQLCA END-EXEC. FIC S9(9) (77 SQL-PREV-SSN FIC S9(1) (78 SQL-PREV-SSN PIC XX. 77 COMP-KEY PIC XX. 77 COMP-KEY PIC XX. PIC XX.
000286 000287 000289 000292 000293 000294 000295 000295 000296 000296 000297 000297 000298 000300 000300 000300 000300 000300 000300 000311 000312 000314 000316 000317 % 000318 000328 % 000329	RECORDING HODE F BLOCK CONTAINS O RECORDS. 01 PAY-TBL-OUTPUT-REC WORKING-STORAGE SECTION. 77 FILLER PIC X(3; PBB00010 WORKING-S1 EXEC SQL INCLUDE PBT002 END-EXEC. EXEC SQL INCLUDE PBT007 END-EXEC. EXEC SQL INCLUDE PBT007 END-EXEC. EXEC SQL INCLUDE PBT010 END-EXEC. EXEC SQL INCLUDE PBT900 END-EXEC. EXEC SQL INCLUDE SQLCA END-EXEC. 77 SQL-PREV-SSN FIC XX. 77 COMP-STATUS 77 COMP-STATUS 77 WS-COMP-KEY PIC X(10) FPRODATE ** THE FOLLOWING SWITCH CAN BE INITIALIZED THE POLLOWING SWITCH CAN BE THAT SHOULE ** BE EXECUTED DURING A NON-PRODUCTION RUM. ** VPDATES OF THE DB2 TABLES ARE BYPASSED AN ** ZERO IS USED WHEN THE SWITCH IS SET TO 'Y
000286 000287 000288 000289 000292 000293 000295 000296 000296 000297 000300 000301 000301 000301 000311 000311 000311 000311 000311 000311 000316 000317 7 000316 000316 000326 000326 000326	RECORDING MODE F BLOCK CONTAINS 0 RECORDS. 01 PAY-TBL-OUTPUT-REC WORKING-STORAGE SECTION. 77 FILLER PBB00010 WORKING-S1 EXEC SQL INCLUDE PBT001 END-EXEC. EXEC SQL INCLUDE PBT006 END-EXEC. EXEC SQL INCLUDE PBT006 END-EXEC. EXEC SQL INCLUDE PBT010 END-EXEC. EXEC SQL INCLUDE PBT010 END-EXEC. EXEC SQL INCLUDE PBT900 END-EXEC. EXEC SQL INCLUDE PBT900 END-EXEC. EXEC SQL INCLUDE PBT900 END-EXEC. EXEC SQL INCLUDE SQLCA END-EXEC. C SQL-DRAFT-DATE 77 SQL-PREV-SSN FIC S9(6) (77 SQL-PREV-SSN FIC S9(7) (77 COMP-STATUS 77 COMP-STATUS 77 COMP-KEY THE FOLLOWING SWITCH CAN BE INITIALIZED 1 * THE FOLLOWING SWITCH CAN BE THAT SHOULD BE EXECUTED DURING A NON-PRODUCTION RUN. * UPDATES OF THE DB2 TABLES ARE BYPASSED AN
000286 000287 000288 0002290 0002292 0002295 0002296 0002296 0002297 0002297 0002297 0002301 000300 000301 000301 000310 000311 000311 000311 000311 000311 000311 000311 000312 000312 000312 000316 000316 000317 % 000326 000326 000327 000326	RECORDING NODE F BLOCK CONTAINS O RECORDS. 01 PAY-TBL-OUTPUT-REC WORKING-STORAGE SECTION. 77 FILLER *PBB00010 MORKING-S1 EXEC SQL INCLUDE PBT001 END-EXEC. EXEC SQL INCLUDE PBT002 END-EXEC. EXEC SQL INCLUDE PBT007 END-EXEC. EXEC SQL INCLUDE PBT000 END-EXEC. EXEC SQL INCLUDE PBT000 END-EXEC. EXEC SQL INCLUDE PBT010 END-EXEC. EXEC SQL INCLUDE PBT000 END-EXEC. 77 SQL-DRAFT-DATE FIC S9(6) (77 SQL-PREV-SSN 77 COMP-STATUS 77 COMP-KEY THE FOLLOWING SWITCH CAN BE INITIALIZED THAT SHOULD ** THE FOLLOWING SWITCH CAN BE INITIALIZED THAT SHOULD ** THE FOLLOWING SWITCH CAN BE INITIALIZED THAT SHOULD ** THE FOLLOWING SWITCH CAN BE EXECUTED DURING A NON-PRODUCTION RUN.
000286 000287 000288 000289 000290 000291 000293 000295 000295 000296 000297 000297 000299 000300 000300 000301 000301 000301 000301 000301 000301 000301 000311 000312 COMP VALUE ZEROS. 000313 000314 000315 000315 000316 000316 000317 000318 000326 000325 000326 000325 000326	ING-STORAGE SECTION. ILLER PBB00010 XEC SQL INCLUDE PBT002 END-E XEC SQL INCLUDE PBT007 END-E XEC SQL INCLUDE PBT007 END-E XEC SQL INCLUDE PBT000 END-E XEC SQL INCLUDE SQLCA END-EX XEC SQL INCLUDE SQLCA END-EX THE STATUS FOLLOWING SWITCH CAN BE INI INDICATE THAT CERTAIN CODE T
000286 000287 000288 000289 000299 000293 000294 000297 000297 000299 000301 000301 000301 000311 000311 000312 000314 000315 000315 000316 000317 000318 000321 000322 000323 000322 000323 000323 000323 000323	ILLER "AY-TBL-OUTPUT-REC" "AY-TBL-OUTPUT-REC" "PBB00010 XEC SQL INCLUDE PBT002 END-E XEC SQL INCLUDE PBT006 END-E XEC SQL INCLUDE PBT006 END-E XEC SQL INCLUDE PBT007 END-E XEC SQL INCLUDE PBT000 END-E XEC SQL INCLUDE PBT000 END-E QL-DRAFT-DATE QL-PREV-SSN PS-COMP-KEY E FOLLOWING SWITCH CAN BE INI FOLLOWING SWITCH CAN BE INI
000286 000287 000288 000289 000299 000293 000294 000295 000296 000297 000300 000301 000301 000311 VALUE ZEROS. VALUE ZEROS. VALUE ZEROS. 000314 000315 000316 000316 000317 000321 000322 000323	ILLER TILLER TEC SQL INCLUDE PBT001 END-E XEC SQL INCLUDE PBT006 END-E XEC SQL INCLUDE PBT007 END-E XEC SQL INCLUDE PBT000 END-E XEC SQL INCLUDE SQLCA END-EX
X(25). 000286 X(25). 000287 000287 000289 000291 X(25). 000291 000292 000293 000294 000295 000297 000297 000299 000299 000299 000299 000299 000303 000299 000303 000303 000304 000303 000304 000303 000304 000303 000304 000303 000304 000303 000304 000303 000303 000304 000303 000304 000303 000304 000303 000304 000303 000304 000303 000304 000303 000304 000303 000304 000303 000304 000303 000304 000303 000304 000303 000304 000303 000304 000303 000304 000303 000303 000303 000314 000315 000314 000315 000316 000316 000317 2 000318 000320 0003221 0003223	NG-STORAGE SECTION. ILLER 'AY-TBL-OUTPUT-REC 'AY-TBL-OUTPUT-REC 'AY-TBL-OUTPUT-REC 'PBB00010 'XEC SQL INCLUDE PBT001 END-E XEC SQL INCLUDE PBT006 END-E XEC SQL INCLUDE PBT007 END-E XEC SQL INCLUDE PBT010 END-E XEC SQL INCLUDE PBT010 END-E XEC SQL INCLUDE PBT010 END-E XEC SQL INCLUDE PBT900 END-E XEC SQL INCLUDE PBT900 END-E XEC SQL INCLUDE SQLCA END-EX
X(25). X(25).	NG-STORAGE SECTION. ILLER PBB00010 XEC SQL INCLUDE PBT001 END-E XEC SQL INCLUDE PBT002 END-E XEC SQL INCLUDE PBT006 END-E XEC SQL INCLUDE PBT000 END-E XEC SQL INCLUDE SQLCA END-EX
X(25). 000286 000287 000288 000289 000291 X(25). X(2	NG-STORAGE SECTION. ILLER PBB00010 XEC SQL INCLUDE PBT001 END-E XEC SQL INCLUDE PBT002 END-E XEC SQL INCLUDE PBT006 END-E XEC SQL INCLUDE PBT007 END-E XEC SQL INCLUDE PBT000 END-E XEC SQL INCLUDE SQLCA END-EX XEC SQL INCLUDE SQLCA END-EX XEC SQL INCLUDE SQLCA END-EX
X(25). 000286 X(25). 000287 000287 000288 000289 000291 X(25). 000293 000293 000294 000295 000295 000296 000297 000297 000299 000299 000300 000310 000311 000311 000312 XX. 000318 000319 000319 000319 000319 000319 000319	NG-STORAGE SECTION. ILLER PBB00010 XEC SQL INCLUDE PBT002 END-E XEC SQL INCLUDE PBT006 END-E XEC SQL INCLUDE PBT007 END-E XEC SQL INCLUDE PBT000 END-E XEC SQL INCLUDE SQLCA END-EX XEC SQL INCLUDE SQLCA END-EX XEC SQL INCLUDE SQLCA END-EX
X(25). 000286 X(25). 000287 000287 000289 000291 X(25). 000293 000292 000293 000294 000295 000296 000296 000296 000297 2XING-STORAGE BEGINS HERE*. 000299 000301 000301 000302 000303 000313 000314 000315 000316 000316 000316 000316 000316 000317 % 000319	NG-STORAGE SECTION. ILLER PBB00010 XEC SQL INCLUDE PBT002 END-E XEC SQL INCLUDE PBT006 END-E XEC SQL INCLUDE PBT007 END-E XEC SQL INCLUDE PBT000 END-E XEC SQL INCLUDE SQLCA END-EX
X(25). 000286 X(25). 000287 000287 000289 000291 X(25). 000291 000292 000293 000294 000295 000296 000296 000297 000298 000299 000298 000299 000301 000301 000301 000302 00030303 00030303 000304 000303 000304 000303 000304 000305 000305 000306 000306 000307 000308 000308 000308 000310 000311 000315 000316 000316 000316	ECORDING MODE F SLOCK CONTAINS O RECORDS. NY-TBL-OUTPUT-REC PBB00010 XEC SQL INCLUDE PBT001 END-E XEC SQL INCLUDE PBT002 END-E XEC SQL INCLUDE PBT006 END-E XEC SQL INCLUDE PBT000 END-E
X(25). 000286 000287 000289 000291 X(25). X(25). X(25). X(25). X(25). X(25). X(25). X(25). X(25). X(25). X(25). X(25). X(25). X(25). X(25). X(25	NG-STORAGE SECTION. ILLER PBB00010 XEC SQL INCLUDE PBT002 END-E XEC SQL INCLUDE PBT006 END-E XEC SQL INCLUDE PBT007 END-E XEC SQL INCLUDE PBT000 END-E QL-DRAFT-DATE QL-PREV-SSN XEC SQL INCLUDE SQLCA END-EX
X(25). 000286 X(25). 000287 000287 000289 000291 X(25). 000292 000293 000294 000295 000296 000296 000296 000297 000298 000298 000298 000299 000300 000310 000313 000314	RECORDING HODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC FILLER FILLER FILLER FEXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT002 END-E EXEC SQL INCLUDE PBT006 END-E EXEC SQL INCLUDE PBT007 END-E EXEC SQL INCLUDE PBT010 END-E EXEC SQL INCLUDE PBT900 END-E EXEC SQL-DRAFT-DATE SQL-PREV-SSN EXEC SQL INCLUDE SQLCA END-EX
X(25). 000286 X(25). 000287 000287 000289 000291 X(25). 000292 000293 000294 000295 000296 000296 000296 000297 000297 000298 000299 000300 000301 000301 000306 000306 000306 000308 000308 000308 000309 000311 S9(6) COMP VALUE ZEROS. 000312 000314 000315	RECORDING HODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC REXING-STORAGE SECTION. FILLER FILLER FILLER FEXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT002 END-E EXEC SQL INCLUDE PBT007 END-E EXEC SQL INCLUDE PBT007 END-E EXEC SQL INCLUDE PBT010 END-E EXEC SQL INCLUDE PBT900 END-E SQL-DRAFT-DATE SQL-PREV-SSN EXEC SQL INCLUDE SQLCA END-EX
X(25). 000286 X(25). 000287 000287 000288 000289 000291 000291 000293 000294 000295 000295 000296 000296 000297 000297 000298 000298 000299 000300 000301 000301 000306 000308 000308 000311 S9(6) COMP VALUE ZEROS. 000314 000314	RECORDING HODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC RKING-STORAGE SECTION. FILLER FILLER FEXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT002 END-E EXEC SQL INCLUDE PBT006 END-E EXEC SQL INCLUDE PBT007 END-E EXEC SQL INCLUDE PBT010 END-E
X(25). 000286 X(25). 000287 000287 000288 000289 000291 X(25). 000293 000294 000295 IC X(37) VALUE 000296 000296 000299 000299 000299 000299 000300 000301 000305 000306 000306 000306 000308 000308 000310 000311 S9(6) COMP VALUE ZEROS. 000313	RECORDING HODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC RXING-STORAGE SECTION. FILLER FILLER PBB00010 EXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT002 END-E EXEC SQL INCLUDE PBT006 END-E EXEC SQL INCLUDE PBT007 END-E EXEC SQL INCLUDE PBT010 END-E
X(25). 000286 X(25). 000287 000287 000289 000291 X(25). 000293 000294 000295 000296 000297 XING-STORAGE BEGINS HERE'. 000299 000301 . 000301 . 000303 . 00030304 000305 . 000306 000307 . 000308 000309 . 000309 . 000301 . 000301 . 000301 . 000301 . 000302 . 00030304 000306 000309 . 000309 . 000309 . 000301 . 000311 S9(6) COMP VALUE ZEROS. 000313	RECORDING HODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC RXING-STORAGE SECTION. FILLER FILLER PBB00010 EXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT002 END-E EXEC SQL INCLUDE PBT007 END-E EXEC SQL INCLUDE PBT010 END-E
X(25). 000286 X(25). 000287 000287 000289 000291 X(25). 000292 X(25). 000293 000294 000295 000295 000296 000296 000297 XING-STORAGE BEGINS HERE*. 000299 000300 000301 000301 000306 000307 000308 000307 000310 000311 S9(6) COMP VALUE ZEROS. 000312	RECORDING HODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC FILLER FILLER FILLER FEXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT002 END-E EXEC SQL INCLUDE PBT006 END-E EXEC SQL INCLUDE PBT007 END-E EXEC SQL INCLUDE PBT010 END-E
X(25). 000286 X(25). 000287 000287 000289 000291 X(25). 000293 000294 000295 IC X(37) VALUE 000296 000296 000297 XING-STORAGE BEGINS HERE*. 000299 000300 000301 000305 000306 000306 000307 000309 000310 000310 000310	RECORDING HODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC FILLER FILLER FILLER FEXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT002 END-E EXEC SQL INCLUDE PBT006 END-E EXEC SQL INCLUDE PBT007 END-E EXEC SQL INCLUDE PBT010 END-E EXEC SQL INCLUDE PBT010 END-E
X(25). 000286 X(25). 000287 000287 000289 000291 X(25). 000292 000293 000294 000295 IC X(37) VALUE 000296 000297 KING-STORAGE BEGINS HERE*. 000299 000299 . 000300 000301 . 000305 . 000306 000306 000308 000309	RKING-STORAGE SECTION. FILLER EXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT007 END-E EXEC SQL INCLUDE PBT007 END-E EXEC SQL INCLUDE PBT000 END-E EXEC SQL INCLUDE PBT000 END-E EXEC SQL INCLUDE PBT000 END-E
X(25). 000286 000287 000289 000290 000291 X(25). X(2	RECORDING MODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC RKING-STORAGE SECTION. FILLER FILLER FILLER FILLER FILLER FILLER FILLER FILLER FEXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT006 END-E EXEC SQL INCLUDE PBT007 END-E EXEC SQL INCLUDE PBT010 END-E
X(25). 000286 000287 000289 000290 000291 X(25). X(2	RECORDING MODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC RKING-STORAGE SECTION. FILLER PBB00010 EXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT006 END-E EXEC SQL INCLUDE PBT007 END-E EXEC SQL INCLUDE PBT007 END-E
X(25). 000286 X(25). 000287 000287 000289 000291 X(25). 000293 000294 000295 000296 IC X(37) VALUE 000297 KING-STORAGE BEGINS HERE'. 000299 000301 . 000301 . 000303 . 000305 000306 000307	RECORDING MODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC RKING-STORAGE SECTION. FILLER PBB00010 EXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT002 END-E EXEC SQL INCLUDE PBT006 END-E EXEC SQL INCLUDE PBT007 END-E
((25). 000286 ((25). 000287 000288 000289 000290 000292 000293 000294 000295 (ING-STORAGE BEGINS HERE*. 000297 (ING-STORAGE BEGINS HERE*. 000298 000299 000301 000301 000304 000306	RECORDING MODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC FILLER FILLER FILLER PBT001 END-E EXEC SQL INCLUDE PBT002 END-E EXEC SQL INCLUDE PBT006 END-E EXEC SQL INCLUDE PBT007 END-E
((25). 000286 ((25). 000287 000289 000299 000292 000293 000294 000295 (ING-STORAGE BEGINS HERE'. 000297 (ING-STORAGE DEGINS HERE'. 000298 000299 000300 000301 000303 000304 000305	RECORDING MODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC FAXING-STORAGE SECTION. FILLER FILLER FEXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT002 END-E EXEC SQL INCLUDE PBT006 END-E
((25). 000286 000287 000288 000289 000291 000292 000293 000294 000296 (C X(37) VALUE 000296 (ING-STORAGE BEGINS HERE*. 000299 000299 000299 000301 000302 000303	RECORDING MODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC RKING-STORAGE SECTION. FILLER FILLER FEREC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT006 END-E
((25). 000286 000287 000288 000289 000290 000291 000293 000294 000295 (IC X(37) VALUE 000296 (IC X(37) VALUE 000297 (ING-STORAGE BEGINS HERE*. 000298 000299 000301 000303	RECORDING MODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC RKING-STORAGE SECTION. FILLER FILLER FILLER EXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT002 END-E
((25). 000286 000287 000288 000289 000290 000291 000293 000294 000295 (IC X(37) VALUE 000296 (ING-STORAGE BEGINS HERE*. 000298 000299 000299 000299 000300 000300	RECORDING MODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC RKING-STORAGE SECTION. FILLER FILLER PBB00010 EXEC SQL INCLUDE PBT001 END-E EXEC SQL INCLUDE PBT002 END-E
((25). 000286 000287 000288 000289 000290 000291 000293 000294 000295 (IC X(37) VALUE 000296 (ING-STORAGE BEGINS HERE*. 000298 000299 000299	RECORDING MODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC RKING-STORAGE SECTION. FILLER PBB00010 EXEC SQL INCLUDE PBT001 END-E
((25). 000286 000287 000288 000289 000291 000292 000293 000294 000295 (C X(37) VALUE 000296 (ING-STORAGE BEGINS HERE*. 000299 000299	RECORDING MODE F BLOCK CONTAINS 0 RECORDS. PAY-TBL-OUTPUT-REC RKING-STORAGE SECTION. FILLER PBB00010 EXEC SQL INCLUDE PBT001 END-E
((25). 000286 000287 000288 000289 000291 000292 000293 000294 000294 000295 (C X(37) VALUE 000295 (ING-STORAGE BEGINS HERE*. 000299	RECORDING MODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC RKING-STORAGE SECTION. FILLER PBB00010
PIC X(25). 000286 000287 000288 000289 000291 PIC X(25). 000292 000293 000294 000295 PIC X(37) VALUE 000297 000297	RECORDING MODE F BLOCK CONTAINS O RECORDS. FAY-TBL-OUTPUT-REC RKING-STORAGE SECTION. FILLER 'PBB00010
PIC X(25). 000286 000287 000288 000289 000290 000291 000292 000293 000294 000295 000296 000297	RECORDING MODE F BLOCK CONTAINS O RECORDS. FAY-TBL-OUTPUT-REC FX ING-STORAGE SECTION. FILLER
PIC X(25). 000286 000287 000288 000289 000290 000291 000292 000293 000294 000296	RECORDING MODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC RKING-STORAGE SECTION.
PIC X(25). 000286 000287 000288 000289 000290 000291 PIC X(25). 000292 000293 000294 000295	RECORDING MODE F BLOCK CONTAINS O RECORDS. PAY-TBL-OUTPUT-REC RKING-STORAGE SECTION.
PIC X(25). 000286 000287 000288 000289 000290 000291 PIC X(25). 000292 000293 000294	RECORDING MODE F BLOCK CONTAINS 0 RECORDS. PAY-TBL-OUTPUT-REC
PIC X(25). 000286 000287 000288 000289 000291 000291 000293 000293	RECORDING MODE F BLOCK CONTAINS 0 RECORDS. PAY-TBL-OUTPUT-REC
PIC X(25). 000286 000287 000288 000289 000291 000291 000292	RECORDING MODE F BLOCK CONTAINS 0 RECORDS. PAY-TBL-OUTPUT-REC
PIC X(25). 000286 000287 000288 000290 000290 000290	RECORDING MODE F BLOCK CONTAINS 0
PIC X(25). 000286 000287 000288 000289 000289	RECORDING MODE F
PIC X(25). 000286 000287 000288 000289	
PIC X(25). 000286 000287 000268	FU FAY-TABLE-OUTPUT
PIC X(25). 000286 000287	
000286	OI PAY-IBL-INPUT-REC PIC X(25).
	BLUCK CONTAINS O RECORDS.
000285 03/13/91	
000284 03/13/91	DECODATION HORSE

	·	RUN NO. 746
2	* *	746
PROGRAM-INDICATORS.	本社会主义的 SWITCHES 本本 LEVEL 88 SWITCHES 本	DATE=06/14/91 TIME=0833
<i>3</i> .		TIME=0833

05 IS-PAY-TABLE-SORTED	88 PAY-TABLE-ITEM-NOT-FOUND	05 IS-PAY-TABLE-ITEM-FOUND	88 RECORD-IN-ERROR	<u> </u>	60 NKCH-KO-DEIXIE-MOI-MKIIIEN	T,	· !		05 ARE-CONS-RO-DETAIL-WRITTEN	88 RRCH-ERR-DETAIL-NOT-ERITTEN	m			05 ARE-CONS-ERR-DETAIL-WRITTEN	OO COMS-EXX-DEVATION-NOT-MATITEM	7	,	88 MRCH-ERR-HEADING-NOT-WRITTEN	05 ARE-MRCH-ERR-HEADINGS-WRITTEN PIC			05 ARE-CONS-RO-MEADINGS-WRITTEN	oo unch-mo-nextra-mo-mo-taxtiien	7		88 CONSUMER-IN-ERROR	05 IS-CONSUMER-IN-ERROR	OO TAI"BI"THURE	7		88 EOF	05 INPUT-EOF-SW	co NOI-END-OL-IDITM		AS END-DE-TRITH			OI PROGRAM-INDICATORS.		建筑建筑设置 	LEVEL 88 SWITCHES *
PIC X		PIC X		PIC X	2	PIC X		į	PIC X		PIC X		- 1	PIC X		N PIC X		TTEN	N PIC X		EN	PIC X		PIC X	}.		PIC X		PIC X			PIC X			PIC X						
VALUE 'N'.	VALUE 'N'.	VALUE 'N'.	VALUE 'Y'.		AVEC .N				VAI IR 'V'	VALUE 'N'.	VALUE 'Y'.			VALUE 'Y'	AVECE .M.			VALUE 'N'.	VALUE 'Y'.			VALUE .Y.	WALUE 'N'.				VALUE 'Y'.	AVEAS.				VALUE 'N'.	VALUE 'N'.			-					
000385	000382 000383	000381	000379	000378	000376	000375	000374	000373	1/5000	000370	000369	000368	000367	995000	000364	000363	000362	000361	000360	000359	000358	000357	000355	000354	000353	000352	000351	000349	000348	000347	000346	000345	000343	000342	000341	000340	000339	000338	000337	000336	000335
																																14/61/60	03/13/91	03/13/91	03/13/91	05/25/91					

01 WS-TOTALS. 05 WS-LAST-COMMIT-COUNT PIC 9(09) VALUE 0.	01 WS-RESTART-WORK-FIELDS. 05 WS-PROGRAM-WAME PIC X(250). 05 WS-LAST-KEY PIC X(250). 05 WS-RESTART-KEY REDEFINES WS-LAST-KEY. 10 WS-PRIMARY-KEY-COMMITTED PIC X(009). 10 FILLER PIC X(01) VALUE SPACE. 05 WS-COMMIT-INTERVAL PIC S9(9) COMP VALUE 0. 05 WS-COMMIT-COUNTER PIC S9(9) COMP VALUE 0.	01 ACH-OFFSET-DOLLARS PIC S9(09)V99 VALUE ** DB2 RESTART FIELDS	***************** *************** ****	77 MMR-STAT 77 MS-77-SSN 78 WS-77-AMOUNT 78 WS-77-PHONE 79 WS-77-CR-PHONE 79 WS-77-DATE 79 WS-77-DATE 79 WS-77-DATE 79 WS-77-TRACE-NBR 70 WS-77-TRACE-NBR 71 WS-77-TRACE-NBR 72 WS-77-TRACE-NBR 73 WS-77-TRACE-NBR 74 WS-77-TRACE-NBR 75 WS-77-TRACE-NBR 76 PIC 9(06) 77 WS-77-TRACE-NBR 77 WS-77-TRACE-NBR 78 PIC 9(06) 79 WALUE	05 STLCODE-IN-TABLE-SW PIC X(1) VALUE 88 STLCODE-IN-TABLE VALUE 88 STLCODE-NOT-IN-TABLE VALUE ************************************	05 ALL-STLCODE-PROCESSED-SW PIC X(1) VALUE 88 ALL-STLCODE-PROCESSED VALUE 88 ALL-STLCODE-NOT-PROCESSED VALUE
	PACE	PIC S9(05)V99	PIC 999		ABLE PIC	PIC
·		ZERO.		VALUE ZEROS.	VALUE 'N'. Value 'N'.	VALUE 'X'.
000433 000434 000435 000436	000423 000424 000425 000427 000428 000429 000431	000418 000419 000420 000421 000422	000410 000411 000413 000413 000414 000415 000416	000401 000402 000404 000404 000405 000406 000408 000409	000393 000394 000395 000396 000397 000398 000399	000388 000389 000391
03/13/91 03/13/91 03/13/91 03/13/91	03/13/91 03/13/91 03/13/91 03/13/91 03/13/91 03/13/91 03/13/91 03/13/91	01/02/91 05/25/91 03/13/91 03/13/91		03/13/91	05/25/91 05/25/91 05/25/91	05/25/91 05/25/91 05/25/91

33	TIME=083	DATE=06/14/91	RUM NO. 746	RCE I
			٠.	,

110.110	
	7
ċ	2

_
7
•
P
7
_
•

VALUE YY'. VALUE ZEROS. VALUE ZEROS.

				XUM NO. /40	
2		2	*	140	
÷	05 DRAFT-EXTENSION-99 REDE	WS-HOLD-DRAFT.	建筑水层水层水层水层水层水层水层水层水层水层水层水层水层水层水层水层水层水层水层	DATE=06/14/91	
	ON-99 REDE	OX.		TIME=0833	

3	÷	
Ó	>	
'n	٦,	
۰	•	
۰	•	

01 WS-HOLD-DRAFT. 05 DRAFT-EXTENSION PIC XX. 05 DRAFT-EXTENSION-99 REDEFINES DRAFT-EXTENSION PIC 99. 05 DRAFT-EXTENSION-99 REDEFINES DRAFT-EXTENSION PIC 99. 000491 05 DRAFT-EXTENSION-99 REDEFINES DRAFT-EXTENSION PIC 99. 000492 005 FILLER 000493 000494 000495 88 DAY-ACH 88 DAY-ACH 88 DAY-ACH 91	FILLER FILLER PIC X(79) VALUE SPACESROLLBACK-CNTR PIC 999 VALUE 110. FILLER PIC X(77) VALUE SPACESROLLBACK-COUNT PIC 999 VALUE O. X **********************************	-HOLD-DRAFT. DRAFT-EXTENSION PIC XX. DRAFT-EXTENSION-99 REDEFINES DRAFT-EXTENSION PIC 99. FILLER PIC X(78) VALUE SPACES. DAY-NIGHT-ACH PIC X.
--	---	---

000589				
000588	ZEROS.	VALUE	PIC 9(02)	10 HOLD-YEAR
000587	ZEROS.	VALUE	PIC 9(02)	TO HOLD-DAY
000586	ZEROS.	VALUE		10 HOLD-HONTH
000585				Ŧ
000584			٠	
000583	ZEROS.	VALUE		10 HOLD-Y-FFMIDDYY
000582	ZEROS.	VALUE		10 HOLD-D-FFMMDDYY
000581	ZEROS.	VALUE	PIC 9(02)	10 HOLD-M-FFHHDDYY
000580	ZEROS.	VALUE	PIC 9(02)	10 HOLD-F-FFMHDDYY
000579				05 WS-HOLD-DATE-FFMMDDYY.
000578				
000577				01 WS-DATE-WORK.
000576				
000575				郑常宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗宗
000574				* PGM DATE FIELDS *
000573				東京東京東京東京東京東京東京東京東京東京
000572				
000571	ZEROS.	VALUE	PIC 9(6)	77 WS-STATUS-TOT-CNT
000570	ZEROS.	VALUE	PIC 9(6)	77 WS-STATUS-C-CNT
000569	ZEROS.	VALUE	PIC 9(6)	77 NS-STATUS-P-CNT
000568	ZEROS.	VALUE	PIC 9(6)	77 WS-STATUS-D-CNT
000567	ZEROS.	VALUE	PIC 9(6)	_
000566	ZEROS.	VALUE		
000565	ZEROS.	VALUE		_
000564				
000563		VALUE 'N'.		88 NO-MORE-CARDIN
000562		VALUE 'Y'.		
000561	γ.	ALUE	PIC X	4
000560				
000559		•		東海東東東東東東東東東東東東東東東東東東東
000558				* COMPARE VARIABLES *
000557				家家家家家家家家家家家家家家家家家家家家
000556				
000555				
000554	ZEROS.	VALUE	PIC 9999	10 WS-SSN-LAST4-OUT
000553	:	VALUE	PIC X	10 FILLER
000552	ZEROS.	VALUE		10 WS-SSN-2ND2-OUT
155000	:	VALUE	PIC X	10 FILLER
000550	ZEROS.	VALUE	PIC 999	10 WS-SSN-1ST3-OUT
000549				05 WS-SSN-OUT.
000548				
000547	ZEROS.	VALUE	PIC 9999	10 WS-SSN-LAST4-IN
000546	ZEROS.	VALUE	PIC 99	10 WS-SSN-2ND2-IN
000545	ZEROS.	VALUE	PIC 999	10 WS-SSN-1ST3-IN
000544				05 WS-SSN-IN.
000543				
000542				01 WS-SSN-AREA.
000541				
000540				第10年第10年第10年第10年第10年第10年第10年第10年第10年第10年
000539				* SSN AREA
LISTING OF HODULE PBB00010	SILNG OF HOD	LI:		RUN NU. 746 DATE=06/14/91 TIME=0833

05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91

		Z	
		8	
		746	
.	٠		

DA16=00/14/71 176=0833
CCOD=3NTI
LISTING OF NODULE PEBOO
Ş
NODOLE
PBB00

(ľ	į
•		
•		
9		į
•		•
(i	3
٠		1
:	į	į
ı		1
ţ		į
9		
ŗ		
•	1	
•	ŧ	į
ţ	į	į
ŧ	١	į
9		
3		
:		
ž		
•		

7
>
n
m
_
w

	•						
66	<u>6</u>	6	;	95	05	20	95
WS-TIME FILLER REDEFINES WS-TI 10 WS-HH 10 WS-HH 10 WS-SS 10 FILLER	WS-Y-MDY -CURRENT-DATE LLER REDEFINES CD-YR CD-MONTH CD-DAY	.		10 WS-TRANS-DAY WS-DELETED-DATE. 10 FILLER 10 WS-DEL-PAY-TYPE	WS-TRANS-DATE. 10 WS-TRANS-YEAR 10 FILLER 10 WS-TRANS-HONTH 10 FILLER	DRAFT-DATE-PLUS-DEF Draft-date	WS-YEAR-WORK. 10 FILLER 10 WS-YY-LAST2
PIC PIC PIC	PIC 9(02 PIC 9(06 PIC 9(06 PIC 9(06 PIC 9(02 PIC 9(02 PIC 9(02		ដដដដដ		PIC 99 PIC 99		PIC X(02)
				VALUE	VALUE VALUE VALUE		VALUE
ZEROS.	ZEROS. ZEROS.	ZEROS. ZEROS. ZEROS. ZEROS. ZEROS.	ZEROS. ZEROS. ZEROS.	ZEROS. ED'.	ZEROS. ZEROS.		ZEROS.
000632 000632 000634 000636 000636	00062 00062 00062 00062 00063	00061 00061 00062 00062 00062	000601 19000 19000 19000 19000	000600	00059 00059 000601 000601	000593 000593 000594	000590 000591 000592
	WS-TIME PIC 9(08) VALUE ZEROS. FILLER REDEFINES WS-TIME. 10 WS-HH PIC 99. 10 WS-HM PIC 99. 10 WS-SS PIC 99. 10 FILLER PIC 99.	NS-CURRENT-DATE PIC 9(02) WS-CURRENT-DATE PIC 9(06) FILLER REDEFINES WS-CURRENT-DATE. 10 CD-YR PIC 9(02). 10 CD-MONTH PIC 9(02). 10 CD-DAY PIC 9(02). WS-TIME PIC 9(08) FILLER REDEFINES WS-TIME. 10 WS-HH PIC 99. 10 WS-HH PIC 99. 10 WS-SS PIC 99. 10 FILLER PIC 99.	NS-DATE-YND. 10 WS-Y-YND PIC 9(02) VALUE ZEROS. 10 WS-H-YND PIC 9(02) VALUE ZEROS. 10 WS-DATE-MDY. 10 WS-D-YND PIC 9(02) VALUE ZEROS. WS-DATE-MDY PIC 9(02) VALUE ZEROS. 10 WS-Y-MDY PIC 9(02) VALUE ZEROS. 10 WS-Y-MDY PIC 9(02) VALUE ZEROS. FILLER REDEFINES WS-CURRENT-DATE. 10 CD-YR PIC 9(02). 10 CD-DAY PIC 9(02). 10 CD-DAY PIC 9(02). 10 WS-TIME PIC 9(02). FILLER REDEFINES WS-TIME. 10 WS-HH PIC 99. 10 WS-HH PIC 99. 10 WS-SS PIC 99.	WS-DATE-MDY-SLASHES. 10 WS-M-NDY-SLASHES PIC 9(02) 10 WS-D-HDY-SLASHES PIC 9(02) 10 WS-D-HDY-SLASHES PIC 9(02) WS-DATE-YMD 10 WS-Y-MDY-SLASHES PIC 9(02) WS-DATE-YMD 10 WS-M-YMD 10 WS-M-YMD 10 WS-M-YMD 10 WS-M-MDY 10 CD-MONTH 10 CD-YR 10 CD-DAY WS-TIME PIC 9(02) VALUE ZEROS. VALUE ZEROS.	NS-DELETED-DATE. 10 FILLER 11 FILLER 12 WS-DEL-PAY-TYPE PIC X. WS-DATE-HDY-WITH-SLASHES. 13 WS-M-HDY-SLASHES PIC 9(02) 14 WS-DATE-HDY-SLASHES PIC 9(02) 15 FILLER 16 WS-Y-HDY-SLASHES PIC 9(02) 17 FILLER 18 WS-Y-HDY-SLASHES PIC 9(02) 19 WS-Y-HDY-SLASHES PIC 9(02) 10 WS-Y-HDY-SLASHES PIC 9(02) 10 WS-Y-HDY 10 WS-Y-HDY 10 WS-Y-HDY 10 WS-M-HDY 10 WS-M-HDY 10 WS-M-HDY 11 WS-M-HDY 12 PIC 9(02) 13 WS-DATE-HDY 14 WS-M-HDY 15 PIC 9(02) 16 WS-M-HDY 17 PIC 9(02) 18 WS-M-HDY 18 PIC 9(02) 19 WS-M-HDY 19 PIC 9(02) 10 WS-M-HDY 10 CD-MONTH 10 CD-MONTH 10 CD-DAY 11 WS-HH 11 WS-HH 12 PIC 9(08) 11 WS-HH 12 PIC 99. 11 WS-HH 12 PIC 99. 11 WS-HH 12 PIC 99. 11 WS-SS 12 PIC 99. 11 WS-HH 12 PIC 99. 11 WS-SS 12 PIC 99. 11 WS-SS 12 PIC 99. 13 WS-SS 14 WS-TIME 15 PIC 99. 16 WS-SS 17 PIC 99. 17 WALUE ZEROS.	NS-TRANS-DATE. 10 WS-TRANS-YEAR PIC 99 10 FILLER 10 WS-TRANS-MONTH PIC 99 10 FILLER 10 WS-TRANS-DAY PIC 99 10 FILLER 11 WS-TRANS-DAY PIC 99 12 FILLER 13 WS-DATE-MDY-SLASHES 14 WS-D-HDY-SLASHES PIC 9(02) 15 FILLER 16 WS-Y-MDD-SLASHES PIC 9(02) 17 WS-D-HDY-SLASHES PIC 9(02) 18 WS-Y-MDD 19 WS-D-HDY-SLASHES PIC 9(02) 10 WS-Y-MDD 10 WS-D-MDY 10 WS-D-MDY 11 WS-M-HDY 11 WS-M-HDY 12 CD-WATTH 13 CD-WATTH 14 CD-WATTH 15 CD-DAY 16 CD-DAY 17 PIC 9(02) 18 S-TIME 18 PIC 9(02) 19 WS-HH 19 WS-SS 10 FILLER PIC 9(02) 10 WS-HH 11 WS-SS PIC 99 10 FILLER PIC 99 10 WS-SS PIC 99 10 FILLER PIC 99 10 FILLER PIC 99 10 WS-SS PIC 99 10 FILLER PIC 99 10 FILLER PIC 99 10 WS-SS PIC 99 10 FILLER PIC 99 10 FILER PIC 99 10 FILLER PIC 90 10 FILLER PIC 9	DRAFT-DATE-PLUS-DEF PIC 9(06) DRAFT-DATE DRAFT-DATE NS-TRANS-DATE NS-TRANS-YEAR PIC 99 VALUE ZEROS. NS-TRANS-YEAR PIC 99 VALUE ZEROS. NS-TRANS-DATE NS-TRANS-DATE NS-TRANS-DATE NS-DELETED-DATE NS-DATE-MDY-WITH-SLASHES NS-DATE-MDY-SLASHES NS-DATE-MDY-SLASHES NS-DATE-MDY-SLASHES NS-TLLER PIC X NS-TLLER PIC Y VALUE ZEROS. NS-TLLER PIC X VALUE ZEROS. VALUE ZEROS. VALUE ZEROS. VALUE ZEROS. VALUE ZEROS. VALUE ZEROS. NS-T-MDY NS-T-MDY NS-T-MDY NS-T-MDY NS-M-MDY NALUE ZEROS. NA

	14000	WALCE	FIC A173	TO PIECES		
	000690	VALUE SPACES.		FILLE		
04/14/91	000689	CONSUMER SERVICES .				
	000688	VALUE				
	000687	VALUE SPACES.	PIC X(33)	10 FILLER		
	000685	WALUE	PIC X(II)	TO FILLEX		
	000684			1	05	
	000683					
	000682			WS-HEADINGS-FOR-ROLLOVER.	-S# 10	
	000681			家家家家家家家家家家家家家家家家家家家家	******	
	000680			* OUTPUT DEFINITIONS*	* OUTPUT	
	. 000679	,		家軍事	*****	
	000678				i	
05/25/91	000677			TFR-PAY-TBL-ENTRY	05	
05/25/91	000676	COMP.		TFR-PAY-TBL-NBR	05	
05/25/91	000675		PIC 9(9).	TFR-PAY-TBL-COMMIT	•	
05/25/91	000674			TRANFREE-PAY-TABLE-REC.	O1 TRA	
03/13/91	000673					
05/25/91	000672	S9(9)V9(2) COMP-3 VALUE +0.	PIC S9(9)V9(TFR-TBL-SC-DOLLARS		
05/25/91	000671	COMP-3 VALUE +0.	PIC S9(6)			
05/25/91	000670	VALUE SPACES.	PIC X(2)	10 TFR-TBL-SC-CODE		
05/25/91	000669			INDEXED BY TFR-IDX.		
05/25/91	000668		S 1500 TIMES	TRANFREE-SC-ENTRY OCCURS 1500 TIMES	05	
05/25/91	000667	OMP VALUE +1500.	PIC S9(8) COMP	TRANFREE-MAX-ENTRIES	05	
05/25/91	000666	COMP VALUE ZERO.	PIC S9(8) (TRANFREE-CURR-ENTRY	05	
05/25/91	000665	OMP VALUE ZERO.	PIC S9(8) COMP	TRANFREE-TBL-ENTRIES		
05/25/91	000664			TRANFREE-SC-TABLE.	O1 TRAI	
05/25/91	000663		-			
05/25/91	000662					
03/13/91	000661	UE SPACES.	PIC X(132) VALUE	WS-PRINT-LINE2 PI	01 WS-	
03/13/91	000660					
03/13/91	000659		X(132)	ñ	05	
03/13/91	000658		X(1)		05	
03/13/91	000657	UE SPACES.	; X(9) VALUE	JUNEX - COMMIT-KEY PIC		
03/13/91	000656			WS-PRINT-LINE.	01 WS-	
201 201 24	000655	200000000000000000000000000000000000000	1 40 2007	10 CC CC	í	
05/25/01	00000			T0:00:0000) D	
0E/2E/01 14/62/20	250000		DIC VIDE	OR STATES		
16/55/50				20-1-1-1		
10/36/30	200000				TWO I DAIL COS	-
15/25/91					EDATELDE	
14/62/50	040000				IKKTLUS	787
					1000	•
	000646					
	24000	VALUE ZERUS.	LTC 2(9)	TO MS-SQL-DAIR-YND		
	000644		PIC 9			
	000643			WS-SQL-DATE.	05	
	000642					
	000641	VALUE ZEROS.	PIC 99	10 WS-MIN		

LISTING OF MODULE PBB00010

DATE=06/14/91 TIME=0833

RUN DATE .	7		ě
TIME=0833	DATE=06/14/91	746	RUN NO. 746

				÷		•	•	
					20		95	05
10	10	10	10 10 6	10 10	118	10 10	10 10 10	10 10 10 10
FILLER FILLER	FILLER FILLER		FILLER FILLER FILLER		HEADING FILLER FILLER	• •	HEADING- FILLER FILLER FILLER FILLER	RUN-DATE RO-HEADING-2. RO-HEADING-10 FILLER RO-DRAFT-RE RO-FILLER RO-PAGE-NUM
	EXTRA PAYMENT	ANOUNT'.	HERCHANT*. PI PI ACCOUNT NUMBER*	*CRP*.		*FIRST NAME*.	SSN'.	RO-RUN-DATE RO-RUN-DATE EADING-2. FILLER FILLER FO-DRAFT-REPORT-DATE FILLER FILLER FILLER FILLER FILLER FO-PAGE-NUMBER
PIC	PIC PIC	PIC	PIC PIC	PIC	PIC	PIC	PIC PIC PIC	PIC) PIC) PIC) PIC) PIC)
X(03) X(06)	X(03) X(13)	X(06)	X(16) X(14) X(12) X(06)	X(06) X(03) X(13)	X(07) X(05)			PIC X(8). PIC X(52) PIC X(17) PIC X(8). PIC X(45) PIC X(5) PIC Z,ZZ9.
							·	DRAFT
VALUE	AVTUE	VALUE	AVTOE AVTOE AVTOE AVTOE	AYLOE AYLOE AYLOE	VALUE VALUE	VALUE VALUE VALUE	AVTAE AVTAE AVTAE	VALUE SPACI VALUE REPORT FOR VALUE SPACI VALUE 'PAGI
****								mm 25mm
SPACES.	SPACES.	SPACES.	SPACES.	SPACES.	SPACES.	SPACES.	SPACES.	SPACES. FOR '. SPACES. 'PAGE'.
000								
000741	000738 000739 000739	000734 000735 000736	000728 000729 000730 000731 000732 000733	000722 000723 000724 000725 000726	000717 000718 000719 000720	000711 000712 000713 000714 000715	000703 000704 000705 000706 000707 000708 000709	000692 000693 000694 000695 000696 000697 000699 000701 000702
04/14/91	04/14/91 04/14/91	04/14/91		04/14/91				·

	000791			05 GND-TOT-ROL-DETAIL.		
04/14/91	000787 000788 000789 000790	VALUE SPACES.	\$88,888.99	10 TOT-ROL-DOLLARS PIC \$50 10 FILLER PIC X(39)		
·	000784 000785 000786	VALUE SPACES.		10 TOT-ROL-ITEMS 10 FILLER 10 FILLER		
04/14/91	000780 000781 000782 000783	VALUE SPACES.	PIC X(33) V/PAID *.	B	;	
	000776 000777 000778	VALUE SPACES.	PIC X(03) VI	10 FILLER	2	
04/14/91	000773	VALUE SPACES.	X (08).			
04/14/91	000769 000770 000771		Z,ZZZ,ZZZ.99. X(03) X(08).			
04/14/91	000764 000765 000766 000767	VALUE SPACES. VALUE SPACES.	PIC X(03) V. PIC X(28). V. PIC X(02) V. PIC X(02) V.	10 FILLER 10 RO-MERCHANT 10 RO-ACCOUNT-NUMBER 10 FILLER		
04/14/91	000757 000758 000759 000760 000761 000762	VALUE SPACES.	PIC X(04) V PIC X(12). PIC X(02) V PIC 999.	05 RO-DETAIL-2. 10 FILLER 10 RO-PHONE-NUMBER 10 FILLER 10 RO-CRP	•	·
	000753 000754 000756	VALUE SPACES. VALUE SPACES.	X(10). X(02) X(01). X(85)			
	000745 000746 000747 000748 000750 000751	VALUE SPACES.	PIC X(11). PIC X(02) PIC X(20). PIC X(01)	WS-DETAILS-FOR-ROLLOVER. 05 RO-DETAIL-1. 10 RO-SSN 10 FILLER 10 RO-LAST-NAME	10	
04/14/91	000743	VALUE SPACES.	PIC X(05) V	'METHOD'.		

	'GRAND TOTALS'.	·GRA	
LISTING OF MODU	TIME=0833	0. 746 DATE=06/14/91 TIME=0833	RUN NO. 746

	_
i	_
i	v
	-
1	Ξ
i	ō
	0
•	ç
	_
- 1	B
i	Ē
9	⊆
ł	_
•	•
:	3
1	2
7	ő
i	5
•	9
7	5
	•

í	i	
Ó	1	
Ī	ì	

			G)									05	;										1	D 7	3	ş												05											
10	F		א ל א ל		1	, ₋	;	- (10		10	10	ERR		10	;	TO			-	, ,		-	5 7		MY3U.			10	-	;	10	10	10		10		10	9			10	10		10	10	10		10	
FILLER	7 L L L L R R R R R R R R R R R R R R R	THER	FRX-HEAULNG-5.		CRR-FAGE WUNDER	71-017	74.100	ETI I EB	ERR-DRAFT-DATE		FILLER	FILLER	ERR-HEADING-2.		ERR-RUN-DATE	TON DAIR .		711167	CHECKTREE		THEFT		1455 - 155 -	ETILED	EDB-HEADTMG-1	#O-HEAULMGO-FUR-EXXUX-XETT.	TMC6-F08-F8868-8594		FILLER	GND-TOT-ERR-DOLLARS PIC	TOTAL DOLLARS	FILLER	FILLER	GND-TOT-ERR-ITEMS	TOTAL ITEMS		'GRAND TOTALS	FILLER	GMD-TOT-ERR-DETAIL.			FILLER	GND-TOT-ROL-DOLLARS	'TOTAL DOLLARS PAID '.	FILLER	FILLER	GND-TOT-ROL-ITEMS	SHETT ITEMS	FILLER	GRAND TOTALS
PIC	PIC	PIC	!		77.7	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֓֓֓֡֓֓֡֓֡	1 6		PIC		PIC	PIC			PIC	}	PIC	PIC	G CK	PIC	PIC	•	, ד <u>ו</u> ר	915		•			PIC	SPIC	SE	P	PIC	PIC	ERROR	PIC						PIC	SPIC	RS P	PIC	PIC	PIC	PAID	PIC	s
X(10)		(PB) X			4,449.				×			: X(49)			X(8).		(4)X			X(43)			, V(TT)									PIC X(19)	(30)X	: ZZZZZZZ9.	ž	PIC X(18)	ERRORS '	PIC X(28)					: \$\$6,\$1	AID :	(6T)X				C X(18)	•
VALUE	VALUE	VALUE				AVLUE	AVEOR			ERROR	VALUE	VALUE					VALUE			VALUE			VALUE						ALUE	\$\$0,\$ \$\$, \$\$\$.99.		VALUE	VALUE	Z9 .		VALUE	•	VALUE				VALUE	666,668,868.99.		VALUE	VALUE	729.	-	VALUE	
SPACES.		SPACES.				PAGE .	SPACES.	7017		T FOR .		SPACES.						SPACES.	CES .		VALUE SPACES.								SPACES.				SPACES.								1	SPACES.				SPACES.				
000843 000844	000842	000841	000840	000839	000838	000837	000006		00000	25.8000	000833	000832	000831	000830	000829	000828	000827	000826	000825	000824	000823	000822	128000	000020	000819	000818	000817	000816	000815	000814	000813	000812	000811	000810	000809	000808	000807	000806	000805	000804	000803	000802	000801	000800	000799	000798	000797	000796	000795	000794
							16/61/60					04/14/91							04/14/91										04/14/91									04/14/91				04/14/91								

000884 000885 000886 000887 000889 000891 000891 000892 000893 04/14/91 000894 04/14/91	SPACES.	SSAGE	10 ERR-MESSAGE		
	•	SSAGE PIC			
10884 10885 10886 10887 10888 10889 10890	VALUE SPACES. 00	(P4) X (P4)			
00884 00885 00886 00887 00888 00889		FIC			
00885 00885 00886 00887 00888	VALUE SPACES. 00	FIC			
00885 00885 00886 00887		TEC PER			
10884 10885 10886	VALUE SPACES. 0	DOT-NAME DIC			
00884 00885 00886		010			
10884 10885	OF ACES.	ST-NAME PIC	10 ERR-L		
00884		DIG			
		SM PIC X(11).	10 ERR-SSN		
	<u> </u>	[-1.	05 ERR-DETAIL-1.		
0008A3	•	R-ERROR.	NS-D	2	
000882	•				
000881					
000880	VALUE SPACES. 0	R PIC X(31)	10 FILLER		
000879		PAY DATE".			
000878	VALUE 0	PIC	TO FILLEX		٠
000877	SPACES.	PIC X(05)			
000876	•	. HADDEN			
000875	VALUE	•	IN LICEX		
000874 04/14/91	SPACES.	PIC			
000873 04/14/91		TARE.			
000872 04/14/91	VALUE	• "	** ******		
000871 04/14/91	SPACES.	TIC			
000870	• 	ACCOUNT NUMBER.			
000869	VALUE	• "	TO TILLEN		
000868	SPACES.	FIC			
000867		HEACTIME .	10 571160		
000866	VALUE	• `	***************************************		
000865	SPACES.	710			
000864		C. S	10 FT(FD		
000863	43.CF				
000862 04/14/91	STACES.				
		DALC.	10 FILLER		
	42F0F	. bc brows.			
	SPACES.				
_		. BTC			
000857			OS EPP-HEADING-A		
000856	VALUE SPACES.	TE X(05)	TA LICEN		
000855		KEASON FOR KE			
000854	VALUE		די ידרובא		
000853	SPACES.				
000852		HI.			
000851	VALUE	•	דם גדררפא		
000850	VALUE SPACES.	PIC			
000849		"FIRST NAME".			
000848		PIC X(10)	10 FILLER		
000847	VALUE SPACES.	R PIC X(08)			
000846		'LAST NAME'.			
000845	VALUE		10 FILLER		
4444	ייייי פי וייייטרר דיטט				•
	LISTING OF MODEL F PAROLATA	/91 TIME=0833	6 DATE=06/14/91	RUN NO. 746	Ŝ

GE 18

X(12). X(13). X(103). X(104). X(105). X(106). X(10	000943			TOT-EDD-DOLLARS		
PIC X(04) PIC X(12). PIC X(12). PIC X(01) PIC X(02) PIC X(02) PIC X(24). PIC X(25). PIC X(02) PIC X(01). PIC X(02) PIC X(01). PIC X(02) PIC X(03) PIC X(04) PIC X(01) PIC X(02) PIC X(03) PIC X(04)	8			TOTAL COMPONE	_	
PIC X(04) PIC X(12). PIC X(12). PIC X(01) PIC X(02) PIC X(24). PIC X(24). PIC X(25). PIC X(02) PIC X(02) PIC X(01). PIC X(02) PIC X(03) PIC X(04) PIC X(15) PIC X(15) PIC X(15) PIC X(15) PIC X(16)		VALUE		TIPER	T	
PIC X(04) PIC X(12). PIC X(12). PIC X(01) PIC X(02) PIC X(01) PIC X(03) PIC X(04) PIC X(04) PIC X(04) PIC X(29). PIC X(29) PIC X(29) PIC X(29) PIC X(29) PIC X(29) PIC X(103) PIC X(104) PIC X(29) P	996		X(04)	•		
PIC X(12). PIC X(12). PIC X(12). PIC X(12). PIC X(01). PIC X(02) PIC X(02) PIC X(02). PIC X(02). PIC X(02). PIC X(01). PIC X(01). PIC X(02). PIC X(01). PIC X(02). PIC X(03) PIC X(04) PIC X(04) PIC X(103) PIC X(103) PIC X(103) PIC X(104) PIC X(105) PIC X(105) PIC X(106) PIC X	900		Z,ZZ9.	K-11EMS	1 0	
PIC X(14) PIC X(12) PIC X(12) PIC X(01) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(01) PIC X(02) PIC X(01) PIC X(02) PIC X(03) PIC X(04) PIC X(04) PIC X(04) PIC X(03) PIC X(03) PIC X(03) PIC X(03) PIC X(04) PIC X(04) PIC X(04) PIC X(04) PIC X(03) PIC X(04) PIC X(04) PIC X(03) PIC X(04) PIC X(05) PIC X(05) PIC X(05) PIC X(05) PIC X(05) PIC X(06) PIC X(000		ERROR:	TOTAL CONSUME		
PIC X(104) PIC X(121). PIC X(121). PIC X(01) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(01). PIC X(01). PIC X(02) PIC X(01) PIC X(103) PIC X(103) PIC X(103) PIC X(04) VALUE SPACES. PIC X(29). PIC X(103) PIC X(103) PIC X(104) PIC X(04) VALUE SPACES. PIC X(29).	000	VALUE		FILLER	10	
PIC X(104) PIC X(121). PIC X(121). PIC X(01) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(01). PIC X(01). PIC X(02) PIC X(01) PIC X(03) PIC X(103) PIC X(104) PIC X(105) PIC X(105) PIC X(105) PIC X(106) PIC X(106) PIC X(106) PIC X(107) PIC X(108) PIC X	000		X(04)	FILLER	10	
PIC X(104) PIC X(104) PIC X(12). PIC X(12) PIC X(101) PIC X(102) PIC X(102) PIC X(102) PIC X(101) PIC X(101) PIC X(101) PIC X(102) PIC X(102) PIC X(102) PIC X(102) PIC X(103) PIC X(104) PIC X(104) PIC X(105) P	000			T-ERR-DETAIL.	05 TO	
NUMBER PIC X(04) PIC X(01) PIC X(01) PIC X(01) VALUE SPACES. PIC Y(24). VALUE SPACES. PIC X(02) VALUE SPACES. PIC X(02) VALUE SPACES. PIC X(02) VALUE SPACES. PIC X(02) VALUE SPACES. PIC X(01) VALUE SPACES. PIC X(01) VALUE SPACES. VALUE SPA	000			ALS-FOR-ERROR-REPORT.	NS-101	2
HUMBER PIC X(04) PIC X(01) PIC X(01) PIC X(02) PIC X(01) PIC X(02) PIC X(03) PIC X(01) PIC X(03) PIC X(03) VALUE SPACES. -LINE PIC X(103) VALUE SPACES. -LINE PIC X(103) VALUE SPACES.	000					
NUMBER PIC X(04) PIC X(01) PIC X(02) PIC X(01) PIC X(02) PIC X(03) PIC X(02) PIC X(03) PIC X(04) PIC X(05) PIC X(06) PIC				TO EAR SECOND	;	
NUMBER PIC X(04) PIC X(01) PIC X(01) PIC X(02) PIC X(03) PIC X(04) PIC X(04) PIC X(05) PIC X(06) PIC	000		X(29)	THE THE X	1 1	
NUMBER PIC X(04) PIC X(01) PIC X(01) PIC X(01) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(01) PIC X(02) PIC X(01) PIC X(02) PIC X(01) PIC X(01	0009			-EXX-MESSAGE-LINE.	05 W.	
NUMBER PIC X(04) PIC X(01) PIC X(01) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(01) PIC X(02) PIC X(01) PIC X(02) PIC X(01) PIC X(0	0009			SAGE-LINES.	NO-MES	10
NUMBER PIC X(04) PIC X(01) PIC X(01) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(01) PIC X(02) PIC X(03) PIC X(04) PIC X(05) PIC X(06)	0009					;
NUMBER PIC X(04) PIC X(01) PIC X(01) PIC X(02) PIC X(03) PIC X(04) PIC X(05) PIC X(06) PIC	000		X(08)	FILLER	10	
NUMBER PIC X(04) PIC X(01) PIC X(01) PIC X(02) PIC X(01) PIC X(02) PIC X(03) PIC X(04) PIC X(05) PIC X(06) PIC	2000		X(01)	FILLER	10	
NUMBER PIC X(04) PIC X(12). PIC X(01) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(01). PIC X(02) PIC X(01). PIC X(02) PIC X(03) PIC X(04) PIC X(05) PIC X(06) PIC X(06) PIC X(06) PIC X(15) PIC X(15) PIC X(15) PIC X(15) PIC X(16) PIC X(0005			WS-ERR-STATUS	10	
NUMBER PIC X(04) PIC X(12). PIC X(01) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(01). PIC X(02) PIC X(01). PIC X(02) PIC X(03) PIC X(04) PIC X(04) PIC X(05) PIC X(06) VALUE SPACES. VALUE SPACES. VALUE SPACES. VALUE SPACES. VALUE SPACES. VALUE SPACES. PIC X(06) PI	90009		X(01)	FILLER	10	
NUMBER PIC X(04) PIC X(12). PIC X(01) PIC X(01) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(01). IT-TYPE-1 PIC X(01). PIC X(02) PIC X(03) PIC X(04) PIC X(05) PIC X(9000		PIC X(20).	WS-ERR-MESSAGE-STATE	. 10	
NUMBER PIC X(04) PIC X(12). PIC X(01) PIC X(01) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(01). PIC X(01). PIC X(01). PIC X(02) PIC X(01) VALUE SPACES. PIC X(15) PIC X(15) PIC X(15) PIC X(115) VALUE SPACES. PIC X(115) PIC X(9000			SAGE-STATUS.	MS-MES	10
R-DETAIL-2. FILLER FILLER FILLER FIC X(12). FILLER FILLER FIC X(02) FILLER FIC X(02) FILLER PIC X(02) FILLER PIC X(02) FILLER PIC X(02) FILLER PIC X(02) FILLER FILLER PIC X(02) FILLER PIC X(01). FILLER FILL	9000					
R-DETAIL-2. FILLER FILLER FILLER FILLER FIC X(04) FILLER FIC X(01) FILLER FIC X(02) FILLER FIC X(02) FILLER FIC X(02) FILLER FI	9009		222229.	ERR-STATUS-CHT	10	
FILLER FILLER FIC X(04) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FILLER FIC X(02) FILLER FILLER FILLER FIC X(02) FILLER FILLER FILLER FILLER FILLER FILLER FILLER FIC X(01) FILLER FILLER FILLER FILLER FILLER FILLER FILLER FIC X(02) FILLER FILLER FILLER FIC X(02) FILLER FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FILLER FIC X(02) FILLER FILLER FIC X(03) FILLER FILLER FIC X(04) FIC X(05) FILLER FILLER FILLER FILLER FIC X(05) FILLER FILLER FILLER FILLER FILLER FILLER FILLER FILER FILLER FILER FILLER FILE	9009		X(01)	FILLER	10	
R-DETAIL-2. FILLER FIC X(02) FILLER FILLER	0000		X(25)	ERR-STATUS-DESC	10	
FIC X(04) PIC X(12). PIC X(01) VALUE SPACES. PIC Y(02) PIC X(02) PIC X(02) PIC X(02) PIC X(02) PIC X(01). NIT-TYPE-1 PIC X(01). NIT-TYPE-2 PIC X(01). PIC X(02) PIC X(02) VALUE SPACES. PIC X(02) VALUE SPACES. VALUE SPACES. VALUE SPACES.	000			FILLER		
R-DETAIL-2. FILLER FILLER FIC X(04) FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILER FILLER FILER FILLER				R-DETAIL-3.	OS ER	
R-DETAIL-2. FILLER FILLER FIC X(04) ERR-PHONE-NUMBER FIC X(01) FILLER FILLER FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FIC X(02) FILLER PIC X(02) FILLER PIC X(02) FILLER PIC X(02) FILLER FILLER FIC X(01) ERR-PAYMENT-TYPE-1 FILLER FILER FILLER FILER FILLER FIL	0009		(Th) X	741167	F	
R-DETAIL-2. FILLER FILLER FILLER FILLER FILLER FILLER FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(01). FILLER FIC X(02) FILLER FILLE	9009		X(29).	CTITESUAGE - 2	: E	
R-DETAIL-2. FILLER FIC X(04) ERR-PHONE-NUMBER FIC X(01) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(01). FILLER FILLER FIC X(02) VALUE SPACES. FILLER FILLER FIC X(02) VALUE SPACES.	9009			7 F C C C C C C C C C C C C C C C C C C	: =	
R-DETAIL-2. FILLER FILLER FILLER FILLER FIC X(01) FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FILLER FIC X(02) FILLER FILLER FILLER FIC X(01). FILLER FILLER FILLER FILLER FILLER FILLER FIC X(02) FILLER FILLER	0009			EXX-PAY-DAIL		
FILLER FILLER FIC X(04) FR-DHONE-NUMBER FIC X(01) FILLER FILLER FILLER FILLER FILLER FILLER FIC X(02) FILLER FILER FILLER FI	0009				: =	
FILLER FILLER FIC X(04) ERR-PHONE-NUMBER FIC X(12). FILLER FILLER FIC X(01) ERR-CRP FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(01). FILLER FILLER FIC X(01). FILLER FILLER FIC X(02) FILLER FILLER FIC X(01). FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER	0009				: =	
FILLER FILLER FILLER FIC X(04) ERR-PHONE-NUMBER FIC X(01) FILLER FILLER FILLER FILLER FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(02) FILLER FILLER FIC X(01) FILLER FILLER FIC X(01) FILLER FILER FIL X(01) FILLER FILLER FIL X(01) FILLER FILLER FILLER FIL X(02) FILLER FILLER FIL X(01) FILLER FIL X(01) FILLER FIL X(01) FILLER FIL X(02) FILLER FILLER FIL X(02) FILLER FIL X(03) FILLER FILLER FIC X(03) FILLER FILLER FILLER FIC X(01) FILLER FILL	0009				=	
FILLER PIC X(04) VALUE SPACES. ERR-PHONE-NUMBER PIC X(12). FILLER PIC X(01) VALUE SPACES. ERR-CRP PIC X(02) FILLER PIC X(02) ERR-ACCOUNT-NUMBER PIC X(02) FILLER PIC X(02) VALUE SPACES. FILLER PIC X(02) VALUE SPACES.	0009				=	
FILLER PIC X(04) VALUE SPACES. FRILER PIC X(12). FILLER PIC X(01) VALUE SPACES. FILLER PIC X(02) VALUE SPACES. FILLER PIC X(02) VALUE SPACES.	0009				1(
FILLER PIC X(04) VALUE SPACES. ERR-PHONE-NUMBER PIC X(12). FILLER PIC X(01) VALUE SPACES. ERR-CRP PIC 999. FILLER PIC X(02) VALUE SPACES. ERR-MERCHANT PIC X(24). FILLER PIC X(02) VALUE SPACES. ERR-ACCOUNT-NUMBER PIC X(25).	0009				10	
R-DETAIL-2. FILLER PIC X(04) VALUE SPACES. ERR-PHONE-NUMBER PIC X(01). FILLER PIC X(01) VALUE SPACES. FILLER PIC X(02) VALUE SPACES. FILLER PIC X(02) VALUE SPACES. FILLER PIC X(02) VALUE SPACES.	2000				<u> </u>	
R-DETAIL-2. FILLER PIC X(04) VALUE SPACES. ERR-PHONE-NUMBER PIC X(12). FILLER PIC X(01) VALUE SPACES. ERR-CRP PIC 999. FILLER PIC X(02) VALUE SPACES. EKR-MERCHANT PIC X(24).	9009				1	
R-DETAIL-2. FILLER PIC X(04) VALUE SPACES. FILLER PIC X(01) VALUE SPACES. FILLER PIC Y(02) VALUE SPACES.	2000				ĭ	
R-DETAIL-2. FILLER PIC X(04) ERR-PHONE-NUMBER PIC X(12). FILLER PIC X(01) VALUE SPACES. ERR-CRP PIC 999.	2000				1(
R-DETAIL-2. FILLER PIC X(04) VALUE SPACES. ERR-PHONE-NUMBER PIC X(12). FILLER PIC X(01) VALUE SPACES.	2000				1	
-NUMBER PIC X(04) VALUE SPACES.	000				1	
PIC X(04) VALUE SPACES.	0000				7	
	000	VALUE SPACES.	-	FILLER		
	000			R-DETAIL-2.	05 EI	

MI-HEADING-1. PELLER PEBOOO10.22'. PIC X(33) PILLER PEBOOO10.22'. PIC X(33) PILLER PIC X(28) VALUE PIC X(3) VALUE PIC X(3) VALUE PIC X(3) VALUE PIC X(4) V					¥100			ET CB	5	
IC X(11) VALUE 100949 100949 100949 100949 100949 100953 100949 100959 100959 100959 100959 100959 100959 100959 100959 100959 100959 100959 100959 100959 100969 100979 100999	-	000996	SPACES.	VALUE	X(03)		-FOR-LIT	SUM-COL-	10	
IC X(11) VALUE SPACES. IC X(33) IC X(23) IC X(23) IC X(243) IC X(25) IC X(26) IC X(27) IC X(27) IC X(28) IC X(28) IC X(35) IC X(36) IC X(37) IC X(38) IC X(39) IC X(39) IC X(39) IC X(31) INS PROCESSED' IC X(31) INS PROCESSED IC X(31) INS		266000	SPACES.	VALUE	X(02)	PIC		FILLER	10	
IC X(11) VALUE SPACES. IC X(33) IC X(23) IC X(23) IC X(243) IC X(25) IC X(26) IC X(27) IC X(28) IC X(29) VALUE SPACES. IC X(21) VALUE SPACES. IC X(28) VALUE SPACES. IC X(28) VALUE SPACES. IC X(28) VALUE SPACES. IC X(28) VALUE SPACES. IC X(29) VALUE SPACES. IC X(21) VALUE SPACES.		000994				PIC		אטא-נטר.		
IC X(11) VALUE SPACES. IC X(33) VALUE SPACES. IC X(28) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) VALUE SPACES. IC X(35) VALUE SPACES. IC X(36) VALUE SPACES. IC X(36) VALUE SPACES. IC X(36) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(30) VALUE SPACES. IC X(30) VALUE SPACES. IC X(30) VALUE SPACES. IC X(30) VALUE SPACES. IC X(31) VALUE SPACES. IC X(31) VALUE SPACES. IC X(32) VALUE SPACES. IC X(33) VALUE SPACES. IC X(34) VALUE SPACES. IC X(35) VALUE SPACES. IC X(36) VALUE SPACES. IC X(36) VALUE SPACES. IC X(36) VALUE SPACES. IC X(31) VALUE SPACES. IC X(31) VALUE SPACES. IC X(31) VALUE SPACES. IC X(32) VALUE SPACES. IC X(33) VALUE SPACES. IC X(34) VALUE SPACES. IC X(35) VALUE SPACES. IC X(36) VALUE SPACES. IC X(36) VALUE SPACES. IC X(37) VALUE SPACES. IC X(38) VALUE SPACES. IC X(39) VALUE SPACES. IC X(30) VALUE SPACES. IC X(31) VALUE SPACES. IC X(31) VALUE SPACES. IC X(32) VALUE SPACES. IC X(34) VALUE SPACES. IC X(35) VALUE SPACES. IC X(36) VALUE SPACES. IC X(36) VALUE SPACES. IC X(37) VALUE SPACES. IC X(38) VALUE SPACES. IC X(39) VALUE SPACES. IC X(30) VALUE SPACES.	-	000993	SPACES.			ביני		T L C EX		
TC X(11) VALUE SPACES. IC X(43) VALUE SPACES. IC X(43) VALUE SPACES. IC X(43) VALUE SPACES. IC X(11) VALUE SPACES. IC X(12) VALUE SPACES. IC X(12) VALUE SPACES. IC X(13) VALUE SPACES. IC X(14) VALUE SPACES. IC X(14) VALUE SPACES. IC X(15) VALUE SPACES. IC X(16) I		266000	SPACES.	VALUE	VILL	710		Ť		
TIC X(111) VALUE SPACES. TIC X(128) VALUE SPACES. TIC X(28) VALUE SPACES. TIC X(21) VALUE SPACES. TIC X(22) VALUE SPACES. TIC X(21) VALUE SPACES. TIC X(22) VALUE SPACES. TIC X(23) VALUE SPACES. TIC X(26) VALUE SPACES. TIC X(27) VALUE SPACES. TIC X(28) VALUE SPACES. TIC X(28) VALUE SPACES. TIC X(28) VALUE SPACES. TIC X(21) VALUE SPACES. TIC X(22) VALUE SPA		166000	SPACES.	VALUE VALUE	× (31)	PTC		STEAT COL	5 6	
TC X(111) VALUE SPACES. 1C X(33) VALUE SPACES. 1C X(43) VALUE SPACES. 1C X(28) VALUE SPACES. 1C X(29) VALUE SPACES. 1C X(21) VALUE SPACES. 1C X(25) VALUE SPACES. 1C X(26). 1C X(21) VALUE SPACES. 1C X(21) VALUE SPACES. 1C X(22) VALUE SPACES. 1C X(23) VALUE SPACES. 1C X(246) VALUE SPACES. 1C X(25) VALUE SPACES. 1C X(25) VALUE SPACES. 1C X(21) VALUE SPACES. 1C X(21) VALUE SPACES. 1C X(21) VALUE SPACES. 1C X(22) VALUE SPACES. 1C X(26) VALUE SPACES. 1C X(26) VALUE SPACES. 1C X(26) VALUE SPACES. 1C X(27) VALUE SPACES. 1C X(28) VALUE SPACES. 1C X(21) VALUE SPACES. 1C X(22) VALUE SPACES. 1C X(23) VALUE SPACES. 1C X(24) VALUE SPACES.		144000	OFACES.	4×105		9 7 6		ETILED	5 ;	
IC X(11) VALUE SPACES. IC X(33) VALUE SPACES. IC X(43) VALUE SPACES. IC X(28) VALUE SPACES. IC X(19) VALUE SPACES. IC X(28) VALUE SPACES. IC X(28) VALUE SPACES. IC X(28) VALUE SPACES. IC X(21) VALUE SPACES. IC X(25) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(229. IC X(21) VALUE SPACES. IC X(28) VALUE SPACES. IC X(29) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) O00987		90000	CDACEC.	A1 116	X (0.5)	PIC		SUM-COL	5	
TC X(11) VALUE SPACES. TC X(33) VALUE SPACES. TC X(43) VALUE SPACES. TC X(43) VALUE SPACES. TC X(28) VALUE SPACES. TC X(28) VALUE SPACES. TC X(28) VALUE SPACES. TC X(28) VALUE SPACES. TC X(21) VALUE SPACES. TC X(28) VALUE SPACES. TC X(26) VALUE SPACES. TC X(26) VALUE SPACES. TO X(26) VALUE SPACES. TO X(26) VALUE SPACES. TO X(27) VALUE SPACES. TO X(28) VALUE SPACES. TO X(29) VALUE SPACES. TO X(28) VALUE SPACES.		00000	SPACES		X(14)	PIC		FILLER	6	
IC X(11) VALUE SPACES. IC X(43) VALUE SPACES. IC X(28) IC X(28) IC X(9) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(25) VALUE SPACES. IC X(26) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) VALUE SPACES. IC X(26) VALUE SPACES. IC X(26) VALUE SPACES. IC X(27) VALUE SPACES. IC X(28) VALUE SPACES. IC X(28) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES.	-	00098						DETAIL.	Ė	8
IC X(11) VALUE IC X(33) VALUE VALUE SPACES. IC X(28) VALUE SPACES. IC X(29) VALUE SPACES. IC X(21) VALUE SPACES. IC X(26) VALUE SPACES. IC X(27) VALUE SPACES. IC X(28) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES.	4	000983								
IC X(11) VALUE SPACES. IC X(33) VALUE VALUE SPACES. IC X(28) VALUE SPACES. IC X(9) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) IC X(30) VALUE SPACES. IC X(26) VALUE SPACES. IC X(27) VALUE SPACES. IC X(28) VALUE SPACES. IC X(28) VALUE SPACES.	· ·	000984	SPACES.		X(21)	PIC		FILLER	10	
IC X(11) VALUE SPACES. IC X(43) VALUE VALUE SPACES. IC X(28) VALUE SPACES. IC X(9) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) VALUE SPACES. IC X(23) VALUE SPACES. IC X(26) VALUE SPACES. IC X(28) VALUE SPACES.	J 1	186000		CESSED".	CES PRO	REMITTA		-		
IC X(11) VALUE SPACES. IC X(43) VALUE IC X(28) VALUE SPACES. IC X(28) VALUE SPACES. IC X(55) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) VALUE SPACES. IC X(23) VALUE SPACES. IC X(26) VALUE SPACES. IC X(27) VALUE SPACES. IC X(28) VALUE SPACES. IC X(28) VALUE SPACES.	•	000984			X(30)	PIC		,	T	
IC X(11) VALUE SPACES. IC X(43) VALUE IC X(28) VALUE SPACES. IC X(28) VALUE SPACES. IC X(55) VALUE SPACES. IC X(21) VALUE SPACES. IC X(46) VALUE SPACES. IC X(46) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(23) VALUE SPACES. IC X(26) VALUE SPACES. IC X(27) VALUE SPACES. VALUE SPACES. VALUE SPACES. VALUE SPACES. VALUE SPACES. VALUE SPACES.	.	00098	SPACES.	VALUE	X(28)	PIC		TLLEX	-	
IC X(11) VALUE SPACES. IC X(33) VALUE ORATION - CONSUMER SERVICES . IC X(28) VALUE SPACES. IC X(29) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) IC X(23) VALUE SPACES. IC X(26) VALUE SPACES. IC X(26) VALUE SPACES. IC X(26) VALUE SPACES. VALUE SPACES. VALUE SPACES. VALUE SPACES. VALUE SPACES. VALUE SPACES.	~	00098;		•		PAINENI			•	
IC X(11) VALUE SPACES. IC X(43) VALUE VALUE SPACES. IC X(28) VALUE SPACES. IC X(9) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) IC X(23) VALUE SPACES. IC X(23) VALUE SPACES. IC X(23) VALUE SPACES. IC X(24) VALUE SPACES. IC X(25) VALUE SPACES. IC X(25) VALUE SPACES. IC X(26) VALUE SPACES. IC X(25) VALUE SPACES. IC X(25) VALUE SPACES.	_	.0009				DAVENTA DA I		•	;	
IC X(11) VALUE SPACES. IC X(43) VALUE SPACES. IC X(28) VALUE SPACES. IC X(28) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(46) VALUE SPACES. IC X(22) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) IC X(23) VALUE SPACES. IC X(25) VALUE SPACES. IC X(26) VALUE SPACES. IC X(21) VALUE SPACES. IC X(23) VALUE SPACES.		196000	STACES.	WAL UE	< ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?			FTLED	,	
IC X(11) VALUE	4	76000			V	010	:	FTILED		i
IC X(11) VALUE SPACES. IC X(43) VALUE IC X(28) VALUE SPACES. IC X(55) VALUE SPACES. IC X(46) IC X(46) VALUE SPACES. IC X(46) VALUE SPACES. IC X(46) VALUE SPACES. IC X(46) VALUE SPACES. IC X(50) VALUE SPACES.	, u	7,6000					Ė	- HEADTNG	2	5
IC X(11) VALUE VALUE VALUE VALUE VALUE VALUE IC X(28) VALUE REPORT' IC X(21) VALUE VALUE		74000	of ACEO.	42505						
IC X(11) VALUE SPACES. IC X(43) VALUE VALUE SPACES. IC X(28) VALUE SPACES. IC X(9) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) VALUE SPACES. IC X(23) VALUE SPACES. IC X(21) VALUE SPACES.		90077	CDACEC		Y (EZ)	PIC	!	FILLER	10	
IC X(11) VALUE SPACES. IC X(43) VALUE SPACES. IC X(28) VALUE SPACES. IC X(9) VALUE SPACES. IC X(21) REPORT. IC X(46) VALUE SPACES. IC X(46) VALUE SPACES. IC X(105) VALUE SPACES. IC X(150) VALUE SPACES. IC X(150) VALUE SPACES. IC X(150) VALUE SPACES.	- 6	0007			X(08)	PIC	FT-DATE	SUM-DRAI	10	
IC X(11) VALUE SPACES. IC X(43) VALUE ORATION - CONSUMER SERVICES. IC X(28) VALUE SPACES. IC X(55) VALUE SPACES. IC X(21) VALUE SPACES. IC X(46) VALUE SPACES. IC X(50) VALUE SPACES.	, .	00007			•	CTION D	FOR COLLE	<u>.</u>		
IC X(11) VALUE VALUE SPACES. IC X(43) VALUE VALUE SPACES. IC X(28) VALUE SPACES. IC X(55) VALUE SPACES. IC X(46) VALUE SPACES. IC X(46) VALUE SPACES. IC X(46) VALUE SPACES. IC X(46) VALUE SPACES. IC X(55) VALUE SPACES. IC X(55) VALUE SPACES. IC X(50) VALUE SPACES.	5 (00097		VALUE	X(21)	PIC		FILLER	10	
IC X(11) VALUE SPACES. IC X(33) VALUE VALUE SPACES. IC X(28) VALUE SPACES. IC X(9) VALUE SPACES. IC X(21) VALUE SPACES. IC X(21) VALUE SPACES. IC X(22) VALUE SPACES. IC X(23) VALUE SPACES. IC X(246) VALUE SPACES. IC X(25) VALUE SPACES. IC X(27) IC X(27) VALUE SPACES. IC X(27) IC X(27) VALUE SPACES.		00097	SPACES.	VALUE	X(50)	PIC		FILLER	10	
IC X(11) VALUE SPACES. IC X(43) VALUE VALUE SPACES. IC X(28) VALUE SPACES. IC X(9) VALUE SPACES. IC X(6). IC X(6). VALUE SPACES. IC X(21) VALUE SPACES. IC X(46) VALUE SPACES. IC X(65) VALUE SPACES. IC X(65) VALUE SPACES. IC X(65) VALUE SPACES. IC X(65) VALUE SPACES.	N)	00097					ü	-HEADING	SE	65
IC X(11) VALUE SPACES. IC X(43) VALUE SPACES. IC X(28) VALUE SPACES. IC X(9) VALUE SPACES. IC X(21) REPORT'. IC X(46) VALUE SPACES. IC X(46) VALUE SPACES. IC X(46) VALUE SPACES. IC X(105) VALUE SPACES. IC X(105) VALUE SPACES. IC X(105) VALUE SPACES. IC X(105) VALUE SPACES.	- (00097								
IC X(11) VALUE IC X(33) VALUE VALUE ORATION - CONSUMER SERVICES IC X(28) VALUE	- \	00097				PIC	E-NUMBER	SUM-PAGE	10	
IC X(11) VALUE IC X(33) VALUE VALUE ORATION - CONSUMER SERVICES IC X(28) VALUE VALUE IC X(9) VALUE VALU	p C	00070						•		
IC X(11) VALUE SPACES. IC X(43) VALUE ORATION - CONSUMER SERVICES. IC X(28) VALUE SPACES. IC X(9) VALUE IC X(55) VALUE SPACES. IC X(46) VALUE SPACES.	*	0000		VALUE		PIC		FILLER	10	
IC X(11) VALUE SPACES. IC X(43) VALUE IC X(43) VALUE IC X(28) VALUE SPACES. IC X(9) VALUE VALUE SPACES. IC X(6). IC X(55) VALUE SPACES. IC X(21) VALUE SPACES.	7 (90000	SPACES.	VALUE	(94)X	PIC			10	
IC X(11) VALUE SPACES. IC X(43) VALUE VALUE SPACES. IC X(28) VALUE SPACES. IC X(9) VALUE SPACES. IC X(9) VALUE SPACES. IC X(8). VALUE SPACES.	~ (96000		;	EPORT'.	INPUT R	TRANFREE	•		
IC X(11) VALUE SPACES. IC X(43) VALUE SPACES. IC X(28) VALUE VALUE VALUE SPACES. IC X(9) VALUE	. הע	00096		VALUE		PIC		FILLER	10	
IC X(11) VALUE SPACES. IC X(43) VALUE SPACES. IC X(28) VALUE VALUE SPACES. IC X(9) VALUE VALUE	F	0000	SPACES.	VALUE		PIC		FILLER	10	
IC X(11) VALUE SPACES. IC X(43) VALUE SPACES IC X(28) VALUE VALUE SPACES. IC X(9) VALUE VALUE	M F	0000					2.	-HEADING	Ş	8
IC X(11) VALUE IC X(33) VALUE SPACES. IC X(43) VALUE ORATION - CONSUMER SERVICES '. IC X(28) VALUE SPACES. IC X(9) VALUE	پ	00000				į			,	
IC X(11) VALUE IC X(33) VALUE ORATION - CONSUMER SERVICES . IC X(28) VALUE VALUE VALUE VALUE VALUE	-	96000				•	-DATE	SUM-RUN	5	
TC X(11) VALUE TC X(33) VALUE SPACES. TC X(43) VALUE TC X(28) VALUE SPACES. TC X(28) VALUE SPACES.	• •	2000		*******			RUN DATE	•		
IC X(11) VALUE IC X(33) VALUE SPACES. IC X(43) VALUE ORATION - CONSUMER SERVICES '. IC X(28) VALUE SPACES	9 6			VALUE		PIC		FILLER	10	
IC X(11) VALUE IC X(33) VALUE SPACES. IC X(43) VALUE	•	0000	7	AN IVA	_			-	6	
IC X(11) VALUE IC X(33) VALUE SPACES.	įÓ	26000		CUNCIPMED CED	. `		CHECKERS		(
IC X(11) VALUE	٠ ن	00075	0. 7050		X (43)	DIG.		FILLER	20	
IC X(11) VALUE	n 2	00000	CDACEC	ZA 18				FILLER	10	
	` ú	2000		47100			P##00010			
	ľ	2000	•			PTC	:	FILLER	10	į
) ř	2600	•					-HEADTNG	Š	95
	ė	26000								
	1	9009								
000448	Þ					REPT	-SUMMARY-	INGS-FOR		Š
	Se 3	0000								

2 2 5
746
DATE=06/14/91
TIME=0833

₹
>
Ð
R
N
2
-

WS-PROGRAM-NAME ' FROM LAST PRODUCTION RUN '	LE RESTARI	PC-RESTART-MODE NOT = 'Y'	PC-1 AST-COMMIT-KEY NOT = SPACE	GO TO ERRCITY.	IF SQLCODE EQUAL 100		DISPLAY 'PC-RESTART-HODE : PC-RESTART-HODE	•:	DISPLAY "PC-LAST-COMMIT-KEY:" PC-LAST-COMMIT-KEY		END-EXEC.	WHERE PC_PROGRAM_NAME = :WS-PROGRAM-NAME	FROM T900_PROG_CONTROL	:PC-RESTART-MODE	:PC-COMIT-INTERVAL,	INTO :PC-LAST-COMMIT-KEY,	PC_RESTART_MODE	PC_COMMIT_INTERVAL,	EXEC SOL SELECT PC_LAST_CONNIT_KEY,		HOVE "SELECTING FROM T900_PROG_CONTROL" TO STEP-DENOTER.	.01000BBd.		EXEC SQL WHENEVER NOT FOUND CONTINUE END-EXEC.	SQL WHENEVER SQLERROR GO TO ERRCHK	EXEC SQL WHENEVER SQLWARNING GO TO ERRCHX END-EXEC.				A000-HAINLINE.		HOVE 'PBB00010' TO SQL-PGM.		PROCEDURE DIVISION.			TO FILLER FIC X(09) VALUE SPACES.	SUM-RMI-DULLARS PIC \$85,889,888.99.	FILLER PIC	7-FOR-LIT PIC X(03) VALUE	TILLER FIL X(02) VALUE	I-LIEMS PIC Z,ZZZ,ZZ9.	FILLER	SUN-KNI-KNI-LII PIC X(11) VALUE	FILLER PIC X(01) VALUE	SUM-RMT-TYPE-LIT PIC	10 FILLER PIC X(11) VALUE SPACES.		
001048	001040	990100	001044	001043	001042	001041	001040	001039	001038	001037	001036	001035	001034	001033	001032	001031	001030	001029	001028	001027	001026	001025	001024	001023	001022	001021	001020	001019	810100	001017	001016	001015	001014	001013	001012	OTOTO	001009	001008	001007	001006	001005	001004	001003	001002	001001	001000	000999	000998	
03/13/91	16/21/20	16/21/20	03/13/91	05/25/91	05/25/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91										01/02/91						05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	

CP_MRCH_PAY_DATE, CP_MRCH_PAY_DATE, CP_NBR_REMAIN, CP_STATUS, CP_ACCT_NBR, CP_ACCT_NBR, CP_CHG_DATE, CP_CHG_AMT,	HOVE 'DECLARE CURSOR TOO2' TO STEP-DENOTER. EXEC SQL DECLARE TOO2 CURSOR FOR SELECT CP_SSN, CP_CHCK_PHONE, CP_CHCK_CR_PHONE, CP_MRCH_PHONE, CP_MRCH_CR_PHONE, CP_MRCH_NAME, CP_MRCH_NAME,	HOVE 'DECLARE CURSOR TO10' TO STEP-DENOTER. EXEC SQL DECLARE TO10 CURSOR FOR SELECT MS_SETTLE_CODE, MS_SETTLE_METH_IND FROM TO10_MRCH_SETTLE MHERE MS_SETTLE_METH_IND ¬= '*' AND MS_SETTLE_METH_IND ¬= '*' ORDER BY MS_SETTLE_CODE END-EXEC.	OPEN INPUT DATE-FILE. OPEN INPUT CARDIN. PERFORM A050-INITIALIZE THRU A050-INITIALIZE-EXIT. CLOSE DATE-FILE.	60 TO ERRCHX END-IF. IF PC-LAST-COMMIT-KEY NOT = SPACE DISPLAY 'RESTARTING PROGRAM ' WS-PROGRAM-NAME HOVE PC-LAST-COMMIT-KEY TO WS-LAST-KEY HOVE 'Y' TO PC-RESTART-MODE END-IF.
001091 001093 001094 001096 001098 001099 001099	001082 001084 001085 001086 001087 001088 001089	00106/ 001069 001070 001071 001072 001075 001076 001077 001078 001079	001057 001058 001059 001060 001062 001063 001064 001066	001049 001050 001051 001052 001053 001054 001056
	17,627,60	05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91	03/13/91 03/13/91	03/13/91 03/13/91 03/13/91 03/13/91 03/13/91 03/13/91 03/13/91

	RUN NO. 746
CP_LAST	DATE=06/14/91
CP_LAST_TRANS_DATE,	TIME=0833

8
m
23

IF PC-RESTART-MODE = "Y" MOVE WS-LAST-KEY TO WS-TOTALS: PERFORM 9100-LOAD-PAY-TBL THRU 9100-EXIT MOVE WS-PREVIOUS-SSN TO SQL-PREV-SSN DISPLAY "LOAD WS-TOTALS" WS-TOTALS	PERFORM A079-READ-STLCODE THRU A079-READ-STLCODE-EXIT. PERFORM A075-LOAD-STLCODE-EXIT. PERFORM A075-LOAD-STLCODE-TBL THRU A075-LOAD-STLCODE-TBL-EXIT UNTIL ALL-STLCODE-PROCESSED. HOVE 'CLOSE CURSOR TO10' TO STEP-DENOTER. EXEC SQL CL SE T010 END-EXEC.	ELSE DISPLAY 'MESSAGE FROM ' SQL-PGM ': DISPLAY 'BAD OPEN ON MASTER MERCHANT ' DISPLAY 'FILE. DISPLAY 'STATUS CODE IS: ' MMR-STAT DISPLAY 'PROGRAM HALTED. STOP JOB DISPLAY 'PROGRAM HALTED. STOP JOB DISPLAY 'MESSAGE FROM ' SQL-PGM ': ' UPON CONSOLE DISPLAY 'BAD OPEN ON MASTER MERCHANT ' UPON CONSOLE DISPLAY 'FILE. DISPLAY 'FILE. ' UPON CONSOLE DISPLAY 'STATUS CODE IS: ' MMR-STAT UPON CONSOLE DISPLAY 'STATUS CODE IS: ' UPON CONSOLE DISPLAY 'STATUS CODE IS: ' UPON CONSOLE DISPLAY 'STATUS CODE IS: ' UPON CONSOLE DISPLAY 'STREAM AND CORRECT PROBLEM. ' UPON CONSOLE	CP_LAST_TRANS_DATE, CP_PRENOTE_RESET, CP_PRENOTE_RESET, CP_ACCT_SCHENE, CP_ACCT_SCHENE, CP_ACCT_SCHENE, CP_CAT_NBR, CP_MREHONIC FROM TOO2_CONSUMER_PAY WHERE CP_SSN AND CP_MRCH_PAY_DATE <= :SQL-PREV-SSN AND CP_MRCH_PAY_DATE <> 0 AND CP_HRCH_ANT <> 0 AND CP_HRCH_ANT <> 0 AND CP_HRCH_ANT <> 0 AND CP_STATUS IN ('A', 'P') ORDER BY CP_SSN, CP_CHCK_PHONE END-EXEC. OPEN INPUT MERCHANT-FILE.
001145 001146 001147 001148 001149	001136 001136 001137 001138 001140 001142 001142 001143	001117 001118 001121 001122 001123 001124 001126 001126 001127 001128 001130 001131	001100 001101 001102 001103 001104 001106 001107 001108 001110 001111 001111 0011114 0011114
03/13/91 03/13/91 03/13/91 03/13/91 03/13/91	05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91	03/13/91	03/13/91 03/13/91 03/13/91 03/13/91

HOVE 'TOTAL OF SSN BY STATUS C ' TO HOVE WS-STATUS-C-CNT TO HOVE ERR-DETAIL-3 TO WRITE ERROR-REPORT-LINE.	HOVE 'TOTAL OF SSN BY STATUS D' TO HOVE WS-STATUS-D-CNT HOVE ERR-DETAIL-3 VRITE ERROR-REPORT-LINE. HOVE 'TOTAL OF SSN BY STATUS P' TO HOVE WS-STATUS-P-CNT HOVE WS-STATUS-P-CNT HOVE ERR-DETAIL-3 VRITE ERROR-REPORT-LINE.		IF WS-TOTAL-ERROR-LINES > 48 PERFORM D100-ERROR-HEADINGS THRU D100-ERROR-HEADINGS-EXIT. HOVE 'TOTAL OF SSN BY STATUS A ' TO HOVE WS-STATUS-A-CNT TO MOVE ERR-DETAIL-3 TO WRITE ERROR-REPORT-LINE.	PERFORM A100-MAIN THRU A100-MAIN-EXIT. MOVE 'CLOSE CURSOR T002' TO STEP-DENOTER. EXEC SQL CLOSE T002 END-EXEC.	MOVE 'OPEN CURSOR TOO2' TO STEP-DENOTER. EXEC SQL OPEN TOO2 END-EXEC. OPEN OUTPUT TRANHOLD-FILE PAY-TABLE-OUTPUT DRFTITEM-FILE ROLLOVER-REPORT ERROR-REPORT SUPMARY-REPORT.
ERR-STATUS-DESC. ERR-STATUS-CNT. ERROR-REPORT-LINE.	ERR-STATUS-DESC. ERROR-REPORT-LINE. ERROR-STATUS-DESC. ERR-STATUS-DESC. ERR-STATUS-CNT. ERROR-REPORT-LINE.	D ERR-STATUS-DESC. D ERR-STATUS-CNT. D ERROR-REPORT-LINE. D ERR-STATUS-DESC. D ERR-STATUS-CNT. D ERROR-REPORT-LINE.	IT. DERR-STATUS-DESC. DERR-STATUS-CNT. DERROR-REPORT-LINE.	ENOTER.	NOTER.
001197 001198 001199 001200 001201	001187 001188 001189 001191 001191 001192 001193 001194	001176 001177 001178 001180 001181 001182 001183 001185 001186	001167 001168 001169 001170 001171 001173 001174	001160 001161 001162 001164 001165 001166	001151 001152 001153 001154 001156 001157 001158
04/14/91 04/14/91 04/14/91 04/14/91 04/14/91	04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91	04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91	04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91	03/13/91 03/13/91	03/13/91 03/13/91 03/13/91 01/02/91 03/13/91 01/02/91

DISPLAY 'MESSAGE FROM ' SQ DISPLAY 'BAD READ ON AECOM DISPLAY 'STATUS CODE IS: DISPLAY 'PROGRAM MALTED.	HOVE WS-COMP-REY TO COMP-CIL-REY. READ DATE-FILE INTO WS-DATE-RECORD. IF COMP-STATUS = '00' NEXT SENTENCE ELSE		A000-MAINLINE-EXIT. EXIT. A050-INITIALIZE. ACCEPT WS-CURRENT-DATE FROM DATE. HOVE CD-YR TO WS-TRANS-YEAR.	HOVE SPACE TO PC-LAST-COMMIT-KEY PC-RESTART-MODE. PERFORM 9000-COMMIT-WORK THRU 9000-EXIT STOP RUN.	CLOSE MERCHANT-FILE, TRANHOLD-FILE, DRFTITEM-FILE, ROLLOVER-REPORT, ERROR-REPORT, SUMMARY-REPORT, CARDIN.	'TOTAL CONSUMERS IN ERROR ' WS-STATUS-TOT-CNT ERR-DETAIL-3	COMPUTE WS-STATUS-TOT-CNT = WS-STA WS-STA WS-STA WS-STA WS-STA WS-STA WS-STA WS-STA WS-STA WS-STA WS-STA
L-PGM ': ' P DATE FILE.' COMP-STATUS STOP JOB	ř					TO ERR-STATUS-DESC. TO ERROR-REPORT-LINE.	WS-STATUS-A-CNT + WS-STATUS-I-CNT + WS-STATUS-F-CNT + WS-STATUS-D-CNT + WS-STATUS-P-CNT + WS-STATUS-C-CNT. TO ERROR-REPORT-LINE.
001250 001250 001251 001252	001244 001245 001246 001247	001238 001239 001240 001241 001242 001243	001231 001232 001233 001234 001235 001236	001225 001226 001227 001228 001229	001215 001216 001218 001229 001221 001222 001223	001212 001212 001213 001214	001202 001203 001204 001206 001206 001207 001208
		01/02/91	01/02/91	03/13/91 03/13/91 03/13/91 03/13/91	9/14/91	04/14/91 04/14/91 04/14/91 04/14/91	04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91

DISPLAY 'PROGRAM HALTED. DRAFT EXTENSION DISPLAY 'VALUE SET IN JCL IS TOO BIG. DISPLAY 'STOP JOB STREAM AND CORRECT THIS DISPLAY 'PROBLEM. GO TO ERRCHK.	**XTENSION-99 > 99 **MESSAGE FROM * SI **PROGRAM HALTED. **VALUE SET IN JCL **STOP JOB STREAM / **PROBLEM. ***PROBLEM. ***HESSAGE FROM * SI	DISPLAY 'VALUE SET IN JCL IS NON-NUMERIC. DISPLAY 'STOP JOB STREAM AND CORRECT THIS DISPLAY 'PROBLEM. DISPLAY 'PROBLEM. DISPLAY 'MESSAGE FROM 'SQL-PGM ': DISPLAY 'PROGRAM HALTED. DRAFT EXTENSION DISPLAY 'VALUE SET IN JCL IS NON-NUMERIC. DISPLAY 'STOP JOB STREAM AND CORRECT THIS DISPLAY 'PROBLEM. DISPLAY 'PROBLEM. GO TO ERRCHK.	THE TOD-PHT-DT TO DAFT-DATE TO DATE-HEDDY GORIAN-TO-JULIAN-E GORIAN-TO-JULIAN-E DATE-PERIOD. DATE-PERIOD. DATE-PERIOD. THE SAGE FROM STANDER THE SAGE FROM S	DISPLAY 'STREAM AND CORRECT PROBLEM. ' DISPLAY 'HESSAGE FROM 'SQL-PGM ': 'UPON DISPLAY 'BAD READ ON AECOMP DATE FILE.' UPON DISPLAY 'STATUS CODE IS: 'COMP-STATUS UPON DISPLAY 'PROGRAM MALTED. STOP JOB 'UPON DISPLAY 'STREAM AND CORRECT PROBLEM. 'UPON DISPLAY 'STREAM AND CORRECT PROBLEM. 'UPON CLOSE DATE-FILE GO TO ERRCHK.
UPON CONSOLE UPON CONSOLE UPON CONSOLE UPON CONSOLE	UPON CONSOLE	UPON CONSOLE UPON CONSOLE UPON CONSOLE UPON CONSOLE UPON CONSOLE UPON CONSOLE	•	UPON CONSOLE UPON CONSOLE UPON CONSOLE UPON CONSOLE UPON CONSOLE
001297 001298 001299 001300 001301 001302 03/13/91	001294 001294 001295 001296 001296	001276 001277 001278 001280 001281 001282 001283 001284 001285 001286 001287 03/13/91	001264 001265 001266 001267 001270 001271 001272 001273 001274	001253 001254 001255 001256 001257 001259 001260 001261 001262 001262

RUM NO. 746
746
DATE=06/14/91
TIME=0833

⋧
E
27
7

HHHHH CONVERT DRAFT-DATE TO YVHHUD FORMAT FOR COMPARE ON T002. HOVE DRAFT-DATE-PLUS-DEF TO WS-DATE-MDY. HOVE WS-Y-HOY TO WS-Y-YHD HOVE WS-M-HDY TO WS-M-YHD HOVE WS-D-HDY TO WS-D-YHD HOVE WS-D-HDY TO WS-77-DATE HOVE WS-77-DATE TO SQL-DRAFT-DATE HOVE WS-77-DATE TO SQL-DRAFT-DATE HOVE AECO-CTL-TOD-PRO-DI TO WS-77-DATE-7DIGITS.	READ CARDIN READ CARDIN INTO WS-HOLD-ACH. ELSE HOVE SPACES TO WS-HOLD-ACH. IF DAY-NIGHT-ACH NOT = 'B' AND DISPLAY 'RESCAGE FROM ' SQL-PGM ': DISPLAY 'STOP JOB STREAM AND CORRECT THIS ' UPON CONSOLE DISPLAY 'PROBLEM. NOVE DAFT-EXTENSIOM-99 TO DATE-FREQ. PERFORM FUTURE-DATE-EXII. HOVE DATE-MY TO -GREGORIAM-EXII. HOVE DATE-MY TO DATE-M. HOVE DATE-MY TO DATE-M. HOVE DATE-MY TO DATE-M. HOVE DATE-MY TO DATE-M. HOVE DATE-MY TO DRAFT-DATE-PLUS-DEF TO WS-DATE-MDY. HOVE DAFT-DATE-PLUS-DEF TO WS-DATE-MDY. HOVE DAFT-DATE-PLUS-DEF TO WS-DATE-MDY. HOVE WS-M-HDY TO WS-M-HDY-SLASHES HOVE WS-DATE-MDY TO WS-M-HDY-SLASHES HOVE WS-DATE-MDY-WITH-SLASHES TO RO-DRAFT-DATE. ERR-DRAFT-DATE. ERR-DRAFT-DATE. ERR-DRAFT-DATE.
001345 001346 001347 001348 001350 001351 001352 001353	001304 001305 001306 001306 001310 001311 001312 001313 001314 001315 001316 001316 001317 001321 001322 001322 001322 001322 001323 001325 001326 001326 001327 001326 001327 001328 001333 001333 001333 001333 001333 001334 001336 001337 001336 001337 001338 001339 001336 001337 001336 001337 001338

:MS-SETTLE-CODE, :MS-SETTLE-METH-IND	A079-READ-STLCODE. MOVE 'FETCHING FROM TOLO' TO STEP-DENOTER. EXEC SQL FETCH TOLO INTO	A075-LOAD-STLCODE-TBL. IF TRANFREE-TBL-ENTRIES EQUAL TRANFREE-MAX-ENTRIES DISPLAY "SETTLEMENT CODE TABLE OVERFLOW" GO TO ERRCHK. ADD 1 TO TRANFREE-TBL-ENTRIES. SET TFR-IDX TO TRANFREE-TBL-ENTRIES. MOVE MS-SETTLE-CODE TO TFR-TBL-SC-CODE (TFR-IDX). MOVE ZERO TO TFR-TBL-SC-JIEMS (TFR-IDX). PERFORM A079-READ-STLCODE THRU A079-READ-STLCODE-EXIT. EXIT.	MOVE ZEROES MOVE SPACES TO DRAFT-RECORD. TO DRAFT-MRCH-DELETE, DRAFT-MRCH-NNEMONIC, DRAFT-PAY-TYPE, DRAFT-PAY-STATUS, DRAFT-MRCH-NAME, DRAFT-CHECK-DIGIT. A050-INITIALIZE-EXIT.	HOVE WS-77-DATE-7DIGITS TO WS-SQL-DATE. HOVE WS-SQL-DATE-YMD TO WS-DATE-MDY. HOVE WS-Y-MDY TO WS-Y-MDY-SLASHES HOVE WS-H-MDY TO WS-M-MDY-SLASHES HOVE WS-D-MDY TO WS-D-HDY-SLASHES HOVE WS-D-MDY TO WS-D-HDY-SLASHES TO RO-RUN-DATE, ERR-RUN-DATE, ERR-RUN-DATE, ERR-RUN-DATE, ERR-RUN-DATE, ERR-RUN-DATE, ERR-RUN-DATE, ERR-RUN-DATE, ERR-RUN-DATE, ERR-RUN-DATE, HOVE WS-HOLDY TO HOLD-Y-FFMYDDYY HOVE WS-M-MDY TO HOLD-H-FFMYDDYY HOVE WS-HOLD-DATE-FFMYDDYY TO DATE-MYDDYYY PERFORH GREGORIAN-TO-JULIAN THRU GREGORIAN-TO-JULIAN-EXIT HOVE DATE-YYYY TO WS-TRACE-YY.
001403 001404 001404	001398 001399 001401 001401	001384 001385 001386 001386 001389 001391 001391 001393 001394 001396	001372 001373 001374 001376 001377 001379 001380 001380 001382 001383	001355 001356 001358 001359 001360 001362 001363 001364 001365 001366 001369 001370
05/25/91 05/25/91 05/25/91	05/25/91 05/25/91 05/25/91 05/25/91	05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91	11/14/90 11/14/90 11/14/90 11/14/90 11/14/90 11/14/90 11/14/90 03/13/91	

MOVE WS-GND-TOT-ERR-ITEMS TO GND-TOT-ERR-ITEMS. MOVE WS-GND-TOT-ERR-DOLLARS TO GND-TOT-ERR-DOLLARS. MOVE SPACES TO ROLLOVER-REPORT-LINE.	*** THE FOLLOWING WILL CREATE A GRAND TOTAL ERROR LINE ON THE *** DETAIL DRAFT REPORT. ***	PERFORM C900-WRITE-ROLL-LINE THRU C900-WRITE-ROLL-LINE-EXIT.	HOVE 2 TO ADVANCE-AMOUNT.		MOVE TER-RHT-TOT-DOLLARS TO GND-TOT-ROL-DOLLARS.	HOVE	*** DRAFT REPORT.	*** THE FOLLOWING WILL CREATE A GRAND TOTAL LINE ON THE DETAIL		PERFORM J200-WRITE-GRAND-SUMMARY	TERFORM ILOG-CREDIT-OFFSETS	THRU D400-TOTAL-BREAK-EXIT.	PERFORM DAGO-TOTAL-BREAK	AND NOT = 999		PERFORM C400-TOTAL-BREAK	AND NOT = 999		END-PERFORM.		THRU A125-T002-CONS-PAY-FETCH-EXIT	PERFORM A125-T002-CONS-PAY-FETCH	MOVE ZERD TO MS-COMMITT-COMMITTED			京原東京東京東京東京東京東京東京東京東京東京東京東京東京東京東京東京東京東京東	* THE FOLLOWING MODULE IS THE HAIN INTERNAL DRIVER FOR THIS *	京家家家家家家家家家家家家家家家家家家家家家家家家家家家家家家家家家家家家家	EXIT.		MOVE 'Y' TO ALL-STICODE-PROCESSED-SE	
001454 001456	001451	001448	001446 001447	001445	001443	001442	001440	001438 001439	001437	001435	001434	001433	155100	001430	001429	00142/	001426	001425	001424	001422	001421	001420	001418	001417	001416	001414	001413	001411	001410	001100	001407	001406
			03/13/91		05/25/91	05/25/91			05/25/91	08/28/91						•		03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91						77 /27 /24	05/25/91	05/25/91	05/25/91

**************************************	EXIT.	Albertons-come-pay-fetch-fevilen.	ADD 1 TO MS-COMMIT-COMMITER	PERFORM B100-PROC-REC THRU B100-PROC-REC-EXIT.	60 TO A125-T002-CONS-PAY-FETCH-EXIT.	MOVE "Y" TO INPUT-EOF-SW		:CP-INEHONIC	:CP-CAT-NBR,	:CP-ACCT-SCHEME,	:CP-PERSOTE-RESET.	:CY-LAXI-TRANX-DATE;	CP-CHG-ANT,	:CP-CHG-DATE,	:CP-PAY-FREQ,	:CP-ACCT-NBR,	:CP-STATUS.	:CP-PAY-TYPE;	:CP-MRCH-PAY-DATE,	:CP-MRCH-ANT,	CP-MRCH-NAME.	CP-MRCH-PHONE	:CP-CHCK-CR-PHONE,	:CP-CHCK-PHONE,		EXEC SOL FETCH TOOP INTO	TO THE TRUTH HOUSE IN TARAGRAPH AIZS.	2-CONS-PAY-FETCH.			EXIT.	Aldo-Mayn-skit	TERFORM COOD WRITE-ROLL-LINE	MOVE 2 TO ADVANCE-AMOUNT.	HOVE '0' TO CC-LINE	MOVE CND-TOT-FED-DETAIL TO BOLLOVED-BEDORT-LINE
001503 001504 001505 001506	001500 001501 001502	001498	001496	001495	001494	001492	001491	001490	001489	001488	001487	001485	001484	001483	001482	001481	001479	001478	001477	001476	001474	001473	001472	001471	001470	001468	001467	001466	001465	001464	001463	001461	001460	001459	001458	201657
		03/13/91	03/13/91																																03/13/91	

001508 001510 001511 001512 001512 001514 001515 001515 001515 001516 001516 001517 001519 001521 001521 001522 001523 001524 001523 001535 001544 001535 001544 001545 001545 001546 001546 001547 001556 001557 001558 001556 001557 001558 001556 001557 001558 001559 001559 001540 001540 001541 001540 001540 001540 001540 001540 001540 001540 001540 001540 001555 001556 001556 001556 001557 001558	Bloo-PROC-REC-EXIT.	PERFORM C300-MERCHANT-ROLL-LINE THRU C300-MERCHANT-ROLL-LINE-EXIT.	PERFORM C200-CONSUMER-ROLL-LINE	IF CONS-RO-DETAIL-NOT-WRITTEN		THRU H100-UPDATE-TABLES-EXIT.	PERFORM H100-UPDATE-TABLES		THRU K100-DRFTITEN-RECORD-EXIT.	IF PAY-BY-PHONE			PERFORM DIGG-TRANSCID-RECORD			GO TO B100-PROC-REC-EXIT.		IF RECORD-IN-ERROR			PROFIDEM FROM-CHICK-DOCKOTE NETO-EXIT.		The fact of contestion and C from:	TERTORI FIGO-COTO TERTO-FETT	HOVE CP-SSN TO WS-PREVIOUS-SSN	MOVE 'N' TO IS-CONSUMER-IN-ERROR		GO TO BIDD-PROCERT - COUNTRY	9000-EXIT	PERFORM 9000-COMMIT-WORK THRU	MOVE WS-TOTALS TO PC-LAST-COMMIT-KEY	ADD WS-COMMIT-COUNTER TO WS-LAST-COMMIT-COUNT	MOVE WS-LAST-COMMIT-COUNT TO TER-PAY-TBL-COMMIT	ADVE :V: TO DO-BESTABLE-INTERVAL		MOVE 'N' TO IS-RECORD-IN-ERROR.	B100-PROC-REC.
	001555 001556 001557 001558	001553	001551	001550	001548 03/13/91	001547	001545	001544 03/13/91	001543	001541	001540	001539	001537	001536	001535	001534	001532	001531	001530	001520	001527	001526	001525	001523	001522		- '			-	-				001510	001509	202100

PERFORM C400-TOTAL-BREAK		THRU C100-ROLL-HEADINGS-EXIT	PERFORM C100-ROLL-HEADTMSS		IF WS-TOTAL-ROLLOVER-LINES > 45		THRU C100-ROLL-HEADINGS-EXIT			PERFORM C400-TOTAL-BREAK	CP-SSN NOT = WS-PREVIOUS-ROLL-SSN	AND	F WS-TOTAL -BOLLOVER-LINES >	EL DE	TERTORY CLOSE-ROLL-READINGS	MOVE 'N' TO IS-THIS-FIRST-ROLL-RECORD	IF FIRST-ROLL-RECORD	C200-CONSUMER-ROLL-LINE.			EXIT.	CISS-ROLL-MEASTMES-EVIT	TERT CROSS STATE PROCESS TO THE TEXT			70	MOVE SPACES TO ROLLOVER-REPORT-LINE.			MOVE RO-HEADING-1 TO BOLLOVER-RETORI-LIME.	HOVE ADTROCTOVER TABLE COURT OF ROTTAGE NUMBER.	-	ZEROS 1	MOVE "N° TO ARE-MRCH-RO-DETAIL-WRITTEN.	MOVE 'N' TO ARE-CONS-RO-DETAIL-WRITTEN.	HOVE 'N' TO ARE-MRCH-RO-HEADINGS-WRITTEN.	MOVE 'N' TO ARE-CONS-RO-HEADINGS-WRITTEN.	C100-ROLL-HEADINGS.		原法市场市场市场市场市场市场市场市场市场市场市场市场市场市场市场市场市场市场市场	PROGRAM.	* THE FOLLOWING MODULES PRODUCE THE BOLLOWED BEFORE THE	海球球球球球球球球球球球球球球球球球球球球球球球球球球球球球球球球球球球球		
001609	001607	001605	001604	001603	001602	109100	001600	001599	001598	001570	901504 969T00	001594	001593	001592	165100	001590	001500	789100	001586	001585	001584	001583	001582	001581	001580	001579	923100 //STOO	001576	001575	001574	001573	001572	001571	001507	005100		001547	995TD0	#95T00	COCTOO	295100	195100	001560	001559	1

03/13/91

Ē
5
746

	£	ı	١
	Ξ	1	١
	:		١
	P	۰	۱
	2		
	2	ı	Ė
	ч	į	•
	e		١
	ä		i
		•	1
	3		ľ
	7	•	١
	3		
	ς		į
	£		
1	è	ı	į
	٠		
	J	ľ	Į
	-	ľ	1
1		ì	i
i	2		•
	e	į	į
	¢		١
	ĕ		
	ž		•
	٠		ı
	۰		í

v	
•	
D	
7	
M	
N	

ē	001660	INTO CIOU-RULL-MEAUINGS-EXII.
	001659	PERFORM C100-ROLL-HEADINGS
	001658	IF WS-TOTAL-ROLLOVER-LINES > 55
	001657	ERCHANT-ROLL-LINE.
	001656	
	001655	
	001654	EXIT.
	001653	CZZO-CONSUMER-DETAIL-EXIT.
	001652	THRU C900-WRITE-ROLL-LINE-EXIT.
	001651	PERFORM C900-WRITE-ROLL-LINE
	001650	MOVE KO-DETAIL-I TO ROLLOVER-REPORT-LINE.
	001649	
03/13/91	001648	
	001647	SPA
	001646	
	001645	MOVE CF-MID-INIT TO RO-MI.
	001644	MOVE CF-FIRST-NAME TO RO-FIRST-NAME.
•	001643	
	001642	
	001641	
	001640	_
	001639	_
	001638	
	001637	_
	001636	
	001635	HOVE "Y" TO ARE-CONS-RO-DETAIL-WRITTEN.
	001634	CZZO-CONSUMER-DETAIL.
	001633	
	001632	
	001631	EXIT.
	001630	C210-CONSUMER-HEADINGS-EXIT.
-	001629	THRU C900-WRITE-ROLL-LINE-EXIT.
	001628	PERFORM C900-WRITE-ROLL-LINE
	001627	MOVE RO-HEADING-3 TO ROLLOVER-REPORT-LINE.
!	001626	HOVE 3 TO ADVANCE-AMOUNT.
03/13/91	001625	MOVE '-' TO CC-LINE
	969100	
	250100	MOVE 'Y' TO ARE-CONS-BO-HEADINGS-UBITTEM
	001621	C210-CONCIMED-HEADTHCC
	001620	
	001619	EXIT.
	001618	C200-CONSUMER-ROLL-LINE-EXIT.
	001617	THRU C220-CONSUMER-DETAIL-EXIT.
	001616	PERFORM C220-CONSUMER-DETAIL
	001615	THRU C210-CONSUMER-HEADINGS-EXIT.
	001616	
	219100	IF CONS-RO-HEADING-NOT-WRITTEN
	119100	MOVE OF- SOM TO US-BREVIOUS-BOIL-SOM
	001610	INKO C400-JOJAL-BREAK-EXII.
		TIPL PART TATAL BELLA CONTRACT

C400-TOTAL-BREAK.	EXIT.	CASO-MEDICHANT-DETAIL-EVIT	ADD WS-77-HOLD-PAY-AMOUNT TO WS-TOT-RO-DOLLARS.	THRU C900-WRITE-ROLL-LINE-EXIT.	PERFORM (998-WRITE-ROLL-LINE	HOVE BO-DETAIL - 2 TO BOLLOWED-DEBORT- I THE		<u>v</u>		NOVE CP-ACCT-NBR TO RO-ACCOUNT-NUMBER						HOVE WS-77-PHONE TO WS-PHONE-NUMBER-IN	TOUR OP-MOSE-PROME TO ES-77-PROME	C320-MERCHANT-DETATI		EXIT.	C310-MERCHANT-HEADINGS-EXIT.	THRU C900-WRITE-ROLL-LINE-EXIT.	PERFORM C900-WRITE-ROLL-LINE	MOVE RO-MEADING-4 TO ROLLOVER-REPORT-LINE	MOVE O TO ADVANCE ANOTHE		MOVE 'Y' TO ARE-MRCH-RO-HEADINGS-WRITTEN.	C310-MERCHANT-HEADINGS.			C300-MERCHANT-ROLL-LINE-EXIT.	THRU C320-MERCHANT-DETAIL-EXIT.	PERFORM C320-MERCHANT-DETAIL	THRU C310-MERCHANT-HEADINGS-EXTT	AT TACT-AC-ACACING-ACI-EX		PERFORM C220-CONSUMER-DETAIL	IF CONS-RO-DETAIL-NOT-WRITTEN	THRU C210-CONSUMER-HEADINGS-EXIT.	PREFORM C210-CONSIDER-HEADINGS	RUN NO. 746 DATE=06/14/91 TIME=0833	
001711	001707	001706	001705	001704	80170Z	001701	001700 03/13/91	001699	001698	001697 001697	001695	001694	001693	001692	001691	901690	801.688	001687	001686	001685	001684	001683	001682	001681	001679 03/13/91	-	001677	001676	001675	001673	001672	001671	001670	001668	001667	001666	001665	001664	001663	001661	LISTING OF MODULE PBB00010	

	_
	R E
	RUM NO. 746
	746
MOVE WS-TOT-RO-ITEMS TO TOT	DATE=06/14/91 TIME=0833
TENS TO TOT	TIME=0833

LISTING
윾
PBB00
_

T	
≥	
ĕ	
•••	
8	
U)	

HOVE 1 TO WS-TOTAL-ROLLOVER-LINES. HOVE OTO CC-LINE. HOVE ROLLOVER-REPORT-LINE TO JUNK-COMMIT-KEY. HOVE WS-LAST-COMMIT-COUNT TO JUNK-COMMIT-KEY. HOVE WS-LAST-COMMIT-COUNT TO JUNK-COMMIT-KEY. HOVE WS-LAST-COMMIT-COUNT TO JUNK-LINE. ADD 1 TO WS-TOTAL-ROLLOVER-LINES. C800-WRITE-ROLL-PAGE-EXIT. EXIT. C900-WRITE-ROLL-LINE. HOVE WS-LAST-COMMIT-COUNT TO JUNK-COMMIT-KEY. WRITE ROLLOVER-REPORT-LINE TO JUNK-COMMIT-KEY. WRITE ROLLOVER-REPORT-LINE FROM WS-PRINT-LINE. ADD ADVANCE-AMOUNT TO WS-TOTAL-ROLLOVER-LINES. C900-WRITE-ROLL-LINE-EXIT. EXIT. EXIT. EXIT. EXIT. D100-ERROR-HEADINGS MROULES PRODUCE THE ERROR REPORT FOR THIS ** ** PROGRAM. ** THE FOLLOWING MODULES PRODUCE THE ERROR REPORT FOR THIS ** ** PROGRAM. ** PROGRAM. ** PROGRAM. ** TO ARE-CONS-ERR-HEADINGS-WRITTEN. HOVE 'N' TO ARE-MRCH-ERR-DETAIL-WRITTEN.	WS-TOT-RO-DOLLARS TO TOT-ROL-DOLLARS. SPACES TO ROLLOVER-REPORT-LINE. 'O' TO CC-LINE 2 TO ADVANCE-AMOUNT. TOT-ROL-DETAIL TO ROLLOVER-REPORT-LINE. NRM C900-WRITE-ROLL-LINE RU C900-WRITE-ROLL-LINE EXIT. SPACES TO ROLLOVER-REPORT-LINE. 'O' TO CC-LINE 2 TO ADVANCE-AMOUNT. SPACES TO WS-TOT-RO-LINE EXIT. ZEROS TO WS-TOT-RO-DOLLARS. L-BREAK-EXIT.
001733 001734 001735 001736 001737 001740 001747 001745 001746 001746 001746 001759 001759 001759 001759 001759 001759 001759 001759 001759 001759 001759 001759 001759	001713 001714 001714 001715 001716 001717 001718 001721 001721 001722 001723 001728 001728 001729 001731 001731
03/13/91 03/13/91 03/13/91 03/13/91 03/13/91 03/13/91	03/13/91

IF FIRST-ERROR-RECORD HOVE 'N' TO IS-THIS-FIRST-ERROR-RECORD PERFORM D100-ERROR-HEADINGS THRU D100-ERROR-HEADINGS ELSE IF WS-TOTAL-ERROR-LINES > 45 AND CP-SSN NOT = WS-PREVIOUS-ERROR-SSN PERFORM D400-TOTAL-BREAK THRU D400-TOTAL-BREAK-EXIT PERFORM D100-ERROR-HEADINGS-EXIT	IF CF-STATUS = 'F' ADD 1 TO WS-STATUS-F-CNT ELSE IF CF-STATUS = 'D' ADD 1 TO WS-STATUS-D-CNT ELSE IF CF-STATUS = 'P' ADD 1 TO WS-STATUS-P-CNT ELSE IF CF-STATUS = 'C' ADD 1 TO WS-STATUS-C-CNT. HOVE 'CONSUMER STATUS IS ' TO WS-ERR-MESSAGE-STATUS. MOVE WS-MESSAGE-STATUS TO WS-ERR-MESSAGE.	MOVE ERR-HEADING-2 TO ERROR-REPORT-LINE. PERFORM D900-WRITE-ERROR-LINE THRU D900-WRITE-ERROR-LINE-EXIT. D100-ERROR-HEADINGS-EXIT. D200-CONSUMER-ERROR-LINE. IF CF-STATUS = 'A' ADD 1 TO WS-STATUS-A-CNT ELSE IF CF-STATUS = 'I' ADD 1 TO WS-STATUS-I-CNT	
001802 001803 001804 001804 001806 001806 001809 001810 001811 001811 001813			
04/14/91	04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91 04/14/91	04/14/91 04/14/91 04/14/91 04/14/91	03/13/91

04/14/91 04/14/91	001863 001864	MOVE WS-77-SSN TO WS-SSN-1ST3-OUT.
04/14/91	001861 001862	MOVE CP-SSN TO WS-77-SSN.
	001860	HOVE 'Y' TO ARE-CONS-ERR-DETAIL-WRITTEN.
	001858 001859	D220-CONSUMER-DETAIL.
	001857	
	001856	EXIT.
	001034	D210-COMSUMER-WEADINGS-FXIT.
	001853	
	001852	HOVE ERR-HEADING-3 TO ERROR-REPORT-LINE.
. !	001851	HOVE 3 TO ADVANCE-AHOUNT.
03/13/91	001850	: 10
	001849	HOVE SPACES TO ERROR-REPORT-LINE.
	001848	MOVE 'Y' TO ARE-CONS-ERR-HEADINGS-URITTEN.
	001846	D210-CONSUMER-HEADINGS.
	001845	
	001844	EXIT.
	001843	D200-CONSUMER-ERROR-LINE-EXIT.
16/41/40	001842	
16/41/40	001841	SPACE TO
04/14/91	001840	MOVE SPACES TO WS-ERR-MESSAGE.
16/91/40	00000	
16/91/90	/coton	THREE DOOG-THIEFT THREE THE THE THREE THRE
16/11/50	001077	K DESTINATIONS TO CRECK THE STATE OF ST
	001835	MOVE 1 TO ADVANCE-AMOUNT.
04/14/91	001834	
04/14/91	001833	* MOVE SPACES TO ERROR-REPORT-LINE.
04/14/91	001832	
	001831	THRU D220-CONSUMER-DETAIL-EXIT.
	428100	PROGRAM DOOLSTAND THREE
	001828	
	001827	PERFORM D210-CONSUMER-HEADINGS
	001826	IF CONS-ERR-HEADING-NOT-WRITTEN
	001825	MOVE CP-SSN TO MS-PREVIOUS-ERROR-SSN.
	001823	IRRO DAGG-TOTAL-BREAK-EXIT.
	001822	PERFORM DAGO-TOTAL-BREAK
	001821	IF CP-SSN NOT = WS-PREVIOUS-ERROR-SSN
	001820	ELSE
	001819	THRU D100-ERROR-HEADINGS-EXIT
	001818	
	01817	CP-SSN = WS-PREVIOUS-ERROR-SSN
	61010	
	001814	ELSE
	CISITNO OF HODGE FEBRUARY	
	1 1717UP OF LOWER BORNASIO	

	Ĩ
	WN NO. 746
	746
MOVE WS-SSN-2ND2-IN TO WS-	DATE=06/14/91
IN TO	TIME=0833
F 5.	33

LISTING
윾
HODULE
PBB00010

•	
3	
T	
5	
•	

|--|

>	
R	
m	
M	
٠	

04/14/91	001966	
04/14/91	001965	CP-MRCH-AMT TO
04/14/91	001964	MOVE CP-ACCT-NBR TO ERR-ACCOUNT-NUMBER
04/14/91	001963	HOVE CP-MRCH-NAME TO ERR-MERCHANT
04/18/91	001962	CP-CHCK-CR-PHONE TO
	001961	MOVE WS-PHONE-NUMBER-OUT TO ERR-PHONE-NUMBER
	001960	
	001959	
	001958	
16/61/60	956 TOO	MOVE WS-77-PHONE TO WS-PHONE-NUMBER-IN
	001955	
	001954	NOVE 'Y' TO ARE-EXCH-EXX-DETAIL-WALLEEN.
	001953	USCO-MERCHANI-DETAIL.
	001952	
	001951	
	001950	EXIT.
	001949	D310-MERCHANT-HEADINGS-EXIT.
	001948	THRU D900-WRITE-ERROR-LINE-EXIT.
	001947	
	001944	
14 /CT /CA	001045	
10/2/12	00100	10 TO
	275 [00 244 T D D	MOVE OPACES TO ERROR-BERORI-ITMS
	001941	MOVE "V" TO ABE-MBCM-EBB-MEADINGS-MBITTEN
	001940	NT O-MEDOLANT-USANTAGO
	001939	
	001938	EXIT.
	001937	D300-MERCHANT-ERROR-LINE-EXIT.
04/14/91	001936	NOVE SPACES TO ERROR-REPORT-LINE.
04/14/91	001935	
	001034	THRU D900-WRITE-ERROR-LINE-EXIT
		PROPODE TOOM-EDITE-REPORTING
		MOVE I TO ADVANCE-AMOUNT.
04/14/91	001930	
:	001929	
04/14/91	001928	
04/14/91	001927	GO TO D300-MERCHANT-ERROR-LINE-EXIT.
04/14/91	001926	THRU D320-MERCHANT-DETAIL-EXIT
	001925	
	001924	IF MRCH-ERR-DETAIL-NOT-WRITTEN
	001923	THRU D310-MERCHANT-HEADINGS-EXIT.
	001922	
	001921	IF MRCH-ERR-HEADING-NOT-WRITTEN
	001920	THRU D220-CONSUMER-DETAIL-EXIT.
	001910	PERFORM D220-CONSUMER-DETAIL
	74100	TE CONS-EDB-DETATI-NOT-HOTTTEN
	001916	TERM DOLD-CONCUMENTS AND ADTROCHESTS
		P

MOVE CP-PAY-TYPE TO ERR-PAYMENT-TYPE-2. 001972 04/14/91 001972 04/14/91 001973 04/14/91 001973 04/14/91 001974 001974
OUT969

CF_CCARD_EXP_DATE, CF_CCARD_EXP_DATE, CF_MAIDEN_NAME, CF_DECLINE_STATUS, CF_STATUS, CF_STATUS, CF_VIP_STATUS2, CF_VIP_STATUS2, CF_LAST_TRANS_DATE,	CF_SSN, CF_CHCK_ID, CF_LAST_NAME, CF_LAST_NAME, CF_FIRST_NAME, CF_MID_INIT, CF_ADDRESS1, CF_ADDRESS2, CF_CITY, CF_STATE, CF_STATE, CF_STATE, CF_ZIP_4, CF_ZIP_5, CF_ZIP_5, CF_ACCT_NBR, CF_PAPR_RT_TRANS, CF_PAPR_RT_TRANS, CF_PAPR_RCCT_NBR,	ADD ADVANCE-AMOUNT TO WS-TOTAL-ERROR-LINES. D900-WRITE-ERROR-LINE-EXIT. EXIT. ***********************************	ADD 1 TO WS-TOTAL-ERROR-LINES. D800-WRITE-ERROR-PAGE-EXIT. EXIT. D900-WRITE-ERROR-LINE. MOVE ERROR-REPORT-LINE TO JUNK-LINE. WRITE ERROR-REPORT-LINE FROM WS-PRINT-KEY. WRITE ERROR-REPORT-LINE FROM WS-PRINT-LINE	MOVE ERROR-REPORT-LINE TO JUNK-LINE. WRITE ERROR-REPORT-LINE FROM WS-PRINT-KEY.
002061 002063 002063 002065 002066 002067 002068	002046 002047 002048 002059 002051 002053 002053 002054 002056 002056 002056	002030 002031 002033 002033 002034 002035 002037 002039 002040 002041 002042 002044 002044	002021 002022 002023 002023 002024 002025 002025 002027 002028 002029	002018 002019 002020
02/10/91	04/20/91 04/20/91		03/13/91 03/13/91 10/31/90	03/13/91 03/13/91 10/31/90

RUN NO. 746	نيور
CF_CREDIT_LIMIT, CF_CRECK_LIMIT, CF_CRECK_LIMIT, CF_CRECK_LIMIT, CF_CRECK_LIMIT, CF_CF_MTH_BAL, CF_CF_MTH_BAL, CF_CF_MTH_BAL, CF_CF_YTD_ITEMS, CF_CF_YTD_ITEMS, CF_CF_YTD_ITEMS, CF_CF_YTD_ITEMS, CF_TOT_YTD_BAL, CF_TOT_YTD_BAL, CF_TOT_YTD_BAL, CF_FREE_FLAG, CF_PRENOTE_DATE, CF_REST_PRENOTE_DATE, CF_ET_CODE, CF_BANK_NAME, CF_CHCK-ID, CF-CHCK-ID, CF-LAST-NAME, CF-CLAST-NAME, CF-CCARD-RESS1, CF-CCARD-NBR, CF-CCARD-STATUS, CF-CCARD-STATUS, CF-CCARD-STATUS, CF-CCARD-STATUS, CF-CCARD-STATUS, CF-CCARD-STATUS, CF-CF-ATH-ITEMS, CF-CF-TTH-BAL, CF-CF-TTD-TTEMS, CF-CF-TTD-TTEMS, CF-TOT-MTH-BAL, CF-CF-TTD-TTEMS, CF-TOT-MTH-BAL, CF-TOT-MTH-TIEMS, CF-TOT-MTH-TIEMS	
TIME=0833 LIMIT, LIMIT, LIMIT, LIMIT, LITENS, BAL, BAL, LITENS, H_BAL, LAG, LAG, H_BAL, LAG, LAG, H_BAL, LAG, LAG, H_BAL, LAG, LAG, LAG, LAG, LAG, LAG, LAG, L	
LIST	
LISTING OF HODULE PBB00010 00207 00207 00207 00207 00207 00208 00208 00208 00208 00208 00209 002100 002110 002111	
002069 002077 002077 002077 002075 002076 002076 002078 002081 002082 002083 002084 002084 002086 002086 002086 002087 002087 002087 002089 002099 002099 002099 002099 002099 002101 002111	
PAGE	
2	

CP-PAY-TYPE = 'F' IF CP-PAY-FREQ = 'A' OR 'B' OR 'M' OR 'Q' OR 'S' OR 'T' OR 'W' NEXT SENTENCE ELSE HOVE 'Y' TO IS-RECORD-IN-ERROR HOVE 'Y' TO IS-CONSUMER-IN-ERROR HOVE 'PAY FREQ INVALID 'TO ERR-MESSAGE-2, WS-ERR-MESSAGE	DE NOT	HOVE ALL "N" TO CF-LAST-NAME, ERR-LAST-NAME CF-FIRST-NAME, ERR-FIRST-NAME CF-FIRST-NAME, ERR-FIRST-NAME CF-FIRST-NAME, ERR-LAST-NAME CF-FIRST-NAME, ERR-LAST-NAME CF-FIRST-NAME, ERR-LAST-NAME CF-FIRST-NAME CF-FIRST-NAME, ERR-LAST-NAME CF-FIRST-NAME CF-F	:CF-FREE-FLAG, :CF-FREE-FLAG, :CF-FREE-MATRIX, :CF-FRE-MATRIX, :CF-FRE-MATRIX, :CF-FRE-MATRIX, :CF-FRE-MATRIX, :CF-FRE-MATRIX, :CF-FRE-MATRIX, :CF-BANK-NAME, :CF-BANK-NAME, :CF-RESET-PRENOTE M TOO1_CONSUMER_FILE M TOO1_CONSUMER_FILE *Y* TO IS-RECORD-IN-ERROI *Y* TO IS-CONSUMER FILE* IN-ERROI *Y* TO IS-CONSUMER FILE* IN-ERROI **NOT ON CONSUMER FILE* IN-ERROI **NOT ON CONSUMER FILE* IN-ERROI **Y* TO IS-CONSUMER FILE* IN-ERROI **Y* TO
002161 002163 002164 002165 002166 002166 002168 002169	002154 002154 002155 002156 002158 002159 002160	002138 002141 002141 002142 002143 002144 002146 002146 002148 002150	002121 002123 002123 002124 002125 002127 002127 002128 002131 002133 002133 002134 002135
04/14/91	04/14/91 04/14/91 04/20/91 04/14/91	04/14/91	04/14/91

PERFORM D300-MERCHANT-ERROR-LINE-EXIT.	WS-ERR-MESSAGE	HOVE 'CANNOT PROCESS THIS PAYHENT' TO ERR-NESSAGE-2,	THRU D300-MERCHANT-ERROR-LINE-EXIT	PERFORM D300-MERCHANT-ERROR-LINE				IF CONSUMER-IN-ERROR		THRU D300-MERCHANT-ERROR-LINE-EXIT.	PERFORM D300-MERCHANT-ERROR-LINE	WS-ERR-MESSAGE	MOVE 'NOT ON MERCHANT FILE' TO ERR-MESSAGE-2,	ELSE	THRU D300-MERCHANT-ERROR-LINE-EXIT	PERFORM D300-MERCHANT-ERROR-LINE	WS-ERR-MESSAGE	HOVE 'NOT ON MERCHANT FILE' TO ERR-MESSAGE-2,	THRU D200-CONSUMER-ERROR-LINE-EXIT		MOVE . TO MS-ERR-MESSAGE		HOVE 'Y' TO IS-RECORD-IN-ERROR	ELSE	NEXT SENTENCE	IF MMR-STAT = '00'		READ MERCHANT-FILE.		MOVE BY-77-CR-PHONE TO MARP-CR-PHONE.	MONT OP-MECK-OB-BLOKE TO LO-77-OB-BLOKE			MOVE "E200-GET-HERCHANT-INFO" TO STEP-DENOTER.	E200-GET-MERCHANT-INFO.			EXIT.	El00-GET-CONSUMER-INFO-EXIT.	;	MOVE 'N' TO PAY-BY-PHONE-SW.	ELSE		CF-VIP-STATUS2 = '14	IF CF-VIP-STATUS = 'N' AND		THRU DOOD-CONCLINED-FREDER-TIME-FRIT	BEBEADN 7355-7516-165555-1717
002220 002221	002219	002218	002217	002216	002215	002214	002213	002212	002211	002210	002209	002208	002207	002206	002205	002204	002203	002202	002201	002200	002199	002198	002197	002196	002195	002194	261500	161600	002101	002189	881200	002187	002186	002185	002184	002183	002182	002181	002180	002170	002178	002177	002174	002175	002174	271700	002171)) •
	16/51/50	04/14/91			04/14/91	04/14/91	04/14/91					04/14/91	04/14/91				04/14/91	04/14/91								03/13/91																	14 /01 /20	02/10/91	02/10/91			

IF MMR-ROUTE-SETTLE = *03* ELSE IF MMR-ROUTE-SETTLE = *10* MOVE *01* TO MMR-ROUTE-SETTLE ELSE IF MMR-ROUTE-SETTLE = *11* MOVE *02* TO MMR-ROUTE-SETTLE	IF CP-PRENOTE-RESET > SQL-DRAFT-DATE OR CP-ACCT-SCHENE NOT = "V" IF MMR-ROUTE-SETTLE = "01" NEXT SENTENCE ELSE IF MMR-ROUTE-SETTLE = "02" NEXT SENTENCE ELSE	ELSE IF WHR-ROUTE-SETTLE = '11' HOVE '02' TO WHR-ROUTE-SETTLE ELSE IF WHR-ROUTE-SETTLE = '12' MOVE '03' TO WHR-ROUTE-SETTLE. E200-GET-MERCHANT-INFO-EXIT. EXIT. E300-CHECK-PRENOTE.	RFOR STL	HOVE 'N' TO STLCODE-IN-TABLE-SW. IF MMR-STAT NOT = '00' NEXT SENTENCE ELSE IF MMR-ROUTE-SETTLE EQUAL '01' OR MMR-ROUTE-SETTLE EQUAL '02' OR MMR-ROUTE-SETTLE EQUAL '10' OR MMR-ROUTE-SETTLE EQUAL '11' OR MMR-ROUTE-SETTLE EQUAL '11' OR MMR-ROUTE-SETTLE EQUAL '12' NEXT SENTENCE
002265 002266 002267 002269 002269 002270 002271	002256 002257 002258 002259 002260 002262 002262 002263	002243 002244 002246 002246 002248 002249 002250 002252 002253 002253	002234 002235 002236 002237 002237 002238 002238 002239 002241	002222 002223 002224 002225 002226 002227 002228 002229 002230 002231
05/25/91 05/25/91 05/25/91	05/25/91 05/25/91 05/25/91 05/25/91 05/25/91		05/25/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91	05/25/91 03/13/91 03/13/91 03/13/91 05/25/91 05/25/91 05/25/91 05/25/91 05/25/91

Ę	
8	
746	
_	

5
-
П
Ħ
C
Ó
Ę
₽
-
2
•
-
н
3
m
Ħ
9
83
Ÿ
×

7	
≥	
E	
m	
Þ	
Ď	
_	

	H-PA	CP-PAY-TYPE = 'F'	CP-NBR-REMAIN = -1)	IT (CT-NDR-REDALM / G	OLL PAYMENT DATE F					ZEROS TO	ZEROS TO	NOVE ZEROS TO DATE-RED-1	ZEROS TO	ZEROS TO		WS-DATE-MDY-	MOVE MY-Y-YMD TO MY-Y-MDY-YLASHES	WS-M-YMD TO	WS-77-DATE T	WS-77-DATE TO WS-		MOVE WS-77-AMOUNT TO RO-AMOUNT	CP-MRCH-AMT T	_	URREN		F100-ROLLOVER-ROUTINE.		* INUST VALUTU IU TRUTTA TITLUU IN IABLE 1002 CONSUMER PAY X	DILLOWING HODULE CHECKS FOR PAYMENT ROLLOVER AND	**********			EXIT.	E300-CHECK-PRENOTE-EXIT	MOVE '01' TO MMR-ROUTE-SETTLE.		MOVE '03' TO MMR-R	IF MMR-ROUTE-SETTIE = '12'	
002321	002320	002318	002317	002315 002316	002314	002313	002312	002310	002309	002308	002307	002305	002304	002303	002302	002301	002299	002298	002297	002296	002294	002293	002292	002291	002290	002289	002288	002286	002285	002284	002283	002282	002281	00227	002278	002277	002276	002275	002273	

IF PAY-BY-PHONE AND CP-PAY-TYPE = "F" MOVE CP-HRCH-ANT TO DRAFT-NEW-ANT MOVE CP-MRCH-PAY-DATE TO DRAFT-NEW-DATE.	END-IF	P	END-IF	IF CP-CHG-DATE = 29 OR 30 OR 31		HOVE ZEROS TO CP-MRCH-PAY-DATE	CP-PAY-TYPE = "F"		IF CP-NBR-REMAIN = 0	OF DAVMENTS DEMAINTED DESCRIPTS OF	FIX PAYMENTS	SUBTRACT 1 FROM CP-NBR-REMAIN	IF CP-NBR-REMAIN > 0			FUN-TE			HOVE ZEROS TO CP-MRCH-PAY-DATE		_	HOVE WS-DATE-YND TO WS-77-DATE	MO-N-MOV TO	WS-M-MDY TO	DATE-MDY TO	_	DATE-YY TO	MOVE DATE-DD TO DATE-D	MOVE DATE MA TO DATE M	TERTURAL TILLU-CHECK-RONTH-END THRU		PERFORM JULIAN-TO-GREGORIAN THRU	FUTURE-DATE-EXIT	PERFORM FUTURE-DATE THRU		PERFORM F120-GET-ROLL-VALUES THRU			MS-HOLD-D		MOVE MS-Y-YMD TO HOLD-Y-FFMHDDYY
002371 002371 002372 002373 002374	002369	002368	995200	002365	002364	002363	002362	19200	002359	002358	002357	002356	002355	002353	002352	002351	002350	002349	002348	002347	77200	002344	002343	002342	002341	002340	002339	002537	002336	002335	002334	002333	002332	002331	002330	002329	002328	002327	962500	#25200 #25200	*****
·	06/05/91	06/05/91	16/05/91	06/05/91	06/05/91									16/50/90	06/05/91	06/05/91	06/05/91	06/05/91																				,			

F100-ROLLOVER-ROUTINE-EXIT. 1002376 1002377 1002378 1002378 1002378 1002378 1002378 1002378 1002378 1002378 1002379 1002380 1002380 1002381 1002381 1002381 1002381 1002381 1002381 1002381 1002381 1002381 1002382 1002382 1002383 1002383 1002383 1002384 1002383 1002384 1002385 1002386 1002386 1002386 1002386 1002386 1002386 1002386 1002386 1002386 1002386 1002386 1002386 1002386 1002386 1002386 1002387 1002388 1002388 1002388 1002388 1002388 1002388 1002388 1002388 1002388 1002388 1002388 1002388 1002388 1002389 1002389 1002390 1002391 1002391 1002391 1002391	DEX. 002369 002390 002391 002392 REATER THAN TRANFREE-TBL-ENTRIES 002393 ODE (TFR-IDX) EQUAL MMR-ROUTE-SETTLE 002394 ODE (TFR-IDX) GREATER THAN MMR-ROUTE-SETTLE 002395 P BY 1 002396 002397 R THAN TRANFREE-TBL-ENTRIES 002399 002399	LIOVER-ROUTINE-EXIT. 1. STACES TO PROFERENCE. 1. CORRESPONDED THE TABLE ENTRY IS FOUND, THEN THE TABLE WILL BE TRUE AND THE MADE ON THE TABLE WILL BE TRUE AND THE MADE ON ME HAVE ROPER ENTRY. 1. If THE TABLE ENTRY IS FOUND, THEN THE WILL POINT TO WROPER ENTRY. 2. THE SEARCH LOOKS UNTIL END OF TABLE OR ME HAVE REPORT TO I. 2. FORM 2. THE SEARCH LOOKS UNTIL END OF TABLE OR ME HAVE REPORT TO I. 3. THE FILL SCCODE (TFR-IDX) EQUAL MMR-ROUTE-SETTLE SETTER TILL SCCODE (TFR-IDX) GREATER THAN MMR-ROUTE-SETTLE SET TFR-IDX UP BY I 3. PERFORM. 3. PERFORM. 3. PERFORM. 3. PERFORM. 3. PERFORM. 3. TRA-TBL-SC-CODE (TFR-IDX) EQUAL MMR-ROUTE-SETTLE SET TRA-IDX GREATER THAN TRANFREE-TBL-ENTRIES SOVE 'N' TO SILCODE-IN-TABLE-SW 3. STORE THAN TRANFREE-TBL-ENTRES 4. TRA-TBL-SC-CODE (TFR-IDX) EQUAL MMR-ROUTE-SETTLE SOVE 'N' TO SILCODE-IN-TABLE-SW 3. STORED THERE BY PBLDOOLO. IF THERE THERE STORED THERE BY PBLDOOLO. IF THERE STORED THERE BY PBLDOOLO. IF THERE STORED THERE BY PBLDOOLO. IF THE WAY	002376 002377 002377 002377 002378 002383 002384 002385 002386 002386 002387 002387 002387 002399 002399 002401 002401 002406 002406 002407 002411 002411 002411 002411 002411 002411 002411 002411 002411 002411 002411 002411 002411 002411
DRM 002392 TIL TFR-IDX GREATER THAN TRANFREE-TBL-ENTRIES 1FR-TBL-SC-CODE (TFR-IDX) EQUAL MNR-ROUTE-SETTLE 002394 TFR-TBL-SC-CODE (TFR-IDX) GREATER THAN MNR-ROUTE-SETTLE 002395 SET TFR-IDX UP BY 1 002397 PERFORM. 002397 PERFORM. 002399 002399 002399 002399 002399	0.02600	TFR-TBL-SC-CODE (TFR-IDX) EQUAL MMR-ROUTE-SETTLE OVE 'Y' TO STLCODE-IN-TABLE-SW E OVE 'N' TO STLCODE-IN-TABLE-SW. ATE-STLCODE-INDEX-EXIT.	002402 002402 002403 002404 002405 002406
AN TRANFREE-TBL-ENTRIES 1DX) EQUAL MMR-ROUTE-SETTLE 1DX) GREATER THAN MMR-ROUTE-SETTLE 1DX) GREATER THAN MMR-ROUTE-SETTLE 1DX) GREATER THAN MMR-ROUTE-SETTLE 1DX) GREATER THAN MMR-ROUTE-SETTLE 1DX) EQUAL MMR-ROUTE-SETTLE 1DX-1002401 1DX-1002403 1DX-1002404 1DX-1002405 1DX-1002405 1DX-1002405 1DX-1002405 1DX-1002405 1DX-1002405	FR-TBL-SC-CODE (TFR-IDX) EQUAL MMR-ROUTE-SETTLE 002400 002401 002401 002402 002402 002402 002403 002403 002404 002404 002405 002406 002405 002406 002406 002406 002406	RENEWED THE CHECKS CP-CHG-DATE TO SEE IF A DAY VALUE & EN STORED THERE BY PBLDOOLO. IF THERE, THE NUMBER IS & STORED THERE BY PBLDOOLO. IF THERE, THE NUMBER IS & STORER'S CHOSEN DRAFT DAY UNCORRUPTED BY ROLLING FROM & TO MONTH.	002407 002408 002409 002410 002411
002392 002393 002394 002396 002396 002400 002401 002401 002404 002404 002408 002409 002409 002410 002411	002400 002401 002403 002403 002406 002406 002409 002409 002410 002411 002411	CK-MONTH-END. P-PAY-FREQ = "B" OR "W" NO CHANGES FOR WEEKLY TYPE PAYMENTS GD TO F115-CHECK-MONTH-END-EXIT	002414 002415 002416 002417 002418 002419
002392 002393 002394 002396 002397 002399 002400 002400 002402 002404 002406 002407 002408 002410 002411 002411 002411 0024116 002416 002416 002416 002416	ABLE-SW 002401 ABLE-SW 002401 ABLE-SW 002401 ABLE-SW 002402 002403 ABLE-SW 002404 002405 002406 002406 002407 002407 002407 002408 002409 0010. If THERE, THE NUMBER IS # 002409 AY UNCORRUPTED BY ROLLING FROM # 002411 ##################################	HG-DATE = 29 01 CP-CHG-DATE T(DATE-MHDDYYYY DATE-M-EOM TO DATE-D-EOM TO	002420 002421 002422 002423 002424 002425

	RUN NO. 746
HOVE DATE-Y-EON TO DATE	DATE=06/14/91
EOM TO DATE	TIME=0833

Š
E
٨
•

G100-TRANHOLD-RECORD. ADD WS-77-HOLD-PAY-AHOUNT TO CF-TOT-MTH-BAL, CF-TOT-YTD-BAL, TFR-COL-TOT-DOLLARS,	法法法法法法法法法法法法法法法法法法法法法法法法法法法法法法法法法法法法法	本 THE FOLLOWING MODULES CREATE THE CREDIT AND DEBITS RECORDS 本意的政治政治政治政治政治政治政治政治政治政治政治政治政治政治政治政治政治政治政治		EXIT.	F120-GET-ROLL-VALUES-EXIT.		IF CP-PAY-FREQ = "W"			MOVE 6 TO DATE-FRED		HOVE	HOVE		MOVE 1 TO DATE-FRED			MOVE "B" TO DATE-PERIOD	HOVE 12 TO DA		IF CP-PAY-FREQ = "A"	F120-GET-ROLL-VALUES.		FOR FUTURE DATE CALCULATIONS.	THE FOLLOWING MODULE GETS THE CORRECT VALUES TO BE PASSED THE M		EXIT.	5119-7E57K+W0MTK-5K5-5KTT	MOVE DATE-EOH TO DATE-HADDYYYY.		MOVE DATE-D TO DATE-D-EOM	MOVE DATE-M TO DATE-M-EOM	FIND-OF-ROUTH-FXTT	PERFORM FUNCIONAL TURI	
002473 002474 002474 002475 002476	002470 002471	002468 002469	002466 002467	002465	002463	002462	002460	002459	002458	002456	002455	002454	002453	154200	002450	002449	002448	002446	002445	002444	002443	002441	002440	002439	002437	002436	002434	002433	002432	002431	002430	002429	724200	002426	
05/25/91		•																																	

٠	RUN NO. 746
TER-RAT-	DATE=06/14/91
TFR-RMT-TOT-DOLLARS	TIME=0833

_
2
-
m
tr.
•
_
_

102477 05/25/91 002486 05/25/91 002483 01/02/91 002485 01/02/91 002486 01/02/91 002486 01/02/91 002486 01/02/91 002486 01/02/91 002489 01/02/91 002499 01/02/91 002499 01/02/91 002499 01/02/91 002500 002500 002500 002500 002513 002514 002514 002521 002521 002522 002522 002522 002522 002522 002525 002522 002522 002525 002522 002522 002525 002522 002522 002525 002522 00252	** CHECKS. IF CF-EFT-CODE = 'P' PERFORM G130-PAPER-ITEMS THRU G130-PAPER-ITEMS-EXIT	WS-//-HOLD-PAY-DATE < CF-RESET-PRENOTE) PERFORM G130-PAPER-ITEMS THRU G130-PAPER-ITEMS-EXIT	(CF-RESET-PRENOTE > 0	IF CF-STATUS = 'P'	*** IF THE ITEM IS NOT WITHIN THESE LIMITS THEN THE ITEM	 *** CHECK LIMIT AND THE DEBIT AMOUNT PLUS THE CURRENT MONTH TO	*** IF THE EFT CODE IS "E" AND THE DEBIT AMOUNT IS LESS THEN THE		*** PILS THE CURRENT MONTH TO DATE BALANCE TO LESS THEN THE	£	*** IF THE CF-STATUS IS NOT A 'P' THEN IT MUST BE AN 'A'	*** AND ANY NOTIFICATIONS CREATED FOR PRENOTES NEED TO BE *** PAPER ITEMS.	IF THE CF-STATUS IS A 'P' THEN THIS IS A PRENOTE ITEM	*** NOTES FOR THIS SECTION.	END-EVALUATE		MOVE 50.01 TO MS-CREATT-I TAIT	MOVE 50.01 TO KS-CREDIT-LIMIT	WHEN IMPR-CREDIT-LIMIT NOT NUMERIC	EVALUATE TRUE		TED-DAT-TOT-TTENS,		ADD 1 TO CF-TOT-MIN-ITEMS.	
	002524 002525 002526 002527	 002517 002518 002519	002514 002515 002516	002512 002513	_	NTH TO			OUNT		002497		-	002492 002493	 _	_	• •	•			•		002479		

MOVE HMR-REMIT-ZIP TO PDR-MRCH-Z MOVE CP-SSN MOVE CF-SSN MOVE CF-FIRST-NAME TO PDR-LAST-N MOVE CF-LAST-NAME TO PDR-LAST-N MOVE CF-MID-INIT TO PDR-MID-IN MOVE CP-ACCT-MBR TO PDR-CUST-ACCT. PERFORM CHECK-EFT-CODE THRU CHECK-EXIT MOVE CF-CHECK-SAVE TO PDR-CHECK- MOVE WS-77-MOLD-PAY-AMOUNT TO PDR-DR-ANT. MOVE WS-77-MOLD-PAY-AMOUNT TO PDR-DESCRI	HOVE 12 TO PDR-MRCH HOVE 12 TO PDR-MRCH HOVE CP-MRCH-PHONE TO PDR-MRCH HOVE HMR-REMIT-ADDR1 TO PDR-MRCH HOVE HMR-REMIT-CITY TO PDR-MRCH HOVE HMR-REMIT-ST TO PDR-MRCH	ELSE IF WS-77-HOLD-PAY-AMOUNT < C OR = C ADD WS-77-HOLD-PAY-AMOUNT IF CF-CF-MTH-BAL < CF-CRE OR = CF-CRE OR = CF-CRE PERFORM G140-ACH-ITEMS THRU G140-ACH-ITEMS ELSE SUBTRACT WS-77-HOLD-PA PERFORM G130-PAPER-ITE THRU G130-PAPER-ITE	ELSE IF CF-EFT-CODE = 'E' OR 'B' IF MMR-MC-ACCT-SCHEME-CHECK (CP-ACCT-SCHEME = 'R' OR CP-ACCT-SCHEME = 'N') PERFORM G130-PAPER-ITEMS THRU G130-PAPER-ITEMS ELSE IF WS-77-HOLD-PAY-AMOUNT < CF-CHECK-LIMIT > ZEROS PERFORM G140-ACH-I THRU G140-ACH-I
PDR-HRCH-ZIP. PDR-CUST-SETTLE. PDR-FIRST-NAME. PDR-LAST-NAME. PDR-MID-INIT. T-ACCT. CHECK-EXIT. PDR-CHECK-SAVE. PDR-PROC-DATE. TO PDR-AMT. PDR-DESCRIPTION.	THRU G130-PAPER-ITENS-EXIT. TO PDR-DB-CR-CODE. TO PDR-DB-CR-CODE. TO PDR-STATUS. ONE TO PDR-MRCH-PHONE. -PHONE TO PDR-MRCH-ADDR1. ADDR1 TO PDR-MRCH-ADDR2. CITY TO PDR-MRCH-CITY. ST TO PDR-MRCH-STATE.	ELSE IF WS-77-HOLD-PAY-AMOUNT < CF-CHECK-LIMIT OR = CF-CHECK-LIMIT ADD WS-77-HOLD-PAY-AMOUNT TO CF-CF-MTH-BAL IF CF-CF-MTH-BAL < CF-CREDIT-LIMIT OR = CF-CREDIT-LIMIT PERFORM G140-ACH-ITEMS THRU G140-ACH-ITEMS-EXIT ELSE SUBTRACT WS-77-HOLD-PAY-AHOUNT FROM CF-CF-MTH-BAL PERFORM G130-PAPER-ITEMS-EXIT	T-CODE = 'E' OR 'B' -MC-ACCT-SCHEME-CHECK = 'Y' AND ACCT-SCHEME = 'R' OR ACCT-SCHEME = 'R' OR ACCT-SCHEME = 'N') FORM G130-PAPER-ITEMS THRU G130-PAPER-ITEMS-EXIT THRU G130-PAY-AMOUNT < WS-CREDIT-LIMIT AND F-CHECK-LIMIT > ZEROS PERFORM G140-ACH-ITEMS-EXIT THRU G140-ACH-ITEMS-EXIT
002567 002568 002570 002571 002573 002574 002574 002576 002576 002577	002553 002554 002555 002556 002557 002558 002560 002562 002562 002564 002564 002566	002540 002541 002542 002543 002544 002545 002546 002547 002549 002550 002551	002528 002529 04/20/91 002530 10/31/90 002531 10/31/90 002532 10/31/90 002533 10/31/90 002534 10/31/90 002534 10/31/90 002535 10/31/90 002536 01/02/91 002537

Ē	
₹ •	
746	

Ž Z
•
746
DATE=06/14/91
TIME=0833

Š
_
Ø
SE SE
53
Ĺ
••

TEB-DAT-DDB-TTEBS	NODULE PBB00010	i
ADD WS-77-HOLD-PAY-AHOUNT TO	002631	16/62/60
TFR-RMT-PPR-DOLLARS.	002633	05/25/91
* The First Start of Start Incal Abave.	002635	
* A PAPER DRAFT IS BEING CREATED, THEN IT SHOULD BE '99'.	002636 002637	
* MOVE '99' TO CHP-METH-PAY.	002638	-
MOVE 'F' TO POB-MODIFIED	002640	
MOVE 'P' TO RO-METHOD.	002642	
G130-PAPER-ITEMS-EXIT.	002643	
	002644	
6140-ACH-ITEMS.	002646	
*** ACH PAYABLE THRU CHECKFREE.	002647	
**	002649	
CF-CF-MIH-ITENS	002650	05/25/91
•	002652	
TER-COI-ACH-ROIIARG	002653	
CF-CF-YTD-BAL.	002655	
MOVE CP-MRCH-NAME TO PDR-MRCH-ABRV.	002656 002657	
**	002658	
METH-PAY SHOULD BE SAME AS PDR-MRCH-SETTLE UNLES	002660	
* A TATER DRAFT IN BEING CREATED, THEN IT SMOULD BE '99'.	002661	
MOVE MAR-ROUTE-SETTLE TO CHP-METH-PAY.	002663	
HOVE 'A' TO RO-METHOD.	002664	
IF NIGHT-ACH	002666	
ELSE	00266 7 00266 8	
MOVE "B" TO PDR-MODIFIER.	002669	
EXIT.	002671	
	002673	
「ころう」「こうとこう」「こうさいできょうないできないできないできないできないできないできないできないできないできないである。 こうしょうしょう こうしょうしょう こうしょうしょ こうしょうしょ こうしょうしょ こうしょうしょ こうしょうしょ こうしょうしょ こうしょうしょう こうしょうしょう こうしょうしょう こうしょうしょう こうしょうしょう こうしょうしょう こうしょう こうしょうしょう こうしょう こうしょう こうしょうしょう こうしょう こうしょうしょう こうしょう こう こうしょう こうしょう こうしょう こうしょう こうしょう こうしょう こうしょう こう こうしょう こうしょう こうしょう こう こうしょう こうしょう こうしょう こう こうしょう こう こうしょう こう こうしょう こう こうしょう こう こうしょう こうしょう こうしょう こうしょう こう こうしょう こう	002674	
* THIS MODULE WRITES A HISTORY RECORD OF WHO, WHAT, AND HOW *	002675	
本本学水本学家本学学学学学学学学学学学学学学学学学学学学学学学学学学学学学学学	002677	
7-10-10110-1471000	002678	
MOVE PDR-CUST-SSN TO CHP-SSN.	002679 002680	

(:CHP-SSN, (:CHP-CROSS-R-PHONE, :CHP-CHCK-CR-PHONE, :CHP-LAST-NAME, :CHP-FIRST-NAME,	CHP_CROSS_R_PHONE, CHP_CROSS_R_PHONE, CHP_CHCK_CR_PHONE, CHP_CHCK_CR_PHONE, CHP_HID_INIT, CHP_MID_INIT, CHP_MID_INIT, CHP_MRCH_PHONE, CHP_MRCH_PHONE, CHP_MRCH_CR_PHONE, CHP_MRCH_CR_PHONE, CHP_MRCH_CR_PHONE, CHP_METH_PAY, CHP_METH_PAY, CHP_ACCI_NBR, CHP_CHECK_NBR, CHP_CHECK_NBR, CHP_RIN_DATE, CHP_RIN_STATUS, CHP_RIN_STATUS, CHP_RIN_COMMENT, CHP_LSI_TRANS_DATE, CHP_INCT_NBR) CHP_INCT_NBR)	HOVE PDR-MRCH-PHONE TO CHP-CROSS-R-PHONE. MOVE PDR-LAST-NAME TO CHP-LAST-NAME. MOVE PDR-LAST-NAME TO CHP-LAST-NAME. MOVE PDR-FIRST-NAME TO CHP-FIRST-NAME. MOVE PDR-MRCH-PHONE TO CHP-MID-INIT. MOVE PDR-MRCH-CR-PHONE TO CHP-MRCH-PHONE. MOVE PDR-MRCH-CR-PHONE TO CHP-MRCH-CR-PHONE. MOVE PDR-NAME TO CHP-MRCH-AMT. MOVE PDR-ANT TO CHP-MRCH-AMT. MOVE PDR-ANT TO CHP-MRCH-MRR. MOVE PDR-JUL-DATE TO CHP-ACCT-NBR. MOVE PDR-JUL-DATE TO CHP-ACCT-NBR. MOVE PDR-JUL-DATE TO CHP-ACT-NBR. MOVE PDR-JUL-DATE TO CHP-ACT-NBR. MOVE PDR-TACK-NBR CHP-RTN-DATE. MOVE SPACES TO CHP-RTN-STATUS CHP-RTN-STATUS CHP-RTN-COMMENT. MOVE PDR-TRACK-NBR TO CHP-TRACK-NBR. MOVE PDR-TRACK-NBR TO CHP-TRACK-NBR. MOVE 'INSERT INTO TO06 IN PARAGRAPH 6150. EXEC SQL INSERT INTO TO06 COMS_HIST_PAY
757500 627500 757500 757500 757500 757500	002705 002706 002707 002707 002719 002711 002712 002713 002714 002716 002716 002717 002718 002720 002720 002721 002721 002722	002681 002683 002683 002684 002686 002686 002687 002690 002691 002693 002696 002696 002696 002696 002697 002701 002701
	05/25/91 05/25/91	05/25/91

G200-CREATE-HIS' FRESE HOVE 'S' ELSE HOVE 'S' ELSE HOVE 'S' FRESE HOVE HHI			
CHP-HICH-PRONE; CHP-HICH-PRONE; CHP-HICH-PRONE; CHP-HICH-PRONE; CHP-HICH-CH-PRONE; CHP-HICH-ANT; CHCP-RIN-DATE; CHP-HICH-ANT; CHCP-RIN-DATE; CHP-RIN-DATE;			
CHP - HID - MAT CHP - HICH - PHONE CHP - HICH - PHONE CHP - HICH - HICH - CHECK - CHECH - CHECK - HANE CHP - HICH - HANE CHP - THACK - HAR CHP - THACK - THACK - HAR CHP - THACK - THACK - HAR CHP - THACK - HAR		TER-TRI -SC-TTEMS	
CHP-HID-MIT	_	1 70	
CHP-HID-INIT, CHP-HID-INIT		.R. 10	
CHP-HRID-IMIT, COPPANY - NABR	_		
CHP-HID-INIT, CHP-HID-INIT, CHP-HID-INIT, CHP-HICH-PHONE, CHP-HICH-PHONE, CHP-HICH-CR-PHONE, CHP-HICH-CH-CHECH-ANT CHP-ACT-HBR, CHP-RIN-COMMENT,			
CHP-HID-INIT, CHP-HICH-PHONE, CHP-HICH-PHONE, CHP-HICH-CH-PHONE, CHP-TRACK-MBR, CHP-TRACK-M	_		
CHP-HID-INIT		WS-77-WOI D-BAY-A	
CHP-HID-INIT CHP-HICH-PHONE CHP-HICH-PHONE CHP-HICH-PHONE CHP-HICH-PHONE CHP-HICH-CHP-PHONE CHP-HICH-CHP-PHONE CHP-HICH-CHP-NAME CHP-RIN-COMMENT CHP-RIN-COMPANY-NBR CHP-RIN-COMMENT CHP-RIN-COMPANY-NBR		TFR-TBL-SC-ITEMS (TFR-TDX)	
CHP - HID _ INIT		۳	
CHP-HID-INIT, CHP-HRCH-PHONE, CHP-HRCH-PHONE, CHP-HRCH-CR-PHONE, CHP-HRCH-AMH , CHP-RIN-SIATE, CHP-RIN-SIATE, CHP-RIN-SIATE, CHP-RIN-SIATE, CHP-RIN-SIATE, CHP-RIN-SIATE, CHP-RIN-SIATE, CHP-HRCH-COMMENT, CHP-HRCH-COMMENT, CHP-RACK-MBR) CHP-HRCH-COMMENT, CHP-HRCH-COMMENT, CHP-HRCH-COMMENT, CHP-HRCH-CHECH-EFT-CODE CHRU CHECK-EXIT CHP-HRCH-CHECH-EFT-CODE CHRU CHECK-EXIT CHRU CHE		, i	
CHP - HID - INIT	•	MAK-KOUIE-SELILE # .13.	
CHP-HID-INIT, CHP-HRCH-PHONE, CHP-HRCH-PHONE, CHP-HRCH-CR-PHONE, CHP-HRCH-CR-PHONE, CHP-HRCH-CR-PHONE, CHP-HRCH-AMT, CHP-HRCH-AMT, CHP-HRCH-AMT, CHP-HRCH-AMT, CHP-HRCH-AMT, CHP-CHECK-NBR, CHP-CHECK-NBR, CHP-CHECK-NBR, CHP-CHECK-NBR, CHP-RIN-DATE, CHR-RIN-CHECK-EXIT CHR-R		1	
CHP-HID-INIT CHP-HICH-PHONE CHP-HICH-PHONE CHP-HICH-PHONE 002732 CHP-HICH-PHONE 002733 CHP-HICH-MANE 002733 CHP-HICH-MANE 002734 CHP-HICH-MANE 002735 CHP-HICH-MANE 002735 CHP-HICH-MANE 002735 CHP-HICH-MANE 002735 CHP-HICH-MANE 002736 CHP-CHICK-MBR 002736 CHP-CHICK-MBR 002736 CHP-RIN-DAIL CHP-RIN-COMMENT 002737 CHP-RIN-COMMENT CHP-RIN-COMMENT 002737 CHP-RIN-DAIL CHRCH-CHIR 002746 002746 CHP-RIN-DAIL CHRCH-CHIR 002747 CHRCH-CHIR CHRCH-ABRU CHRC		TI CODE-TM-TABLE	
CHP-HICH-PHONE CHP-HICH-PHONE CHP-HICH-PHONE 002732 CHP-HICH-PHONE 002733 CHP-HICH-MANE 002733 CHP-HICH-MANE 002734 CHP-HICH-MANE 002734 CHP-HICH-MANE 002735 CHP-HICH-MANE 002735 CHP-CIT-PAY-DATE 002735 CHP-CIT-PAY	000760	TO TO	
CHP-HICH-PHONE CHP-HRCH-PHONE 002732 CHP-HRCH-PHONE 002733 CHP-HRCH-NAME 002733 CHP-HRCH-NAME 002733 CHP-HRCH-NAME 002734 CHP-HRCH-NAME 002735 CHP-HRCH-NAME 002735 CHP-HRCH-NAME 002735 CHP-HRCH-NAME 002735 CHP-HRCH-NAME 002736 002737 CHP-HRCH-NAME 002737 002737 CHP-HRCH-NAME 002737 002737 CHP-HRCH-NAME 002737 002737 CHP-HRCH-CHECK-NBR 002737 002737 CHP-RIN-STATUS CHP-RIN-STATUS CHP-RIN-CHECK-NBR 002737 CHP-RIN-STATUS CHP-RIN-COMMENT 002737 CHRCH-SETTLE = '01' OR '02' OR '03'	002768	HHR-BANK-ACCT TO	
CHP-HID-INIT 002732 CHP-HICH-PHONE 002733 CHP-HICH-ANT 002733 CHP-HICH-ANT 002733 CHP-HICH-ANT 002733 CHP-HICH-ANT 002735 CHP-HICH-ANT 002735 CHP-HICH-ANT 002735 CHP-ACCI-NBR 002737 CHP-RIN-DATE 002737 CHP-RIN-DATE 002737 CHP-RIN-DATE 002741 CHP-ACT-ANE 002741 CHP-ACT-CHECK-MBR 002743 CHP-RIN-STATUS 002744 CHP-RIN-STATUS 002745 CHP-RIN-STATUS 002746 CHP-TRACK-MBR 002766 CHP-TRACK-MANT 10 PDR-COMPANY-NBR 002766 CHP-TRACK-MBR	002767	MMR-ABRV TO	
CHP-HRID-INIT 002732 002733 002734 002735 002	002766	MMR-MC-MERCHANT-ID TO	
CHP-HID-INIT, CHP-HID-INIT, CHP-HICH-PHONE, CHP-LOTTE, CHP-HICH-PHONE, CHP-HICH-PHONE, CHP-HICH-PHONE, CHP-HICH-PHONE, CHP-HICH-PHONE, CHP-HICH-CHECK NBR, CHP-HICH-CHECK NBR, CHP-HICH-CHECK NBR, CHP-HICH-CHECK, CHP-HICH, CHP-HICH, CHP-HICH-CHECK, CHP-HICH-CHECK, CHP-HICH, CHP-HIC	002765	ELSE	
CHP-HID-INIT, CHP-HCH-PHONE CHP-HRCH-PHONE CHP-HRCH-PHONE CHP-HRCH-PHONE CHP-HRCH-PHONE CHP-HRCH-PHONE CHP-HRCH-PHONE CHP-HRCH-ANT CHP-HRCH-AND CHECK-EXIT CHP-HRCH-AND CHECK-EXIT CHP-HRCH-AND CHECK-EXIT CHP-HRCH-AND CHECK-EXIT CHP-HRCH-AND CHECK-EXIT CHP-HRCH-CHK-ITEKS CHP-HRCH-CHK-DULARS CHP-HRCH-CHK-DULARS CHP-HRCH-CHK-DULARS CHP-HRCH-CHK-DULARS CHP-HRCH-CHK-DULARS CHECK-EXIT CHH-HRCH-CHK-DULARS CHECK-EXIT C	002764	DAE . APOROROROR. 10	
CHP-HID-INIT, CHP-HID-INIT, CHP-HID-INIT, CHP-HID-INIT, CHP-HID-INIT, CHP-HICH-PHONE, CHP-HICH-PHONE, CHP-HICH-CR-PHONE, CHP-HICH-CR-PHONE, CHP-HICH-CR-PHONE, CHP-HICH-PAY - DATE, CHP-HICH-PAY - DATE, CHP-LOATE, CHP-LOATE, CHP-LOATE, CHP-LOATE, CHP-LOATE, CHP-RIN-BASOM, CHP-RIN-BASOM, CHP-RIN-COMMENT, CHP-RIN-CH-RIN CHR-RIN-CH-RIN-CR-CODE. CHR-RIN-CH-RIN-CR-CODE. CHR-RIN-CH-RIN-CR-CODE. CHR-RIN-CH-RIN-CM-	_	TOTOGRAPHICANO	
CHP-MID-INIT, CHP-MRCH-PHONE, CHP-MRCH-PHONE, CHP-MRCH-CR-PHONE, CHP-MRCH-CR-PHONE, CHP-MRCH-CR-PHONE, CHP-MRCH-CR-PHONE, CHP-MRCH-AATT, CHP-MRCH-AATT, CHP-MRCH-AATT, CHP-MRCH-AATT, CHP-MRCH-AATT, CHP-MRCH-AATT, CHP-MRCH-AATT, CHP-MRCH-AATT, CHP-MRCH-AATT, CHP-RTN-CASON, CHP-LATT, CHP-RTN-CASON, CHP-CHECK-MBR, CHP-LATT, CHP-RTN-COMMENT, CHP-RTN-CRASON, CHP-RTN			
CHP-MID-INIT, CHP-MICH-PHONE CHP-MICH-PHONE CHP-MICH-PHONE CHP-MICH-CR-PHONE CHP-RIN-REASON CHP-RIN-REASON CHP-RIN-REASON CHP-RIN-REASON CHP-RIN-COMMENT CHP-RIN-COMMENT CHP-RIN-STATUS CHP-RIN-STATUS CHP-RIN-COMMENT CHP-RIN-STATUS CHP-RIN-COMMENT CHP-RIN-COMMENT CHP-RIN-COMMENT CHP-RIN-COMMENT CHP-RIN-COMMENT CHP-RIN-COMMENT CHP-RIN-COMMENT CHP-RIN-COMMENT CHP-RIN-CR-COME CHP-RIN-CR-CM-RIN-			
CHP-HRCH-PHONE 002732 CHP-MRCH-PHONE 002732 CHP-MRCH-CR-PHONE 002733 CHP-MRCH-CR-PHONE 002735 CHP-MRCH-CR-PHONE 002735 CHP-MRCH-CR-PHONE 002735 CHP-MRCH-CR-CR-CR-CR-CR-CR-CR-CR-CR-CR-CR-CR-CR-			
CHP-HID-INIT 002732 1		1 70	
CHP-HID-INIT, CHP-HRCH-CR-PHONE, CHP-HRCH-CR-PHONE, CHP-HRCH-CR-PHONE, CHP-HRCH-CR-PHONE, CHP-HRCH-CR-PHONE, CHP-HRCH-CR-PHONE, CHP-HRCH-CR-PHONE, CHP-HRCH-CR-PHONE, CHP-HRCH-CR-PHONE, CHP-HETH-PAV, CHP-HETH-PAV, CHP-HETH-PAV, CHP-HETH-PAV, CHP-CHECK-NBR, CHP-CHECK-NBR, CHP-CHECK-NBR, CHP-TIN-STATUS, CHP-RIN-COMMENT, CHP-RIN-COMMENT, CHP-RIN-COMMENT, CHP-RIN-COMMENT, CHP-TRACK-NBR) CHP-TRACK-NBR CHP-TRACK	_		
CHP-HID-INIT, CHP-HCH-PHONE, CHP-MRCH-PHONE, 002732 CHP-MRCH-CR-PHONE, 002733 CHP-MRCH-CR-PHONE, 002735 CHP-MRCH-AMT, 002735 CHP-MRCH-AMT, 002735 CHP-METH-PAV, 002735 CHP-METH-PAV, 002735 CHP-METH-PAV, 002737 CHP-METH-PAV, 002737 CHP-METH-PAV, 002740 CHP-RTN-CHECK-NBR, 002740 CHP-RTN-STATUS, CHP-RTN-STATUS, CHP-RTN-STATUS, CHP-RTN-CHECK-NBR) 002743 CHP-RTN-CHECK-NBR) 002744 CHP-RTN-CACK-NBR) 002745 CHP-RTN-CACK-NBR) 002747 CHP-RACK-CREDIT. 002748 END-EXEC. 002749 END-EXEC. 002749 EXIT. 002749 CAMPACH-CREDIT. 002750 CREATE-HRCH-CREDIT. 002751 COP-STATUS 002754 HOVE '1' 10	002758	70	
CHP-HID-INIT	002757	.8.	
### CHP-HID-INIT ### CONTROL CHP-HID-INIT ### CONTROL CHP-HID-INIT ### CONTROL CHP-HID-INIT CHP-HID-INI	002756	TOTAL MODEL SECTION AND AND AND AND AND AND AND AND AND AN	
CHP-MID-INIT 002732 1	26/200	THE POST CONTRACT OF THE	
CHP-MID-INIT, CHP-MRCH-PHONE, CHP-MRCH-PHONE, CHP-MRCH-NAME, CHP-MRCH-AMT, CHP-MRCH-AMT, CHP-MACH-AMT, CHP-ACCT-NBR, CHP-ACCT-NBR, CHP-ACCT-NBR, CHP-CHECK-NBR, CHP-CHECK-NBR, CHP-CHECK-NBR, CHP-CHECK-NBR, CHP-TRIN-CASOM, CHP-TRIN-STATUS, CHP-TRACK-NBR) END-EXEC. G150-WRITE-HISTORY-EXIT. G200-CREATE-MRCH-CREDIT. TO PRE-DR-CR-CODE 002736 002742 002743 002744 002745 002746 002746 002747 002747 002747 002747 002748 002748 002749 002749 002749 002749 002749 002749 002749 002749 002749 002750 002750	907175	10	
### CHP-MID-INIT, #### CHP-MID-INIT, #### CHP-MRCH-PHONE, #### CHP-MRCH-PHONE, #### CHP-MRCH-ANT, #### CHP-MRCH-ANT, #### CHP-MRCH-ANT, ##### CONTROL OF C	002764	10	
### CCHP-MID-INIT ###################################	002753	G200-CREATE-MRCH-CREDIT.	
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-PHONE, :CHP-MRCH-PHONE, :CHP-MRCH-OR-PHONE, :CHP-MRCH-AMT, :CHP-MRCH-AMT, :CHP-METH-PAY, :CHP-ACCT-NBR, :CHP-ACCT-NBR, :CHP-CHECK-NBR, :CHP-CHECK-NBR, :CHP-TN-COMMENT, :CHP-RTN-COMMENT, :CHP-RTN-COMMENT, :CHP-RTN-COMMENT, :CHP-RTN-COMMENT, :CHP-TRACK-NBR) END-EXEC. G150-WRITE-MISTORY-EXIT. 002739 002740 002747 002746 002747 002747	002752		
### CHP-MID-INIT ###################################	002751		
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-PHONE, :CHP-MRCH-CR-PHONE, :CHP-MRCH-CR-PHONE, :CHP-MRCH-AMT, :CHP-MRCH-AMT, :CHP-METH-PAY, :CHP-METH-PAY, :CHP-ACCT-NBR, :CHP-ACCT-NBR, :CHP-ACCT-NBR, :CHP-ACCT-NBR, :CHP-TIN-DATE, :CHP-TIN-DATE, :CHP-TIN-TITE, :CHP-TIN-TITE, :CHP-TIN-COMMENT, :CHP-TIN-COMMENT, :CHP-LST-TRANS-DATE, :CHP-TRACK-NBR) END-EXEC. G150-MRITE-MISTORY-EXIT.	002750	FXI.	
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-PHONE, :CHP-MRCH-PHONE, :CHP-MRCH-NAME, :CHP-MRCH-NAME, :CHP-MRCH-NAME, :CHP-MRCH-NAME, :CHP-AY-DATE, :CHP-AY-DATE, :CHP-CHECK-NBR, :CHP-CHECK-NBR, :CHP-CHECK-NBR, :CHP-RTN-CHECK-NBR, :CHP-RTN-SATUS, :CHP-RTN-COMMENT, :CHP-RTN-COMMENT, :CHP-LST-TRANS-DATE, :CHP-TRACK-NBR) END-EXEC. 002746	002749	GEO-WALLE-TANICAT-EXT.	
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-PHONE, :CHP-MRCH-PHONE, :CHP-MRCH-CR-PHONE, :CHP-MRCH-AME, :CHP-MRCH-AME, :CHP-MRCH-AME, :CHP-MRCH-AME, :CHP-AY-DATE, :CHP-ACCT-NBR, :CHP-ACCT-NBR, :CHP-CHECK-NBR, :CHP-CHECK-NBR, :CHP-RTN-CHECK-NBR, :CHP-RTN-COMMENT, :CHP-RTN-COMMENT, :CHP-TRACK-NBR)	002748	CTTA LITTING TOTAL	
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-PHONE, :CHP-MRCH-PHONE, :CHP-MRCH-AME, :CHP-MRCH-AME, :CHP-MRCH-AME, :CHP-MRCH-AME, :CHP-ACT-NBR, :CHP-ACT-NBR, :CHP-CHECK-NBR, :CHP			
CHP-MID-INIT, CHP-MRCH-PHONE, CHP-MRCH-CR-PHONE, CHP-MRCH-CR-PHONE, CHP-MRCH-AMT, CHP-MRCH-AMT, CHP-MAY-DATE, CHP-METH-PAY, CHP-ACCT-NBR, CHP-ACCT-NBR, CHP-CHECK-NBR, CHP-RTN-DATE, CHP-RTN-SASOM, CHP-RTN-COMMENT, CHP-RTN-COMMENT, CHP-LST-TBANS-DATE, CONTENTATION, CONTENTATION, CHP-LST-TBANS-DATE, CONTENTATION, CONT		CIP-TRACK-NED	
CHP-MID-INIT, CHP-MRCH-PHONE, CHP-MRCH-PHONE, CHP-MRCH-NAME, CHP-MRCH-NAME, CHP-MRCH-NAME, CHP-MRCH-NAME, CHP-PAY-DATE, CHP-CHECT-NBR, CHP-CHECK-NBR, CHP-RTN-DATE, CHP-RTN-REASON, CHP-RTN-STATUS, CHP-RTN-COMMENT,		CHP-LST-TRANS-DATE.	
CHP-MID-INIT, CHP-MRCH-PHONE, CHP-MRCH-PHONE, CHP-MRCH-AME, CHP-MRCH-NAME, CHP-MRCH-NAME, CHP-MRCH-NAME, CHP-ACCT-NBR, CHP-ACCT-NBR, CHP-CHECK-NBR, CHP-CHECK-NBR, CHP-RTN-REASOM, CHP-RTN-STATUS,	002766	:CXP-RTN-COMMENT,	
CHP-MID-INIT, CHP-MRCH-PHONE, CHP-MRCH-CR-PHONE, CHP-MRCH-NAME, CHP-MRCH-NAME, CHP-MRCH-NAME, CHP-MRCH-NAME, CHP-METH-PAY, CHP-CT-NBR, CHP-JUL-DATE, CHP-JUL-DATE, CHP-GHECK-NBR, CHP-RTN-REASON,	002744	:CHP-RTN-STATUS,	
CHP-MID-INIT, CHP-MRCH-PHONE, CHP-MRCH-CR-PHONE, CHP-MRCH-AMT, CHP-MRCH-AMT, CHP-PAY-DATE, CHP-NETH-PAY, CHP-ACCT-NBR, CHP-JUL-DATE, CHP-CHECK-NBR, CHP-CHECK-NBR,	002743	:CHP-RTN-REASON,	
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-PHONE, :CHP-MRCH-NAME, :CHP-MRCH-AMT, :CHP-PAY-DATE, :CHP-PAY-DATE, :CHP-ACT-NBR, :CHP-CHECK-NBR,	002742	:CXT-X-Z-D>1E,	
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-PHONE, :CHP-MRCH-NAME, :CHP-MRCH-NAME, :CHP-PAY-DATE, :CHP-PAY-DATE, :CHP-ACCT-NBR, :CHP-JUL-DATE,	002741	:CRT-CRECK-NBR	
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-CR-PHONE, :CHP-MRCH-NAME, :CHP-MRCH-AMT, :CHP-MATE, :CHP-	002/40		
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-CR-PHONE, :CHP-MRCH-NAME, :CHP-MRCH-NAME, :CHP-MRCH-AATE, :CHP-PAY-DATE, :CHP-PAY-DATE,	002739	. 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7	
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-CR-PHONE, :CHP-MRCH-CR-PHONE, :CHP-MRCH-AMT, :CHP-PAY-DATE, :CHP-NETH-PAY.	99770	- OHD - ADD T- ADD	
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-CR-PHONE, :CHP-MRCH-NAME, :CHP-MRCH-AMT, :CHP-PAY-DATE,	002738	:CHP-NETH-PAY	
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-CR-PHONE, :CHP-MRCH-NAME, :CHP-MRCH-NAME,	002737	:CHP-PAY-DATE,	
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-CR-PHONE, :CHP-MRCH-NAME,	002736	:CHP-HRCH-ANT,	
:CHP-MID-INIT, :CHP-MRCH-PHONE, :CHP-MRCH-CR-PHONE,	002735	:CHP-MRCH-NAME,	
:CHP-MID-INIT,	002734	:CHP-MRCH-CR-PHONE,	
:CHP-HID-INIT,	002733	CHITARCHITARCH	
The same state of the same state of the same of the sa	002732	CHT-FILL-INAL)	
		7757 4477 4444	
/ TO UA C UA Y	LE PEBOOOTO	140 DVIC-60/14/31 14/61/0022	767

	RUN NO. 746
END-IF	DATE=06/14/91
•	TIME=0833

v	
•	
D	
П	
71	
•	

EXIT. 6900-WRITE-TRANHOLD. HOVE WS-LAST-COMMIT-COUNT TO PB-DRAFT-COMMIT-KEY WRITE PB-DRAFT-RECORD. 6900-WRITE-TRANHOLD-EXIT. EXIT.	FENTORY 6990-WRITE-TRANHOLD-EXIT. THRU G900-WRITE-TRANHOLD-EXIT. G200-CREATE-MRCH-CREDIT-EXIT.	HOVE TRACKING-NBR-ENC TO PDR-TRACK-NBR. HOVE SPACES TO PDR-ORIGIN.	HRU TRACKING-NBR-CA		MOVE 'M' TO PDR-TRANFREE.	5 5	PAYMENT' TO	WS-77-HOLD-PAY-AHOUNT T	MOVE MS-77-HOLD-PAY-DATE TO POR-CHECK-SAVE	CP-ACCT-NBR TO	CF-MID-INIT TO	CF-LAST-NAME TO	MOVE CF-FIRST-NAME TO PDR-FIRST-NAME	MMR-ROUTE-SETTLE TO	MMR-REMIT-ZIP TO	MMR-REMIT-ST TO	MMR-REMIT-CITY	MOVE MAR-REMAIT-ADDRA TO PDR-MRCH-ADDRA	CP-MRCH-CR-PHONE TO	MOVE CP-NRCH-PHONE TO PDR-MRCH-PHONE		END-IF.	END-TE	MOVE 'B' TO PDR-MODIFIER			IF NIGHT-ACH	AUU MS-77-HOLU-PAY-AROUNT TO	TFR-RMT-ACH-ITEMS	ADD 1 TO	ELSE	END-1F
002826 002827 002828 002829 002830 03/13/91 002832 002833	002823 002824 002825		002819 05/25/91 002820 05/25/91	002818 05/25/91	002816	002815	002814	218200	002811	002810	002809	002808	002806	002805	002804	002803	002801	002800	002799	002797 002798	002796		-	002792 05/25/91	002791	002790	002788 05/25/91	•	002786 05/25/91	002785	• •	002783 05/25/91

* THE FOLLOWING MODULE UPDATES TOO1_CONSUMER_FILE AND * TOO2_CONSUMER_PAY MITH NEW PAYNENT INFORMATION AND * PROCESSING TOTAL INFORMATION. * * * * * * * * * * * * * * * * * * *	CP-CHCK-CR-PHONE CP-PAY-TYPE CP-PAY-TYPE CP-PAY-TYPE CP-PAY-TYPE CP-PAY-TYPE CP-PAY-TYPE CP-PAY-TYPE ***********************************	002835 002836 002837 002839 002841 002842 002844 002845 002846 002846 002851 002851 002853 002853 002854 002856 002866 002861 002866 002866 002866 002866 002866 002866 002866
CHCK_CR_PHONE =: NRCH_PHONE =:	CP-CHCK-CR-PHONE CP-MRCH-PHONE CP-MRCH-CR-PHONE	002859 002860 002861 002862 002863 002864
AND CP_PAY_TYPE =:	CP-PAV-TYPE	
P-PAY-TYPE TO S-DELETED-DATE TO DELETE FROM TOO2 O STEP-DENOTER	WS-DEL-PAY-TYPE RO-EXTRA-PAYMENT IN PARAGRAPH H100.	
T002_CONSU	HER_PAY CP-SSN CP-CHCK-PHONE CP-CHCK-CR-PHONE	002876 002877 05/25/91 002878 002879 002880 002881 002882 002883

	RUN NO. 746
CP_MRCH_PHONE	DATE=06/14/91
PHONE =	TINE=0833

U	
2	
ť	
S	

ELSE	ZEXT SEXTEXCE	IT ACH-OFFSEI-BOLLARS GREATER THAN ZERO	ETE-TEXTOXIT.	THE PROPERTY OF THE PROPERTY O	OTIFIC TRANSPORT THAT THE TRANSPORT THE TRANSPORT	VARITARY ITRIBUT A TOTAL	TERTURAL TED-TAN EDGE 1 BY 1	DODDE PER CONTRACTOR	SET TER-TON TO 1	TER-BRT-CUE-DOLLARS TO	TED-BAT-ACH-DOLLARS	MOVE ZERO TO ACH-OFF/FT-DOILAR/	TION-CREDIT-DEFORTS	电电电子 化二甲基甲甲甲甲基甲甲甲甲基甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲	KKKKEKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKK	TOR CACH DATE IN THE INTERNAL PAYMENT TABLE THAT HAS ACH	MODULES PRODUCE THE CHECKFREE CREDIT O	*************************************			EXIT.	H100-UPDATE-TABLES-EXIT.	END-IF.		CF_CHCK_ID :: CF-CHCK-ID	AND	!! .	ti .		CF TOT MIN BALL CF TOT MIN BALL					UPDATE TOO1_CONSUMER_F	OT TEST-PGH		TO STEP	HOVE 'UPDATE OF TOOL IN PARAGRAPH HLOO.	FIG. 17.		END-EXEC	!	CP_PAY_TYPE =: CP-PAY-TYPE		CP_MRCH_CR_PHONE =: CP-MRCH-CR-PHONE		CP_MRCH_PHONE =: CP-MRCH-PHONE	
002935	002934	002933	002932	002931	002930	002929	002928	126200	002926	C24200	#26200	002926	226200	126200	002920	002919	002918	002917	002916	002915	002914	002913	002912	002911	002910	002909	002908	002007	002906	002905	002906	206200	106200	002900	002899	002898	002897	202896	002895	002893	26920	168200	002890	002889	002888	002887	002886	002885	
	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	16/52/50	05/25/91	16/52/50	T6/52/50	AE /26 /01											05/25/91	05/25/91												05/25/91				05/25/91	16/52/40								

002936 05/25/9] 002937 05/25/9] 002938 002949 002943 002944 002944 002944 002946 002959 002959 002958 002956 002962 002963 002964 002964 002964 002967 002976 002977 002978 002978 002978 002981 002981 002983 002984	J200-WRITE-GRAND-SUMMARY. MOVE 'OVERALL' TO SUM-DRAFT-DATE. ADD 1 TO WS-SUMMARY-PAGE-COUNT. MOVE WS-SUMMARY-PAGE-COUNT TO SUM-PAGE-MUMBER.	在市场的主义的,是一个CLIONING PODULES CREATE THE SUPPLARY REPORTS. A THE FOLLOWING PODULES CREATE THE SUPPLARY REPORTS. A THE FOLLOWING PODULES CREATE THE SUPPLARY REPORTS.		Iloo-CREDIT-OFFSETS-EXIT.	PERFORM G900-WRITE-TRANHOLD	SPACES TO	MOVE TRACKING-MBR-CALC-EXIT.	PERFORM TRACKING-NBR-CALC	PDR-JUL-DATE TO	WOVE "N" TO PDR-TRANSREE.	WS-TRACE-NBR TO	°1357368475° TO	CHK CREDIT' TO	ACH-OFFSET-DOLLARS TO	SQL-DRAFT-DATE	MOVE 'C' TO PRE-CHECK-CAVE	044000037 TO	ZEROS TO	70	CREDIT' TO	HOVE "CHECKEREE" TO PDD-FIRST-NAME	5 7	430810000 TO	.HO.			CHECKFREE TECH. TO	001 TO	6148986000	0	•	MOVE 'E' TO PD9-MODIFIER	IF NIGHT-ACH	10	GU IO I100-CREDIT-OFFSETS-EXIT.	
	002983 002983 002984 002985 002985	002979 002980 002981	002976 002977 002978	002974 05/25/91		19/25/40 19/25/30 19/25/30	Ī		002968 05/25/91	002966	002965	002964				002959	002958	002957	002956	002955	002953	002952	002951	002950	002248	002947	002946	002945	002944	002943	002942	002961	002939	_	002936 05/25/91 002937 05/25/91	

8
746
DATE=06/14/91
TIME=0833

•	
D	
ï	
•	
•	

WRITE CHECK ITEMS LINE MOVE SPACES HOVE 'CHECK' HOVE 'COLLECTIONS' HOVE 'FR-COL-CHK-ITEMS HOVE TFR-COL-CHK-DOLLARS HOVE TFR-COL-CHK-DOLLARS HOVE 'CHECK' TO SUM-COL-DOLLARS. TO SUM-RMT-TYPE-LIT.	WRITE PAPER ITEMS LINE HOVE SPACES HOVE 'PAPER' TO SUM-COL-TYPE-LIT. HOVE 'FOR' HOVE TFR-COL-PPR-ITEMS HOVE TFR-COL-PPR-DOLLARS HOVE 'PAPER' HOVE 'PAPER' HOVE 'FOR' TO SUM-COL-FOR-LIT. TO SUM-COL-TEMS. TO SUM-RMT-TYPE-LIT. TO SUM-RMT-FOR-LIT. TO SUM-RMT-FOR-LIT. TO SUM-RMT-FOR-LIT. TO SUM-RMT-FOR-LIT. TO SUM-RMT-TIEMS. HOVE TFR-RMT-PPR-DOLLARS HOVE TFR-RMT-PPR-DOLLARS HOVE SUM-DETAIL TO SUM-RMT-TOBLLARS. TO SUM-RMT-TOBLLARS. TO SUM-RMT-FOR-LIT. TO SUM-RMT-FOR-LIT. TO SUM-RMT-FOR-LIT. TO SUM-RMT-FOR-LIT. TO SUM-RMT-FOR-LIT. TO SUM-RMT-FOR-LIT. TO SUM-COL-TYPE-LIT. TO SUM-COL-TOLLARS. TO SUM-COL-TIEMS. TO SUM-COL-TIEMS. TO SUM-COL-TIEMS. TO SUM-COL-TIEMS. TO SUM-COL-TIEMS. TO SUM-COL-TIEMS. TO SUM-COL-TOLLARS. TO SUM-RMT-TOR-LIT. TO SUM-RMT-FOR-LIT. TO SUM-RMT-FOR-LIT.	HOVE SPACES TO SUMMARY-REPORT-LINE. HOVE SUM-HEADING-3 TO SUMMARY-REPORT-LINE. HOVE SUM-HEADING-3 TO SUMMARY-REPORT-LINE. HOVE 1 TO CC-LINE HOVE 1 TO ADVANCE-AMOUNT PERFORM J900-WRITE-SUM-LINE-EXIT. HOVE SUM-HEADING-4 TO SUMMARY-REPORT-LINE. HOVE SUM-HEADING-4 TO SUMMARY-REPORT-LINE. HOVE 10 TO CC-LINE HOVE 2 TO ADVANCE-AMOUNT PERFORM J900-WRITE-SUM-LINE-EXIT.	HOVE SPACES TO SUMMARY-REPORT-LINE. HOVE SUM-HEADING-1 TO SUMMARY-REPORT-LINE. HOVE '+' TO CC-LINE HOVE 0 TO ADVANCE-AMOUNT PERFORM J800-WRITE-SUM-PAGE THRU J800-WRITE-SUM-PAGE-EXIT. HOVE SPACES TO SUMMARY-REPORT-LINE. HOVE SUM-HEADING-2 TO SUMMARY-REPORT-LINE. HOVE ' TO CC-LINE HOVE 1 TO ADVANCE-AMOUNT PERFORM J900-WRITE-SUM-LINE
003029 003030 05/25/91 003031 05/25/91 003032 05/25/91 003033 05/25/91 003034 05/25/91 003035 05/25/91 003037 05/25/91	003012 05/25/91 003013 05/25/91 003014 05/25/91 003015 05/25/91 003016 05/25/91 003018 05/25/91 003019 05/25/91 003021 05/25/91 003022 05/25/91 003023 05/25/91 003024 05/25/91 003025 05/25/91 003026 05/25/91	002998 003000 003001 003002 003003 003004 003006 003006 003000 003000 003000 003000 003000 003000 003000	002987 002988 002989 03/13/91 002990 002991 002992 002993 002994 002995 03/13/91 002997

THRU J900-WRITE-SUM-LINE-EXIT. J200-WRITE-GRAND-SUMMARY-EXIT.	DRM J900-WRITE-SUM-LINE	MOVE 2 TO ADVANCE-AMOUNT.	SOM-REINTE	TFR-RMT-TOT-DOLLARS TO	TFR-RMT-TOT-ITEMS TO	FOR' TO	'REMITTANCES' TO	JOIAL TO	UNTIL TER-IDX GREATER THAN		THRU J300-WRITE-STLCODE-SUM-EXIT	PERFORM J300-WRITE-STLCODE-SUM	SET TFR-IDX TO 1.	HOVE TFR-COL-TOT-DOLLARS TO SUM-COL-DOLLARS.		MOVE 'FOR' TO SUM-COL-FOR-LIT.	COLLECTIONS TO	HOVE 'TOTAL' TO SUM-COL-TYPE-LIT.	MOVE SPACES TO SUM-DETAIL.	* START COLLECTIONS TOTAL LINE		THRU J900-WRITE-SUM-LINE-EXIT.	PERFORM J900-WRITE-SUN-LINE		·0· TO	SUM-DETAIL TO	TFR-RMT-ACH-DOLLARS TO	TFR-RMT-ACH-ITEMS TO	MOVE "FOR" TO SUM-RMT-FOR-LIT.	TTANCES' TO	'ACH' TO	TFR-COL-ACH-DOLLARS TO	TFR-COL-ACH-ITEMS TO	'FOR' TO	ECTIONS' TO	10	HOVE SPACES TO SUM-DETAIL.	* WRITE ACH ITEMS LINE		THRU J900-WRITE-SUM-LINE-EXIT.	PERFORM J900-WRITE-SUM-LINE		.0.		TFR-RHT-CHK-DOLLARS TO	MOVE TFR-RMT-CHX-ITEMS TO SUM-RMT-ITEMS.		
003087 003088	003086	003084	003083	003082	003081	003080	003079	003078	003077	003076	003075	003074	003073	003072	003071	003070	003069	003068	003067	003066	003065	003064	003063	003062	003061	003060	003059	003058	003057	003056	003055	003054	003053	003052	003051	003050	003049	003048	003047	003046	003045	003044	003043	003042	003041	003040	003039	:
	44 /63 /64	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91				05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91				05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	

CP-STATUS TO	MOVE CP-PAY-FREQ TO DRAFT-PAY-FREQ.	MOVE CP-MNEHONIC TO DRAFT-HRCH-MNEHONIC.	MOVE CP-CAT-MBR TO DRAFT-HRCH-CAT.	HOVE CP-CHCK-PHONE TO DRAFT-HRCH-PHONE.	CP-CHCK-CR-PHONE TO	HOVE CP-SSN TO DRAFT-SSN.	10	*020* TO		京都在国际市场的,是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	* CREATES THE DRAFTED LIENS TILE FOR PAY-BY-PHONE CONSUMERS. *	東東東東東東東東東東東東東東東東東東東東東東東東東東東東東東東東東東東東東	TICO-DETITIES-RECORD.		EXIT.	J900-WRITE-SUM-LINE-EXIT.		WS-LAST-COMMIT-COUNT	HOVE SUBMARY-REPORT-LINE TO JUNK-LINE.	J900-WRITE-SUM-LINE.		EXIT.	J800-WRITE-SUM-PAGE-EXIT.	LINE	MOVE WS-LAST-COMMIT-COUNT TO JUNK-COMMIT-KEY.		MOVE '1' TO CC-LINE.	J800-WRITE-SUM-PAGE		EXIT.	J300-WRITE-STLCODE-SUM-EXIT.	HOVE SPACES TO SUM-DETAIL.	THRU J900-WRITE-SUM-LINE-EXIT.	DRM J900-WRITE-SUM-LINE	2	10	MOVE SUM-DETATI TO SUMMADY-DEPORT-ITAE	TO CITATION AND AND	MOVE TED-TB: -07-TOILAGE (TED-TBC)	TO SEE TRAILERS (TRAILERS)	TED TON	REPAIL ANCES	MO-OC-LII	10 10 10 10 10 10 10 10 10 10 10 10 10 1	-	X MALIE ACA LIGAV CHAR	۲		EXIT.
003139	003138	003137	003136	003135	003134	003133	003132	003131	003130	003129	003128	003127	003126	003125	003124	003123	003122	003121	003120	003119	003118	003117	003116	003115	003114	003113	003112	003111	003110	003109	003108	003107	003106	003105	901200	201200	Torcon	00100	003099	003098	003097	003096	003095	003094	003093	003092	003091	003090	003089
																	03/13/91	03/13/01	03/13/01				:	03/13/91	03/13/91	03/13/91	03/13/91			05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	0E/3E/01	16/25/50	16/52/50	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91		

K150-WRITE-DRFTITEM-EXIT.	WRITE URFTITEN-RECORD FROM DRAFT-RECORD.	HOVE WS-LAST-COMMIT-COUNT TO DRFTITEM-COMMIT-KEY		K150-WRITE-DRFTITEM.		EX.L.	K100-URFTITEM-RECORD-EXIT.		DRAFT-CHECK-DIGIT.	DRAFT-HRCH-NAME,	DRAFT-PAY-STATUS,	DRAFT-PAY-TYPE,		MOVE SPACES TO DRAFT-MRCH-DELETE.	MOVE JEDGES TO TOWNER C.			THRU K150-WRITE-DRFTITEM-EXIT.	PERFORM K150-WRITE-DRFTITEM		MOVE 'V' TO DRAFT-PAY-TYPE	į	HOVE CP-PAY-TYPE TO DRAFT-PAY-TYPE	TE TP-BAY-TVDE = "E" OB 'U'	MOVE ZEROS TO DRAFT-PAY-DATE-LST-CHG.	ZEROS	ELSE	MOVE CP-MRCH-PAY-DATE TO DRAFT-PAY-DATE-LST-CHG	MOVE CP-HRCH-ANT TO DRAFT-PAY-ANT-LST-CHG	CP-MRCH-PAY-D/	IF (CP-MRCH-AMT > 0 AND	HOVE OF CHE TO DEACT MORE THE	CB-CUC-DATE	IF CCF-FAY-TYPE = "O" OR		MOVE ZEROS TO DRAFT-PAY-DATE-LST-CHG	ZEROS TO	IF CP-PAY-TYPE = "F"		T0 D	MOVE CP-NBR-REMAIN TO DRAFT-NO-PHNTS-REMAIN.		MOVE 999 TO DOAFT-MO-DMMTS-BEHATH	MOVE CP-LAST-TRANS-DATE TO DRAFT-LAST-TRANS-DATE.
003190	003188	003187	003186	581200 FOTCO	003183	003182	003181	003180	003179	003178	003177	003176	003175	003176	003172	003171	003170	003169	003168	003167	991200	471200	COTEN	003162	003161	003160	003159	003158	003157	003156	33150 #GTC00	003153	003152	003151	003150	003149	003148	003147	003146	003145	003144	241200	003141	003140
·	11/14/90	03/13/91							11/14/90	11/14/90	11/14/90	11/14/90	11/14/90	11/14/90	11/14/90	11/14/90	11/14/90																•											

SET END-OF-TBLIN TO TRUE.	AT END	READ PAY-TABLE-INPUT INTO TRANFREE-PAY-TABLE-REC	SET NOT-END-OF-TBLIN TO TRUE.	MOVE ZERO TO TRANFREE-TBL-ENTRIES.			_	* STORED DIRECTLY WHERE THEY WERE WRITTEN FROM. THIS ALSO	DS CAN	* LOAD RESTART ENTRIES FROM THE PAY TABLE FILE. EACH RECORD *		9100-LOAD-PAY-TBL.		9000-EXIT. EXIT.		END-EVALUATE.	GO TO ERRCHY	WHEN SQLCODE IS NEGATIVE	GO TO ERROY			CPEN 1002			MOVE WS-PREVIOUS-SSN TO SQL-PREV-SSN		END-EXEC	COMMIT	-	SALES NOTCODE II D		END-EXEC.	PC_PROGRAM_NAME =	PC RESTART MODE	SET PC LAST COMMIT KEY E .PC-1 ACT-COMMIT-KEY		TUVE "UPDATING T900-PROG-CONTROL" TO STEP-DENOTER.		THRU TRACKING-NBR-SAVE-EXIT.	TRACKING-NBR-SAVE	_	DISPLAY '****WS-TOTALS====>>' WS-TOTALS		9000-COMMIT-WORK.			FYTT
003241	003240	003239	003238	003237	003236	003235	003234	003233	003232	003231	003230	003229	003228	003227	003226	003225	003224	222500	122500	003220	003219	003218	003217	003216	003215	003214	003213	112500	012210	003209	003208	003207	003206	407CAA	003203	003202	003201	003200	003199	003198	003197	003196	003195	003194	003193	161500	
05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	03/13/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	16/21/20	16/51/50	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	03/13/91	05/13/91	03/13/91	03/13/91	03/13/91	03/13/91	16/51/50	03/13/91	03/13/91	03/13/91	03/13/91	05/25/91	05/25/91	03/13/91	03/13/91	16/21/20	16/21/20	03/13/91	10/2/120	

-INC SQLERROR		-INC FDATRING		TEXATOS		CHECK-EXIT. EXIT.	Ç			NOVE CT-PAPK-ACCI-NBK TO PDK-ACCI-NBK	MOVE CT - PAPR - RT - TRANS TO PDR - ROUTE - TRANS	17 30-11-10 H · F ·			9200-EXIT. EXIT.		END-PERFORM.	WRITE PAY-TBL-OUTPUT-REC FROM TRANFREE-PAY-TABLE-REC	TO TFX-TAY-TBL-XBX						PERFORM VARYING TRANFREE-CURR-ENTRY FROM 1 BY 1	MOVE 1 TO TRANFREE-CURR-ENTRY.	9200-WRITE-PAY-TBL.		9100-EXIT. EXIT.	CLOSE PAY-TABLE-INPUT.		END-PERFORM.	EXD-READ	SET END-OF-TBLIN TO TRUE	AT END	READ FAY-TABLE-INPUT INTO TRANFREE-PAY-TABLE-REC	ND-1F	TOVE TRANSPORT CORRECTOR TRANSPORTED TOUR TRANSPORT	TRANTREE-CORR-ENTRY GREATER THAN TRANFREE-TBL-ENTRIES	TO TAXABLE SCHENIRY (TRANTREE-CURR-ENTRY)	TOVE TRATECHEN		
*		*		*		٠																																					
003286	003284	003283	003282	003281	003280	003279	003278	003277	003276	003275	003274	003273	003272	003271	003270	003269	003268	003267	003266	003265	003264	003263	003262	003261	003260	003259	003258	003257	003256	003255	003254	003253	003252	003251	003250	003249	003248	003247	003246	003245	003244	003243	003242
11/14/90		11/14/90	05/25/91	05/25/91	05/25/91	04/20/91	04/20/91	04/20/91	04/20/91	04/20/91	04/20/91	04/20/91	04/20/91		03/13/91	03/13/91	03/13/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	03/13/91	03/13/91	03/13/91	05/25/91	03/13/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	05/25/91	03/13/91

	_		•
J0802530 PAW00165 J0802530 PAW00165			» ••• ••• ••• ••• •• •• •• ••
			AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
00000000000000			PPPPPPPPPP
11			
ŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽŽ			
RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR		2222222222 22 222222222 22 22 22 22 22 22 22 22 22 22 22 22 22 222222	
8.000000000000000000000000000000000000	.·	55 55 55 55 55 55 55 55 55 55 55 55 55	111 111 111 111 111 111 111 111 111 11
			66666666666666666666666666666666666666
TILL COLUMN TO THE COLUMN TO T		00 00 00 00 00 00 00 00 00 00 00 00 00	6666 6666 6666 6666
999999999999999999999999999999999999999	- -		6666 6666 66666 66666
77777777777777777777777777777777777777	11		666666666666666666666666666666666666666
ALXI END ALXI END ALXI END ALXI END ALXI END ALXI END BLOOM			5 6 6 7 6 7 6 7 6 7 6 7 6 7

۵,

. .